QM DRAIN

Center & Linear Drains



www.qmdrain.com

QM DRAIN®











Contents

	Page
About QM Drain	5
Delmar Series	11
Delmar Supreme	15
Supreme	21
Supreme Tile-In+	23
Delmar Adjustable	28
Wedgewire	31
Perforated	33
Mist (Tile-In)	35
Delmar Standard Length (plain, flange edge, side outlet)	36
Wedgewire	40
Delta	42
Mist (Tile-In)	46
Kai	48
Nami	52
Lotus	54
Delmar Center	56
Delta	59
Mist (Tile-In)	61
Kai	63
Nami	65
Lotus	67

	Page
Lagos Series	69
Lagos Adjustable	70
Wedgewire	73
Perforated	75
Mist (Tile-In)	77
Lagos Standard	79
Veil (Tile-In)	81
Lagos Center	84
Mira	87
Veil (Tile-In)	89
Bay Series	91
Standard Length 2-in-1	93
Standard Length Ria	95
Center Ria	97
Installation Components	98
FAQ	100
Technical Information	103
Installation Instructions	135
Drains Components and Parts	153
Price List Index by Size	159
Price List Index by Finish	168
Contact Us	178


#QMDrain



Our Philosophy

QM Drain is a member of the Quality Metal Group family with over 18 years of experience committed to the best product design using the highest quality Stainless Steel.

Dedicated to eco-friendly manufacturing of a complete line of drains for uses from your shower to your pool.

With headquarters in Florida, USA, and distribution in more than 27 countries, QM has been selected for numerous high-profile projects in several countries.

QM Drain offers a wide range of linear and center drains in 3 series, Delmar, Lagos, and Bay. Bringing technological innovations through simplification, quick installation, and guaranteed performance.

Our most recent award-winner, SUPREME, sets a new benchmark for linear drains.

QM Drain is innovation, quality, and service!

Code Approval
QM products meet code approval in the United States and Canada per ASME Standard ASME A 112.18.2-2011/CSA B 125.2-11. Our products were tested in CSA's laboratory to meet the above standards. Additionally, these standards are recognized in the Uniform Plumbing Code (UPC) for Plumbing Waste Fittings.

THE PASSION FOR STAINLESS STEEL

QM DRAIN chooses AISI 316/L stainless steel to shape its own ideas. Stainless steel AISI 316/L also known as Marine 316, is a guarantee of quality and sustainability and is widely considered an ecological material if mechanically manufactured. An inert material that does not release toxic or harmful substances, the stainless steel combines the high level of hygiene, understood as antibacterial efficacy, with the resistance to corrosion thanks to the self-protective film that protects it when in contact with air. QM DRAIN adopts handmade finishes for its series obtained by smoothing, polishing and brushing. The wisdom and experience of QM DRAIN'S craftsmanship ensures a quality product.

TECHNOLOGICAL INNOVATION

QM DRAIN (Quality Metal Drain) invests its know-how in the research and development of technological solutions for product design. The origins of its expertise trace back to its experiences in the plumbing and installation planning fields, combining technical know-how and architectural demands. The internal research into the product and its peculiarities is careful and aims at supporting the construction work, through simplification, rapid installation and guaranteed operation.

DESIGN & PRODUCTION

QM DRAIN production process is characterized by precision, simplicity, and craftsmanship that guides innovation and sustainability resulting in sleek design that will transcend architecture through time.

Our Passion for Stainless Steel



ECO-FRIENDLY PRODUCT

The distinctive hardness of the AISI 316/L stainless steel guarantees long life of QM DRAIN products and resistance to scratches, external agents, salt and sulfur waters. The characteristics of the material represent the primary guarantee of QM DRAIN products: quality, durability and eco-friendly.



TOTALLY RECYCLABLE

QM DRAIN chooses AISI 316/L stainless steel, a totally recyclable and highly performing material. The raw material, characterized by low levels of carbon, is carefully selected and enables QM DRAIN to not involve hot melting, painting, galvanic treatment or other chemical processes during production. QM DRAINS do not release any toxic elements into the water, and are highly hygienic and totally recyclable.



LOW ENVIRONMENTAL IMPACT

QM DRAIN adopts only cold working methods for stainless steel and does not influence global warning.

Thanks to Precision CNC machines (lathes, milling and laser cutting) the quality of the production process achieves excellent results. Finishes are also obtained through environmentally friendly mechanical processes.

QM stainless steel Bronze, Matte Black, and Satin Gold finishes are obtained by Physical Vapor Deposition (PVD) and Nano Technology coating. The result is superior wear, corrosion and chemical resistance, high hardness, and an environmentally friendly process.

QM DRAIN®

1. BEYOND QUALITY

Never compromise quality, we offer only the best.

2. TRENDING DESIGNS

Ahead of the curve, we create change.

3. QUALITY CONTROL

Pride in every detail, craftsmanship ensures a quality product.

4. TECHNOLOGICAL INNOVATION

Through simplification, rapid installation, and guaranteed operation.

5. WORLD CLASS SUPPORT

As a team, we bring experiences, challenges, and responsibility to each product.

10 Reasons to Choose QMDrain

6. PRESERVE THE ENVIRONMENT

We always use recyclable and Eco-friendly materials.

7. PASSION FOR STAINLESS STEEL

We choose **Marine Grade 316 Stainless Steel**, the highest corrosion resistance material, to shape our ideas.

8. HIGH LEVEL OF EXPERTISE

More than 18 years dedicated to design and manufacturing using stainless steel.

9. CUSTOM CAPABILITY

Whether a single drain for residential or providing an engineered solution for commercial projects, our expertise ensures quality and timeliness.

10. DIGITAL PRESENCE

#QMDrain
#DesignThatWorks
#StainlessSteel316

QM Drain qmdrain


#StainlessSteel316

Delmar Series

Delmar is our crown jewel. It is the perfect combination of unique modern design and the highest quality you will find in the industry.

Delmar offers you the only line of drains made entirely of **Stainless Steel Marine 316**, from top to bottom, for unmatched corrosion resistance and minimum maintenance.

It gives you the most design freedom through our wide variety of options:

- Supreme linear drains
- Adjustable and custom linear drains
- Standard length linear drains
- Square center drains

STAINLESS STEEL MARINE 316






SUPREME HAS SET A NEW BENCHMARK IN SHOWER DRAINS


Kitchen & Bath Business product innovator AWARDS 2018 WINNER


Architectural Record 2018 Winner

Interior Design BESTofyear HONOREE 2018

SUPREME revolutionizes the installation of linear drains


CENTER
Outlet located within
8” left from the center


CENTER
Outlet located within
8” right from the center


CENTER
Outlet located
in the center

VERSATILITY & FLEXIBILITY

SUPREME is a unique linear shower drain that solves one of the biggest problems facing installers and plumbers in both construction and remodeling, eliminating the need to relocate existing plumbing when the water outlet is located a few inches off-center.

This award winning and innovative product offers an independent base that houses an internal rail system which enables the grate to be in a different position than the base and the outlet, allowing a quick and easy installation. Its superior design provides a flexible 8-inch range from the center of the shower, allowing you to center your drain without moving the existing pipe.

Two Design Options:

Supreme



Supreme Tile-in+



Drain base has an offset 2” outlet. This feature allows you to rotate the base to accommodate a left or right position and the sliders adjust to connect the grate in a different position than the outlet.




One drain channel... four grate sizes, four finishes, all the possibilities
Watch video
www.qmdrain.com • info@qm-us.com





Watch video

www.qmdrain.com • info@qm-us.com


One drain channel...
reversible grate,
one size,
four finishes,
all the possibilities.



QM DRAIN

STAINLESS STEEL MARINE 316

DelmarSeries

SUPREME.

Inspired by the wild imagination of the seas



Material: 100% Stainless Steel Marine 316.
Finishes: Satin, Polished, Satin Gold, & Matte Black.
Base: houses an internal rail system which enables the grate to be in a different position than the base and the outlet, allowing you to center your drain without moving the existing pipe.
Grate: can be cut to your specific length and multiple drains can be aligned to accommodate multiple outlets.
Outlet: 2” Offset Location.

Installation Instruction Pages: 136-138
Specification Pages: 104-105

Accessories included:


Hair Strainer


Threaded Nipple


Cutting Blade


Key


Level


Wedges

Clampdown flange drain is not included in kit.
If needed see page 99



	Length	SKU	MSRP
Satin	30”	33.800.30 ST	$ 775
	40”	33.800.40 ST	$ 875
	50”	33.800.50 ST	$ 955
	60”	33.800.60 ST	$ 1,045
Polished	30”	33.800.30 PS	$ 775
	40”	33.800.40 PS	$ 875
	50”	33.800.50 PS	$ 955
	60”	33.800.60 PS	$ 1,045
Gold	30”	33.800.30 GD	$ 840
	40”	33.800.40 GD	$ 955
	50”	33.800.50 GD	$ 1,045
	60”	33.800.60 GD	$ 1,145
Black	30”	33.800.30 BK	$ 840
	40”	33.800.40 BK	$ 955
	50”	33.800.50 BK	$ 1,045
	60”	33.800.60 BK	$ 1,145



www.qmdrain.com • info@qm-us.com

DelmarSeries

SUPREME.

Tile-in+



Material: 100% Stainless Steel Marine 316.
Finishes: Satin, Polished, Satin Gold, & Matte Black.
Base: houses an internal rail system which enables the grate to be in a different position than the base and the outlet, allowing you to center your drain without moving the existing pipe.
Grate: reversible, universal “one size fits all”.
Outlet: 2” Offset Location.

Accessories included:


Hair Strainer


Threaded Nipple


Key


Installation Instruction Page: 140
Specification Pages: 106-107

Clampdown flange drain is not included in kit.
If needed see page 99



	Length	SKU	MSRP
Satin	8”	33.810.08 ST	$ 550
Polished	8”	33.810.08 PS	$ 595
Gold	8”	33.810.08 GD	$ 595
Black	8”	33.810.08 BK	$ 595

NEW Supreme Tile-in+
One drain, two designs



www.qmdrain.com • info@qm-us.com



Adjustable Linear Drain



Delmar | Wedgewire | Satin



Delmar | Wedgewire | Black

Delmar Series \ Adjustable Linear Drain

Wedgewire



Satin, Polished & Black

Perforated




Satin & Polished

Mist (Tile-in)



Satin & Polished



Sizes Available: 36”, 48", 60", 72", & 96”

Kit Includes: Base, Grate, Trim, Outlet, Threaded Nipple, Hair Strainer, Sealant, Adjustable Feet, Lifting Key and Stainless Steel Cutting Blade.

Note: For Indoor and Outdoor use. Create any length by connecting multiple kits.



Frame prevents damage to the grout when the grate is removed.

Base length can be adjusted and outlet placed on site.

Trims cover the edge of the base, so the joints are not visible.

Joiners used to attach base and outlet.

2” or 3” High Flow Outlet pipe, can be placed anywhere on the base.



Threaded Nipple with gasket used to install the drain into the flange, helps adjust the height and threads into most 2” or 3” ABS, PVC, and Cast Iron Flanges.



Hair Strainer fits inside the drain to collect hair and other debris, preventing clogged pipes. Also, keeps insects and small rodents from coming up through the sewage system.



Leveling Feet keep the drain channel in the correct position and level during installation.



Lifting Key assists with grate removal.



Corner* needed when connecting two bases in a 90 degree angle.
(*) Corner accessory sold separately

STAINLESS STEEL MARINE 316

Watch video



QM DRAIN

STAINLESS STEEL MARINE 316

DelmarSeries

WEDGEWIRE

Influenced by naturally exposing forms and pushing raw materials beyond the wire



Adjustable Length

Material: 100% Stainless Steel Marine 316.
Finishes: Satin, Polished, & Matte Black.
Base: Pre-sloped low profile channel, adjust length on site. Create any length by connecting multiple kits.
Grate: can be cut to your specific length.
Outlet: 2” or 3" High Flow. Adjust outlet position on site.

Installation Instruction Pages: 142-143
Specification Pages: 108-111
Base Kits and Components Pages: 156-157

Clampdown flange drain is not included in kit.
If needed see page 99

Accessories included:


Hair Strainer


Threaded Nipple


Cutting Blade


Key



Sealant


Adjustable Feet


Trims


Joiners


2” Outlet


3” HF Outlet



		Kit with 2” Outlet		Kit with 3” HF Outlet	
	Length	SKU	MSRP	SKU	MSRP
Satin	36”	33.610.36 ST	$ 885	33.610.36HF ST	$ 950
	48”	33.610.48 ST	$ 1,085	33.610.48HF ST	$ 1,050
	60”	33.610.60 ST	$ 1,305	33.610.60HF ST	$ 1,370
	72”	33.610.72 ST	$ 1,565	33.610.72HF ST	$ 1,695
	96”	33.610.96 ST	$ 2,130	33.610.96HF ST	$ 2,260
Polished	36”	33.610.36 PS	$ 940	33.610.36HF PS	$ 1,095
	48”	33.610.48 PS	$ 1,345	33.610.48HF PS	$ 1,410
	60”	33.610.60 PS	$ 1,595	33.610.60HF PS	$ 1,660
	72”	33.610.72 PS	$ 1,925	33.610.72HF PS	$ 2,055
	96”	33.610.96 PS	$ 2,655	33.610.96HF PS	$ 2,785
Black	36”	33.610.36 BK	$ 1,040	33.610.36HF BK	$ 1,105
	48”	33.610.48 BK	$ 1,265	33.610.48HF BK	$ 1,330
	60”	33.610.60 BK	$ 1,520	33.610.60HF BK	$ 1,585
	72”	33.610.72 BK	$ 2,040	33.610.72HF BK	$ 2,170
	96”	33.610.96 BK	$ 2,490	33.610.96HF BK	$ 2,620

Note: Choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.



DelmarSeries

PERFORATED

Inspired by the thought of life connecting the dots



Adjustable Length

Material: 100% Stainless Steel Marine 316.
Finishes: Satin & Polished.
Base: Pre-sloped low profile channel, adjust length on site. Create any length by connecting multiple kits.
Grate: can be cut to your specific length.
Outlet: 2” or 3" High Flow. Adjust outlet position on site.

Installation Instruction Pages: 142-143
Specification Pages: 108-111
Base Kits and Components Pages: 156-157

Clampdown flange drain is not included in kit.
If needed see page 99

Accessories included:


Hair Strainer


Threaded Nipple


Cutting Blade


Key



Sealant


Adjustable Feet


Trims


Joiners


2” Outlet


3” HF Outlet



	Length	Kit with 2” Outlet SKU	MSRP	Kit with 3” HF Outlet SKU	MSRP
Satin	36”	33.620.36 ST	$ 505	33.620.36HF ST	$ 570
	48”	33.620.48 ST	$ 635	33.620.48HF ST	$ 700
	60”	33.620.60 ST	$ 750	33.620.60HF ST	$ 815
	72”	33.620.72 ST	$ 1,000	33.620.72HF ST	$ 1,065
	96”	33.620.96 ST	$ 1,285	33.620.96HF ST	$ 1,350
Polished	36”	33.620.36 PS	$ 515	33.620.36HF PS	$ 580
	48”	33.620.48 PS	$ 640	33.620.48HF PS	$ 705
	60”	33.620.60 PS	$ 765	33.620.60HF PS	$ 830
	72”	33.620.72 PS	$ 1,175	33.620.72HF PS	$ 1,240
	96”	33.620.96 PS	$ 1,360	33.620.96HF PS	$ 1,425

Note: Choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.



QM DRAIN

STAINLESS STEEL MARINE 316

DelmarSeries

MIST (Tile-in)

A tribute to the way water disguises everything around us in nature



Adjustable Length

Material: 100% Stainless Steel Marine 316.
Finishes: Satin, Polished, & Matte Black.
Base: Pre-sloped low profile channel, adjust length on site. Create any length by connecting multiple kits.
Grate: can be cut to your specific length.
Outlet: 2” or 3" High Flow. Adjust outlet position on site.

Installation Instruction Pages: 142-143
Specification Pages: 108-111
Base Kits and Components Pages: 156-157

Clampdown flange drain is not included in kit.
If needed see page 99

Accessories included:


Hair Strainer


Threaded Nipple


Cutting Blade


Key



Sealant


Adjustable Feet


Trims


Joiners


2” Outlet


3” HF Outlet



	Length	Kit with 2” Outlet SKU	MSRP	Kit with 3” HF Outlet SKU	MSRP
Satin	36”	33.630.36 ST	$ 680	33.630.36HF ST	$ 745
	48”	33.630.48 ST	$ 865	33.630.48HF ST	$ 930
	60”	33.630.60 ST	$ 1,025	33.630.60HF ST	$ 1,090
	72”	33.630.72 ST	$ 1,495	33.630.72HF ST	$ 1,560
	96”	33.630.96 ST	$ 1,695	33.630.96HF ST	$ 1,760
Polished	36”	33.630.36 PS	$ 695	33.630.36HF PS	$ 745
	48”	33.630.48 PS	$ 880	33.630.48HF PS	$ 930
	60”	33.630.60 PS	$ 1,040	33.630.60HF PS	$ 1,090
	72”	33.630.72 PS	$ 1,460	33.630.72HF PS	$ 1,560
	96”	33.630.96 PS	$ 1,660	33.630.96HF PS	$ 1,760

Note: Choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.

Delmar Series

Standard Linear Drain

Wedgewire



Black, Satin, & Polished

Delta



Satin & Polished

Mist
(Tile-in)




Satin & Black

Kai*



Satin

Nami*



Satin

Lotus



Bronze, Black,
& Satin Gold

Sizes Available: 24”, 28", 32", 36", 48", & 58”

(*) Sizes Available 24” to 36”



Frame prevents damage to the grout when the grate is removed.

Base pre-pitched drain base eliminates the pooling of water. Allows water to flow properly to outlet.

Outlet centrally located 2” outlet pipe.

Threaded Nipple with gasket used to install the drain into the flange, helps adjust the height and threads into most 2” ABS, PVC, and Cast Iron Flanges.



Hair Strainer fits inside the drain to collect hair and other debris, preventing clogged pipes Also, keeps insects and small rodents from coming up through the sewage system.



Leveling Feet keep the drain channel in the correct position and level during installation.



Lifting Key assists with grate removal.

BASES AVAILABLE

Plain Edge is intended for use with standard waterproofing methods. Waterproofing is installed before the drain base is connected.

Flange Edge and **Side Outlet Flange Edge** are intended for use with modern waterproofing methods (liquid or fabric type waterproofing). Waterproofing is installed over the edge of the drain base.



STAINLESS STEEL MARINE 316

Watch video



Delmar | Wedgewire | Satin




Delmar | Delta | Polished

DelmarSeries

WEDGEWIRE

Influenced by naturally exposing forms and pushing raw materials beyond the wire



Standard Length

Material: Stainless Steel Marine 316.
Finishes: Satin, Polished, & Matte Black.
Base Options: Plain Edge, Flange Edge, and Side Outlet Flange Edge.
Outlet: 2” Center Location.

Installation Instruction Pages: 144-145
Specification Pages: 112-117
Components Pages: 154-155

Accessories included:


Hair Strainer


Threaded Nipple


Adjustable Feet


Key

Clampdown flange drain is not included in kit.
If needed see page 99

PLAIN EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.700.24 ST	$ 650
	28”	33.700.28 ST	$ 705
	32”	33.700.32 ST	$ 775
	36”	33.700.36 ST	$ 840
	48”	33.700.48 ST	$ 1,050
	58”	33.700.58 ST	$ 1,195
Polished	24”	33.700.24 PS	$ 735
	28”	33.700.28 PS	$ 810
	32”	33.700.32 PS	$ 905
	36”	33.700.36 PS	$ 985
	48”	33.700.48 PS	$ 1,310
	58”	33.700.58 PS	$ 1,485
Black	24”	33.700.24 BK	$ 790
	28”	33.700.28 BK	$ 865
	32”	33.700.32 BK	$ 960
	36”	33.700.36 BK	$1,045
	48”	33.700.48 BK	$ 1,345
	58”	33.700.58 BK	$ 1,545

WEDGEWIRE

FLANGE EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.700.24F ST	$ 740
	28”	33.700.28F ST	$ 805
	32”	33.700.32F ST	$ 890
	36”	33.700.36F ST	$ 955
	48”	33.700.48F ST	$ 1,190
	58”	33.700.58F ST	$ 1,390
Polished	24”	33.700.24F PS	$ 825
	28”	33.700.28F PS	$ 910
	32”	33.700.32F PS	$ 1,020
	36”	33.700.36F PS	$ 1,100
	48”	33.700.48F PS	$ 1,450
	58”	33.700.58F PS	$ 1,680
Black	24”	33.700.24F BK	$ 825
	28”	33.700.28F BK	$ 910
	32”	33.700.32F BK	$ 1,020
	36”	33.700.36F BK	$ 1,100
	48”	33.700.48F BK	$ 1,450
	58”	33.700.58F BK	$ 1,680

SIDE OUTLET FLANGE EDGE BASE





	Length	SKU	MSRP
Satin	24”	33.700.24FSO ST	$ 790
	28”	33.700.28FSO ST	$ 860
	32”	33.700.32FSO ST	$ 940
	36”	33.700.36FSO ST	$ 1,020
	48”	33.700.48FSO ST	$ 1,250
	58”	33.700.58FSO ST	$ 1,465
Polished	24”	33.700.24FSO PS	$ 875
	28”	33.700.28FSO PS	$ 965
	32”	33.700.32FSO PS	$ 1,070
	36”	33.700.36FSO PS	$ 1,165
	48”	33.700.48FSO PS	$ 1,510
	58”	33.700.58FSO PS	$ 1,755
Black	24”	33.700.24FSO BK	$ 875
	28”	33.700.28FSO BK	$ 965
	32”	33.700.32FSO BK	$ 1,070
	36”	33.700.36FSO BK	$ 1,165
	48”	33.700.48FSO BK	$ 1,510
	58”	33.700.58FSO BK	$ 1,755

DelmarSeries

DELTA

Inspired by the strong and determined way a river flows into the ocean





Standard Length

Material: Stainless Steel Marine 316.
Finishes: Satin & Polished.
Base Options: Plain Edge, Flange Edge, and Side Outlet Flange Edge.
Outlet: 2” Center Location.

Installation Instruction Pages: 144-145
Specification Pages: 112-117
Components Pages: 154-155

Accessories included:


Hair Strainer



Threaded Nipple


Adjustable Feet


Key

Clampdown flange drain is not included in kit.
If needed see page 99

PLAIN EDGE BASE



	Length	SKU	MSRP
satin	24”	33.300.24 ST	$ 355
	28”	33.300.28 ST	$ 390
	32”	33.300.32 ST	$ 425
	36”	33.300.36 ST	$ 460
	48”	33.300.48 ST	$ 585
	58”	33.300.58 ST	$ 650
Polished	24”	33.300.24 PS	$ 370
	28”	33.300.28 PS	$ 400
	32”	33.300.32 PS	$ 445
	36”	33.300.36 PS	$ 480
	48”	33.300.48 PS	$ 610
	58”	33.300.58 PS	$ 675

DELTA

FLANGE EDGE BASE




	Length	SKU	MSRP
Satin	24”	33.300.24F ST	$ 445
	28”	33.300.28F ST	$ 490
	32”	33.300.32F ST	$ 540
	36”	33.300.36F ST	$ 575
	48”	33.300.48F ST	$ 725
	58”	33.300.58F ST	$ 845
Polished	24”	33.300.24F PS	$ 460
	28”	33.300.28F PS	$ 500
	32”	33.300.32F PS	$ 560
	36”	33.300.36F PS	$ 595
	48”	33.300.48F PS	$ 750
	58”	33.300.58F PS	$ 870

SIDE OUTLET FLANGE EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.300.24FSO ST	$ 495
	28”	33.300.28FSO ST	$ 545
	32”	33.300.32FSO ST	$ 590
	36”	33.300.36FSO ST	$ 640
	48”	33.300.48FSO ST	$ 785
	58”	33.300.58FSO ST	$ 920
Polished	24”	33.300.24FSO PS	$ 510
	28”	33.300.28FSO PS	$ 555
	32”	33.300.32FSO PS	$ 610
	36”	33.300.36FSO PS	$ 660
	48”	33.300.48FSO PS	$ 810
	58”	33.300.58FSO PS	$ 945



Delmar | Mist | Black



Delmar | Kai | Satin

DelmarSeries

MIST (Tile-in)

A tribute to the way water disguises everything around us in nature



Standard Length

Material: Stainless Steel Marine 316.
Finishes: Satin & Matte Black.
Base Options: Plain Edge, Flange Edge, and Side Outlet Flange Edge.
Outlet: 2” Center Location.

Installation Instruction Pages: 144-145
Specification Pages: 112-117
Components Pages: 154-155

Accessories included:


Hair Strainer


Threaded Nipple


Adjustable Feet


Key

Clampdown flange drain is not included in kit.
If needed see page 99

PLAIN EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.500.24 ST	$ 465
	28”	33.500.28 ST	$ 495
	32”	33.500.32 ST	$ 525
	36”	33.500.36 ST	$ 565
	48”	33.500.48 ST	$ 695
	58”	33.500.58 ST	$ 825
Black	24”	33.500.24 BK	$ 565
	28”	33.500.28 BK	$ 595
	32”	33.500.32 BK	$ 625
	36”	33.500.36 BK	$ 665
	48”	33.500.48 BK	$ 795
	58”	33.500.58 BK	$ 930

MIST (Tile-in)

FLANGE EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.500.24F ST	$ 440
	28”	33.500.28F ST	$ 485
	32”	33.500.32F ST	$ 545
	36”	33.500.36F ST	$ 580
	48”	33.500.48F ST	$ 745
	58”	33.500.58F ST	$ 880

SIDE OUTLET FLANGE EDGE BASE




	Length	SKU	MSRP
Satin	24”	33.500.24FSO ST	$ 490
	28”	33.500.28FSO ST	$ 540
	32”	33.500.32FSO ST	$ 595
	36”	33.500.36FSO ST	$ 645
	48”	33.500.48FSO ST	$ 805
	58”	33.500.58FSO ST	$ 955

DelmarSeries

KAI

From the word sea in Hawaiian, Kai pays tribute to the tranquility and vastness of open sea



Standard Length

Material: Stainless Steel Marine 316.
Finishes: Satin.
Base Options: Plain Edge, Flange Edge, and Side Outlet Flange Edge.
Outlet: 2” Center Location.

Installation Instruction Pages: 144-145
Specification Pages: 112-117
Components Pages: 154-155

Accessories included:


Hair Strainer



Threaded Nipple


Adjustable Feet


Key

Clampdown flange drain is not included in kit.
If needed see page 99

PLAIN EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.200.24 ST	$ 355
	28”	33.200.28 ST	$ 390
	32”	33.200.32 ST	$ 425
	36”	33.200.36 ST	$ 460

KAI

FLANGE EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.200.24F ST	$ 445
	28”	33.200.28F ST	$ 490
	32”	33.200.32F ST	$ 540
	36”	33.200.36F ST	$ 575

SIDE OUTLET FLANGE EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.200.24FSO ST	$ 495
	28”	33.200.28FSO ST	$ 545
	32”	33.200.32FSO ST	$ 590
	36”	33.200.36FSO ST	$ 640



Delmar | Nami | Satin




Delmar| Lotus | Bronze

DelmarSeries

NAMI

Named after the Japanese word for wave and inspired by beautiful ripple marks on a sandy beach



Standard Length

Material: Stainless Steel Marine 316.
Finishes: Satin.
Base Options: Plain Edge, Flange Edge, and Side Outlet Flange Edge.
Outlet: 2” Center Location.

Installation Instruction Pages: 144-145
Specification Pages: 112-117
Components Pages: 154-155

Accessories included:


Hair Strainer


Threaded Nipple


Adjustable Feet


Key

Clampdown flange drain is not included in kit.
If needed see page 99

PLAIN EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.100.24 ST	$ 355
	28”	33.100.28 ST	$ 390
	32”	33.100.32 ST	$ 425
	36”	33.100.36 ST	$ 460

NAMI

FLANGE EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.100.24F ST	$ 445
	28”	33.100.28F ST	$ 490
	32”	33.100.32F ST	$ 540
	36”	33.100.36F ST	$ 575


SIDE OUTLET FLANGE EDGE BASE



	Length	SKU	MSRP
Satin	24”	33.100.24FSO ST	$ 495
	28”	33.100.28FSO ST	$ 545
	32”	33.100.32FSO ST	$ 590
	36”	33.100.36FSO ST	$ 640

LOTUS

A design pure as a lotus, the most beautiful and exquisite flower to ever have grown in water



Standard Length

Material: Stainless Steel Marine 316.
Finishes: Bronze, Matte Black, & Satin Gold.
Base Options: Plain Edge, Flange Edge, and Side Outlet Flange Edge.
Outlet: 2" Center Location.

Installation Instruction Pages: 144-145
Specification Pages: 112-117
Components Pages: 154-155

Accessories included:


Hair Strainer


Threaded Nipple


Adjustable Feet


Key

Clampdown flange drain is not included in kit.
If needed see page 99


PLAIN EDGE BASE



	Length	SKU	MSRP
Bronze	24"	33.400.24 BZ	$ 465
	28"	33.400.28 BZ	$ 515
	32"	33.400.32 BZ	$ 560
	36"	33.400.36 BZ	$ 605
	48"	33.400.48 BZ	$ 745
	58"	33.400.58 BZ	$ 865
Black	24"	33.400.24 BK	$ 465
	28"	33.400.28 BK	$ 515
	32"	33.400.32 BK	$ 560
	36"	33.400.36 BK	$ 605
	48"	33.400.48 BK	$ 745
	58"	33.400.58 BK	$ 865
Gold	24"	33.400.24 GD	$ 465
	28"	33.400.28 GD	$ 515
	32"	33.400.32 GD	$ 560
	36"	33.400.36 GD	$ 605
	48"	33.400.48 GD	$ 745
	58"	33.400.58 GD	$ 865

LOTUS

FLANGE EDGE BASE



	Length	SKU	MSRP
Bronze	24”	33.400.24F BZ	$ 500
	28”	33.400.28F BZ	$ 560
	32”	33.400.32F BZ	$ 615
	36”	33.400.36F BZ	$ 660
	48”	33.400.48F BZ	$ 850
	58”	33.400.58F BZ	$ 1,000
Black	24”	33.400.24F BK	$ 500
	28”	33.400.28F BK	$ 560
	32”	33.400.32F BK	$ 615
	36”	33.400.36F BK	$ 660
	48”	33.400.48F BK	$ 850
	58”	33.400.58F BK	$ 1,000
Gold	24”	33.400.24F GD	$ 500
	28”	33.400.28F GD	$ 560
	32”	33.400.32F GD	$ 615
	36”	33.400.36F GD	$ 660
	48”	33.400.48F GD	$ 850
	58”	33.400.58F GD	$ 1,000

SIDE OUTLET FLANGE EDGE BASE



	Length	SKU	MSRP
Bronze	24”	33.400.24FSO BZ	$ 550
	28”	33.400.28FSO BZ	$ 615
	32”	33.400.32FSO BZ	$ 665
	36”	33.400.36FSO BZ	$ 725
	48”	33.400.48FSO BZ	$ 910
	58”	33.400.58FSO BZ	$ 1,075
Black	24”	33.400.24FSO BK	$ 550
	28”	33.400.28FSO BK	$ 615
	32”	33.400.32FSO BK	$ 665
	36”	33.400.36FSO BK	$ 725
	48”	33.400.48FSO BK	$ 910
	58”	33.400.58FSO BK	$ 1,075
Gold	24”	33.400.24FSO GD	$ 550
	28”	33.400.28FSO GD	$ 615
	32”	33.400.32FSO GD	$ 665
	36”	33.400.36FSO GD	$ 725
	48”	33.400.48FSO GD	$ 910
	58”	33.400.58FSO GD	$ 1,075

Delmar Series \ Square Drain

Nami



Satin

Mist
(Tile-in)




Satin

Kai*



Satin

Delta



Satin



Polished

Lotus



Bronze



Satin Gold



ORB/Black

Sizes Available: 4” x 4” & 5 ¾” x 5 ¾”, except Kai, which is also available in 8” x 8" with a 3” high flow outlet.



Frame prevents damage to the grout when the grate is removed.

Base pre-pitched drain eliminates the pooling of water. Allows water to flow properly to outlet.

Threaded Outlet fits into most 2" ABS, PVC, and Cast Iron Flanges.



Hair Strainer fits inside the drain to collect hair and other debris, preventing clogged pipes. Also, keeps insects and small rodents from coming up through the sewerage system.



Lifting Key assists with grate removal.

STAINLESS STEEL MARINE 316

Watch video



DelmarSeries

DELTA

Inspired by the strong and determined way a river flows into the ocean



Center Drain
Material: Stainless Steel Marine 316.
Finishes: Satin & Polished.
Outlet: 2” Center Location.

Accessories included:


Hair Strainer


Key

Installation Instruction Pages: 146-147
Specification Pages: 118-119

Clampdown flange drain is not included in kit.
If needed see page 99



	Size	SKU	MSRP
Satin	4" x 4"	33.300.04 ST	$ 125
	5¾” x 5¾”	33.300.06 ST	$ 165
Polished	4" x 4"	33.300.04 PS	$ 155
	5¾” x 5¾”	33.300.06 PS	$ 195



QM DRAIN

STAINLESS STEEL MARINE 316

DelmarSeries

MIST (Tile-in)

A tribute to the way water disguises everything around us in nature



Center Drain
Material: Stainless Steel Marine 316.
Finishes: Satin.
Outlet: 2” Center Location.

Accessories included:


Hair Strainer


Key

Installation Instruction Pages: 146-147
Specification Pages: 118-119

Clampdown flange drain is not included in kit.
If needed see page 99



	Size	SKU	MSRP
Satin	4" x 4"	33.500.04 ST	$ 149
	5¾” x 5¾”	33.500.06 ST	$ 179



DelmarSeries

KAI

From the word sea in Hawaiian, Kai pays tribute to the tranquility and vastness of open sea



Center Drain
Material: Stainless Steel Marine 316.
Finishes: Satin.
Outlet: 2” Center Location, and 3" High Flow Outlet only for 8" x 8".


Accessories included:

 Hair Strainer

 Key

Installation Instruction Pages: 146-147
Specification Pages: 118-119

Clampdown flange drain is not included in kit.
If needed see page 99



	Size	SKU	MSRP
Satin	4" x 4"	33.200.04 ST	$ 125
	5¾” x 5¾”	33.200.06 ST	$ 165
	8” x 8”	33.200.08HF ST	$ 215



DelmarSeries

NAMI

Named after the Japanese word for wave and inspired by beautiful ripple marks on a sandy beach



Center Drain
Material: Stainless Steel Marine 316.
Finishes: Satin.
Outlet: 2” Center Location.

Accessories included:


Hair Strainer


Key

Installation Instruction Pages: 146-147
Specification Pages: 118-119

Clampdown flange drain is not included in kit.
If needed see page 99



	Size	SKU	MSRP
Satin	4" x 4"	33.100.04 ST	$ 125
	5¾” x 5¾”	33.100.06 ST	$ 165



QM DRAIN

STAINLESS STEEL MARINE 316

DelmarSeries

LOTUS

A design pure as a lotus, the most beautiful and exquisite flower to ever have grown in water



Center Drain
Material: Stainless Steel Marine 316.
Finishes: Satin Gold, Matte Black, & Bronze.
Outlet: 2” Center Location.

Accessories included:


Hair Strainer


Key

Installation Instruction Pages: 146-147
Specification Pages: 118-119

Clampdown flange drain is not included in kit.
If needed see page 99







	Size	SKU	MSRP
Gold	4" x 4"	33.400.04 GD	$ 199
	5¾” x 5¾”	33.400.06 GD	$ 295
Black	4" x 4"	33.400.04 BK	$ 199
	5¾” x 5¾”	33.400.06 BK	$ 295
Bronze	4" x 4"	33.400.04 BZ	$ 199
	5¾” x 5¾”	33.400.06 BZ	$ 295


#MoreThanDesign

Lagos Series

Lagos drains are built with the perfect combination of a 100% **Marine Grade 316 Stainless Steel** frame and grate, which guarantees the best durability and resistance to corrosion produced by cleaning and water softener chemicals and a base made of **ABS/PVC plastic**, known for being tough, rigid, & chemical resistant.

Lagos is our most cost-effective series of center and linear drains that allows you to enjoy a unique modern design, available in:

- Adjustable Linear Drains
- Linear Drain
- Center Drains

STAINLESS STEEL MARINE 316

+

ABS/PVC Base

Lagos Series
Adjustable Linear Drain

Wedgewire



Satin, Polished, & Black

Perforated



Satin & Polished

Mist (Tile-in)





Satin & Polished

Sizes Available: 36”, 48", 60", 72", & 96”

Kit Includes: Base, Grate, Trim, Joiners, Outlet, Threaded Nipple, Hair Strainer, Adjustable Feet, Lifting Key and Stainless Steel Cutting Blade.

Note: For Indoor and Outdoor use. Create any length by connecting multiple kits.





Frame prevents damage to the grout when the grate is removed.

Base length can be adjusted and outlet placed on site.

Joiners used to attach base and outlet.

2” or 3” High Flow Outlet pipe, can be placed anywhere on the base.

Trims cover the edge of the base, so the joints are not visible.



Threaded Nipple with gasket used to install the drain into the flange, helps adjust the height and threads into most 2” or 3” ABS, PVC, and Cast Iron Flanges.



Hair Strainer fits inside the drain to collect hair and other debris, preventing clogged pipes. Also, keeps insects and small rodents from coming up through the sewage system.



Leveling Feet keep the drain channel in the correct position and level during installation.



Lifting Key assists with grate removal.



Corner* needed when connecting two bases in a 90 degrees angle.
(*) Corner accessory sold separately

STAINLESS STEEL MARINE 316
+
PVC Base

Watch video



LagosSeries

WEDGEWIRE

Influenced by naturally exposing forms and pushing raw materials beyond the wire



Adjustable Length

Material: Grate and edge trims are made with stainless steel 316. Channel is made with PVC.
Finishes: Satin, Polished, & Matte Black.
Base: Pre-sloped low profile channel, adjust length on site. Create any length by connecting multiple kits.
Grate: can be cut to your specific length.
Outlet: 2” or 3" High Flow. Adjust outlet position on site.

Installation Instruction Pages: 148-149
Specification Pages: 120-123
Base Kits and Components Pages: 156-157

Clampdown flange drain is not included in kit.
If needed see page 99

Accessories included:


Hair Strainer


Threaded Nipple


Cutting Blade


Key


Trims


Adjustable Feet


Joiners


2” Outlet


3” HF Outlet



	Length	Kit with 2” Outlet SKU	MSRP	Kit with 3” HF Outlet SKU	MSRP
Satin	36”	88.610.36 ST	$ 720	88.610.36HF ST	$ 785
	48”	88.610.48 ST	$ 885	88.610.48HF ST	$ 950
	60”	88.610.60 ST	$ 1,060	88.610.60HF ST	$ 1,125
	72”	88.610.72 ST	$ 1,275	88.610.72HF ST	$ 1,340
	96”	88.610.96 ST	$ 1,760	88.610.96HF ST	$ 1,825
Polished	36”	88.610.36 PS	$ 865	88.610.36HF PS	$ 930
	48”	88.610.48 PS	$ 1,145	88.610.48HF PS	$ 1,210
	60”	88.610.60 PS	$ 1,350	88.610.60HF PS	$ 1,415
	72”	88.610.72 PS	$ 1,635	88.610.72HF PS	$ 1,700
	96”	88.610.96 PS	$ 2,285	88.610.96HF PS	$ 2,350
Black	36”	88.610.36 BK	$ 875	88.610.36HF BK	$ 940
	48”	88.610.48 BK	$ 1,065	88.610.48HF BK	$ 1,130
	60”	88.610.60 BK	$ 1,275	88.610.60HF BK	$ 1,340
	72”	88.610.72 BK	$ 1,750	88.610.72HF BK	$ 1,815
	96”	88.610.96 BK	$ 2,120	88.610.96HF BK	$ 2,185

Note: Choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.



LagosSeries

PERFORATED

Inspired by the thought of life connecting the dots



Adjustable Length

Material: Grate and edge trims are made with stainless steel 316. Channel is made with PVC.
Finishes: Satin & Polished.
Base: Pre-sloped low profile channel, adjust length on site. Create any length by connecting multiple kits.
Grate: can be cut to your specific length.
Outlet: 2” or 3" High Flow. Adjust outlet position on site.

Installation Instruction Pages: 148-149
Specification Pages: 120-123
Base Kits and Components Pages: 156-157

Clampdown flange drain is not included in kit.
If needed see page 99

Accessories included:


Hair Strainer


Threaded Nipple


Cutting Blade


Key


Trims


Adjustable Feet


Joiners



2” Outlet


3” HF Outlet



	Length	Kit with 2” Outlet SKU	MSRP	Kit with 3” HF Outlet SKU	MSRP
Satin	36”	88.620.36 ST	$ 340	88.620.36HF ST	$ 405
	48”	88.620.48 ST	$ 435	88.620.48HF ST	$ 500
	60”	88.620.60 ST	$ 505	88.620.60HF ST	$ 570
	72”	88.620.72 ST	$ 645	88.620.72HF ST	$ 710
	96”	88.620.96 ST	$ 850	88.620.96HF ST	$ 915
Polished	36”	88.620.36 PS	$ 350	88.620.36HF PS	$ 415
	48”	88.620.48 PS	$ 440	88.620.48HF PS	$ 505
	60”	88.620.60 PS	$ 520	88.620.60HF PS	$ 585
	72”	88.620.72 PS	$ 820	88.620.72HF PS	$ 885
	96”	88.620.96 PS	$ 925	88.620.96HF PS	$ 990

Note: Choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.



www.qmdrain.com • info@qm-us.com

LagosSeries

MIST (Tile-in)

A tribute to the way water disguises everything around us in nature



Adjustable Length

Material: Grate and edge trims are made with stainless steel 316. Channel is made with PVC.
Finishes: Satin & Polished.
Base: Pre-sloped low profile channel, adjust length on site. Create any length by connecting multiple kits.
Grate: can be cut to your specific length.
Outlet: 2” or 3" High Flow. Adjust outlet position on site.

Installation Instruction Pages: 148-149
Specification Pages: 120-123
Base Kits and Components Pages: 156-157

Clampdown flange drain is not included in kit.
If needed see page 99

Accessories included:


Hair Strainer


Threaded Nipple


Cutting Blade


Key


Trims


Adjustable Feet


Joiners


2” Outlet



3” HF Outlet



	Length	Kit with 2” Outlet SKU	MSRP	Kit with 3” HF Outlet SKU	MSRP
Satin	36”	88.630.36 ST	$ 515	88.630.36HF ST	$ 580
	48”	88.630.48 ST	$ 665	88.630.48HF ST	$ 730
	60”	88.630.60 ST	$ 780	88.630.60HF ST	$ 845
	72”	88.630.72 ST	$ 1,140	88.630.72HF ST	$ 1,205
	96”	88.630.96 ST	$ 1,260	88.630.96HF ST	$ 1,325
Polished	36”	88.630.36 PS	$ 515	88.630.36HF PS	$ 580
	48”	88.630.48 PS	$ 665	88.630.48HF PS	$ 730
	60”	88.630.60 PS	$ 780	88.630.60HF PS	$ 845
	72”	88.630.72 PS	$ 1,140	88.630.72HF PS	$ 1,205
	96”	88.630.96 PS	$ 1,260	88.630.96HF PS	$ 1,325

Note: Choose the kit with equal or greater size than the length wanted; for longer length drain connect kits to build the desired length.

Lagos Series \ Veil Linear Drain



Satin | Polished | Satin Gold | Black | Bronze

Size Available: 12” x 3”

Kit Includes: Base, Grate, Threaded Nipple, Hair Strainer and Lifting Key.



Frame prevents damage to the grout when the grate is removed.

Grate and Frame made in Stainless Steel 316.

Base is made in ABS Plastic. ABS is known for being a tough, rigid and chemical resistant material.

Outlet centrally located 2” outlet pipe.

Threaded Nipple with gasket used to install the drain into the flange, helps adjust the height and threads into most 2” ABS, PVC, and Cast Iron Flanges.

Hair Strainer fits inside the drain to collect hair and other debris, preventing clogged pipes. Also, keeps insects and small rodents from coming up through the sewage system.

Lifting Key assists with grate removal.

STAINLESS STEEL MARINE 316

\+

ABS Base



LagosSeries

VEIL (Tile-in)

A tribute to the way water disguises everything around us in nature



Standard Length

Material: Stainless Steel Marine 316 on all the edges in a PVC plastic body.
Base: Pre-sloped low profile.
Finishes: Satin, Polished, Bronze, Matte Black, & Satin Gold.
Outlet: 2” Center Location.

Accessories included:



Hair Strainer


Key


Threaded Nipple

Clampdown flange drain is not included in kit.
If needed see page 99

Installation Instruction Page: 144
Specification Page: 126



	Length	SKU	MRSP
Satin	12”	88.300.12 ST	$ 95
Polished	12”	88.300.12 PS	$ 95
Bronze	12”	88.300.12 BZ	$ 169
Black	12”	88.300.12 BK	$ 169
Gold	12”	88.300.12 GD	$ 169





Lagos Series \ Square Drain

Mira


Polished


Satin


Satin Gold


Black


Bronze

Veil
(Tile-in)



Polished


Satin


Satin Gold


Black

Sizes Available: 4” x 4” or 5 ¾” x 5 ¾”



Frame prevents damage to the grout when the grate is removed.

Grate and Frame made in Stainless Steel 316.

Base is made in ABS Plastic. ABS is known for being a tough, rigid and chemical resistant material. Thread the QM drain base into the drain flange, adjust height as needed.

Threaded Outlet fits into most 2" ABS, PVC, and Cast Iron Flanges.



Hair Strainer fits inside the drain to collect hair and other debris, preventing clogged pipes. Also, keeps insects and small rodents from coming up through the sewage system.



Lifting Key assists with grate removal.

STAINLESS STEEL MARINE 316

\+

ABS Base


Watch video



LagosSeries

MIRA

True to its name, which means ocean in Sanskrit, Mira evokes the boundless beauty of the sea



Center Drain

Material: Frame and Grate made of 100% Marine Grade 316 Stainless Steel and a base made of ABS plastic.
Finishes: Satin, Polished, Bronze, Matte Black, & Satin Gold.
Outlet: 2” Center Location.


Installation Instruction Pages: 146-147
Specification Pages: 124-125

Accessories included:


Hair Strainer


Key

Clampdown flange drain is not included in kit.
If needed see page 99



	Size	SKU	MSRP
Satin	4" x 4"	88.100.04 ST	$ 55
	5¾” x 5¾”	88.100.06 ST	$ 95
Polished	4" x 4"	88.100.04 PS	$ 55
	5¾” x 5¾”	88.100.06 PS	$ 95
Bronze	4" x 4"	88.100.04 BZ	$ 95
	5¾” x 5¾”	88.100.06 BZ	$ 135
Black	4" x 4"	88.100.04 BK	$ 95
	5¾” x 5¾”	88.100.06 BK	$ 135
Gold	4" x 4"	88.100.04 GD	$ 95
	5¾” x 5¾”	88.100.06 GD	$ 135



LagosSeries

VEIL (Tile-in)

A tribute to the way water disguises everything around us in nature



Center Drain

Material: A grate made of 100% Marine Grade 316 Stainless Steel and a base made of ABS plastic.
Finishes: Satin, Polished, Matte Black, & Satin Gold.
Outlet: 2” Center Location.

Installation Instruction Pages: 146-147
Specification Pages: 124-125

Accessories included:



Hair Strainer



Key

Clampdown flange drain is not included in kit.
If needed see page 99



	Size	SKU	MSRP
Satin	4" x 4"	88.300.04 ST	$ 65
	5¾” x 5¾”	88.300.06 ST	$ 75
Polished	4" x 4"	88.300.04 PS	$ 65
	5¾” x 5¾”	88.300.06 PS	$ 75
Black	4" x 4"	88.300.04 BK	$ 105
	5¾” x 5¾”	88.300.06 BK	$ 130
Gold	4" x 4"	88.300.04 GD	$ 105
	5¾” x 5¾”	88.300.06 GD	$ 130


#StainlessSteel304


Bay Series


Made entirely of **Stainless Steel 304** for excellent corrosion resistance.

The Bay series offers a highly innovative 2-in-1 reversible grate system linear drain, Ria linear drain and Ria center drain.

Our export line Ria center drain is designed and created for the plumbing requirements of Latin America and the Caribbean.

STAINLESS STEEL 304





Watch video

Bay Series

2-in-1 Reversible Linear Drain



Standard Length

Material: Stainless Steel 304.
Base: Plain Edge pre-sloped low profile.
Finishes: Satin.
Outlet: 2” Center Location.

Note: Optional Debris Basket (SKU: 83.STR.L.SS) can be purchased separately and used in place of the Anti-Odor

Accessories Included:



Threaded Nipple


Anti Odor / Hair Strainer

Installation Instruction Page: 144
Specification Page: 127

Clampdown flange drain is not included in kit.
If needed see page 99




	Length	SKU	MSRP
Satin	24"	38.100.24 ST	$ 195
	36"	38.100.36 ST	$ 250



Bay Series

RIA LINEAR DRAIN



Standard Length

Material: Stainless Steel 304.
Base: Plain Edge pre-sloped low profile.
Finishes: Satin, Polished, Satin Gold, & Matte Black.
Outlet: 2" Center Location.

Note: Optional Debris Basket (SKU: 83.STR.L.SS) can be purchased separately and used in place of the Anti-Odor

Accesories Included:



Key



Threaded Nipple



Anti Odor / Hair Strainer

Installation Instruction Page: 144
Specification Page: 128

Clampdown flange drain is not included in kit.
If needed see page 99



	Length	SKU	MSRP
Satin	24"	38.200.24 ST	$ 195
	36"	38.200.36 ST	$ 250
Polished	24"	38.200.24 PS	$ 205
	36"	38.200.36 PS	$ 265
Gold	24"	38.200.24 GD	$ 315
	36"	38.200.36 GD	$ 395
Black	24"	38.200.24 BK	$ 315
	36"	38.200.36 BK	$ 395



Watch video

Bay Series

RIA



Center Drain
Material: Stainless Steel 304.
Finishes: Satin & Polished.
Outlet: 2” Center Location.

Accesories Included:



Anti Odor

International Use Only

Installation Instruction Page: 150
Specification Pages: 129-130





	Size	SKU	MSRP
Satin	Ø 4"	38.100.04R ST	$ 25
	4"x4"	38.100.04 ST	$ 25
	5¾” x 5¾”	38.100.06 ST	$ 35
Polished	4"x4"	38.100.04 PS	$ 26
	5¾” x 5¾”	38.100.06 PS	$ 36

Installation Components



ABS/PVC Drain Flange 2"
SKU 83.FLG.2.ABS | SKU 83.FLG.2.PVC $30
- Clamp down floor drain.
- 2” throat, 2” outlet.
- 6 1/4” overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Rubber liner, Fiberglass.



Cast Iron Drain Flange 2"
SKU 83.FLG.2.CI (No hub) | SKU 83.FLG.2.CI.IP (FIP) $85
- Clamp down floor drain.
- 2” throat, 2” no hub outlet or FIP.
- 6 1/2” overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Hot mop, Rubber liner, Fiberglass.



Square Drain Flange 2"
SKU 83.SQFLG.2.PVC | 83.SQFLG.2.ABS $65
83.SQFLG.2.CI $85

- Allows easy installation of linear drains in close proximity to the wall.
- 4” x 3-1/2" x 2-3/4" Overall Dimensions
- Fits Shower Drains with 2” IPS Thread
- Clamp down floor drain
- 2” hub outlet 2” throat
- Has Weep Holes



3” x 4” PVC High Flow Drain Base with Clamping Ring
SKU 83.FLG.3.PVC $115
- Clamp down floor drain.
- 3.5” throat, 4” outlet.
- 8.58” overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Rubber liner, Fiberglass.

Installation Components



QM Side Outlet Drain Flange with Integrated Threaded Adaptor
SKU 83.FLG.SO.2 $18
- 3.31” throat, 2” outlet.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Rubber liner, Fiberglass.



Adaptor for 2" Bonded Drain Flange
SKU 83.ADAPT.2BF $8
QM Drain Adaptor allows you to use QM drains instead of Schluter® Grate when using their integrated bounding flange (Residential 2” Drain Outlet) or Wedi® Drain Grate with shower systems.



Adaptor Reducer
SKU 83.ADPT.2R $4
Allows easy connection between a QM threaded drain outlet to the waste pipe.
- 3.15" x 2" Overall Dimensions
- No Hub Outlet Connection
- Made in ABS plastic

What does QM stand for?
QM stands for Quality Metal. As in the highest quality Stainless Steel 316 Marine Grade used in our drains.

Where in the floor should a linear shower drain be positioned?
Drain position is determined by the location of the existing plumbing and your design preference. The four most common placements/configurations are:

• Along the wall – Allows for the floor to sloped gently towards the wall where the drain is installed and increases the flow capacity as a small head of water can be created. Generally used only for linear drain installations.

• At the threshold – QM linear drains can be installed at the shower entrance to create a barrier-free or curbless shower.

• In the center – Based on your shower design or when existing plumbing cannot be moved.

• Multiple drains may be required for a higher capacity shower installation with multiple showerhead outlets and sprays. Drain units can be positioned against each wall or side by side along one wall. If the shower is a walk-through design, drains can be located at the entrance and exit.

Should the square drain be placed in the middle of the shower floor?
Not really, it is normally placed there because of existing plumbing location, what it is really important is that the floor is pitched in four di ections towards the drain.

What is the water intake of the drains?The drainpipe is the defining factor in how much water can be eliminated. Most US residential plumbing installations use a 2" waste line, which provides a capacity of approximately 8 GPM and is sufficient to deal with most showerheads. If a higher flow rate is required multiple drains might be necessary. There are many variables that impact flow rate and drain performance, such as, showerhead flow, location, the size of the shower, the size of the drain, the location of the drain, the head of water, floor slope, etc. 70%of showerheads have a maximum capacity of less than 3 GPM. This value assumes no head of water above drain.

What is the gauge specification for each QM Drain series?
Gauge refers to the thickness of the material being used to manufacture the product.

Please review drain's specifications for detail gauge information.

What is the process that QM Drains uses to create the colored finishes on top of the Stainless Steel?
The PVD process is used to create the Satin Gold and Bronze finishes.
A coating process called Nano Technology is used to create the Black finish.
Both PVD and Nano Technology make stainless steel stronger against rust while creating aesthetically pleasing and elegant colors.

Why QM Drain uses Stainless Steel?
Stainless Steel is the optimum material on the market because it is 100% solid all the way through and 100% recyclable. Most Stainless Steel produced today has a recycled content of approximately 60% material. This means in the production of stainless steel, some of the most advanced technology in the market is being used to maximize production by controlling waste, materials, fuel use and pollution.

What is the difference between the Stainless Steel AISI 304 and AISI 316?
Stainless Steel 304 is exceptionally versatile and the most common stainless steel found in products for everyday use for the public. Its chemical composition, mechanical properties, welding ability and corrosion/oxidation resistance provides the best all-round performance at relatively lower cost. Stainless Steel 316 contains an added ingredient,
2 to 3% more molybdenum; this composition improves the corrosion resistance in many aggressive environments. The molybdenum addition ensures more resistance to pitting and crevice corrosion in saltwater and chloride-containing media. So the bottom line, when used in products that are exposed to water, it provides the longest life span possible.

FAQ's

Are QM Drains ADA compliant?
All QM Drains can be installed without a curb, barrier, or threshold to create a seamless look with easy accessibility to the wet area. To achieve an ideal installation, floor heights of the shower area (wet area) should be equal to the outside of the shower (dry area), and next room. Specific conditions will determine what is required.

Do I need to purchase anything extra for the installation drains?
All QM Drains kits include everything needed except Flange or Drain Body. If not provided, it needs to be added for standard waterproofing installation. Drain flanges are available in PVC, ABS and Cast Iron.

What type of waterproofing can I use with QM Drains?
Any Waterproofing technique can be used. All our drains with plain edge channel are recommended when traditional or standard waterproofing (PVC, Vinyl, Lead, Hot Mop, Copper or Fiberglass material) is intended to use. Drains with flange edge are recommended when modern waterproofing (liquid or fabric membrane) is intended to use.

What is the QM Drain warranty?
QM Drain offers limited lifetime warranty. Please refer to QM USA, Corp Terms and Conditions for the Limited Warranty, Disclaimer of Warranty, Returns Products and other Terms posted on QM's website located at: http://qmdrain.com/

Can I customize my drain size or finish?
Yes, please contact your local rep for a quote or contact us so we can direct you: info@qm-us.com

What other materials besides Stainless Steel does QM use?
Acrylonitrile Butadiene Styrene (ABS) and Poly Vinyl Chloride (PVC). ABS is used to form the base of our Lagos Series center Drain and PVC is used to form the channel of our Lagos adjustable linea drains.

Can I use QM Drains outside?
Yes, QM Drains are perfect for outdoor showers. We use Stainless Steel 316 Marine Grade which provides the most corrosion-resistance, making it ideal for exterior conditions.

How long does it take to receive my QM Drain?
All of our drains are in stock in our South Florida warehouse and ready to ship. Please see our website for the locations of the qualified dealers near you: http://qmdrain.com/where-to-buy/dealers/

What's the best way to clean my QM Drain?
QM drains are made of 316 or 304 stainless steel depending on the Series. Stainless Steel is nonporous, hygienic, rust-free, and extremely durable.
Keeping your home's drains clean is an essential part of home maintenance duties.
When using your shower, all kinds of dirt like soap, shampoo, conditioner residues and hairs can quickly build up. Following the manufacture's specific maintenance requirement is key to avoiding such buildup and in keeping your shower drain in the best possible shape.
A clean drain ensures that water will drain quickly and effectively and minimizes any risks of puddle or flood. If you routinely clean your drain at least once a week, the process of maintaining for optimum performance will be easier. A well-maintained QM Drain product will last a lifetime in your shower.


Warning
Do not use sharp objects, scrubbing tools or abrasive cleaners or pads. They can remove and discolor the finish coating and cause damage to the finish.

What to use to clean?
Mix ¼ cup of white vinegar and ¾ cup of water or mix a little dish soap and water and use a soft cloth or sponge. Rinse well. Repeat weekly.

Follow these steps:
1.Remove the grate cover using the lifting key included for easy removal. NOTE: Be cautious not to scratch the surface when using the lifting key to remove grate.
2. Clean the grate on both sides.
3. Remove hair strainer and clean it.
4. Clean the channel. Use a soft brush if there is a lot of residue.
5. Rinse well

Can the drain get scratched? Yes, it can, if you rub hard or use sharp objects against the drain.


Remember
• Stainless Steel does not rust. Only external factors can cause the surface to rust. This rust can be removed using Barkeepers Friends and Soft Scrub. Be careful with tile or stone sealers used in your shower floor. Make sure those chemicals don't sit in your drain. Always rinse well.
• QM Drain products are warrantied to be free of defects in finishes and workmanship. All products must be cleaned in accordance with the manufacturer's recommended procedures and guidelines.
• Don't scratch and never use cleaners containing abrasive cleansers, ammonia, bleach, acids, waxes, alcohol, solvents, or other products not recommended under our cleaning instructions. This will void the warranty.



#MoreThanDesign

Technical Information

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

DELMAR LINEAR DRAIN SUPREME LINE






Kit includes:
A Drain Channel
B Railing Sliders
C Grate
D Removable Grate
E Grate End-Cap
+ Screws, Sealant, Hair Strainer, Key, Level, Wedges, Stainless Steel Blade

Specifications


C Grate - Top View




Side View




A Channel - Top View



Side View



D Removable Grate - Top View



Side View



QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- 13 gauge 316 Stainless Steel Grate = 2.5 mm.
- 18 gauge 316 Stainless Steel Base = 1.2 mm.
- Works with 2” ABS, PVC or Cast Iron shower drain flange (not included).
- Hair Strainer Basket comes with every drain, fits inside the drain to collect hair and other debris, preventing clogged pipes. Optional.
- Supreme is intended for use with traditional waterproofing methods.

Supreme Complete Kit



Satin

SKU	Length
33.800.30 ST	30”
33.800.40 ST	40”
33.800.50 ST	50”
33.800.60 ST	60”



Satin Gold

SKU	Length
33.800.30 GD	30”
33.800.40 GD	40”
33.800.50 GD	50”
33.800.60 GD	60”



Polished

SKU	Length
33.800.30 PS	30”
33.800.40 PS	40”
33.800.50 PS	50”
33.800.60 PS	60”



Black

SKU	Length
33.800.30 BK	30”
33.800.40 BK	40”
33.800.50 BK	50”
33.800.60 BK	60”

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2” PVC	83.FLG.2.PVC
2” ABS	83.FLG.2.ABS
2” Cast Iron No hub	83.FLG.2.CI
2” Cast Iron FIP	83.FLG.2.CI.IP



Square Drain Flange	SKU
2” PVC	83.SQFLG.2.PVC
2” ABS	83.SQFLG.2.ABS
2” Cast Iron No hub	83.SQFLG.2.CI
2” Cast Iron FIP	83.SQFLG.2.CI.IP


Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.
Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or void data.


QM DRAIN

USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

DELMAR LINEAR DRAIN SUPREME TILE IN+ LINE






Kit includes:
A Drain Channel
B Railing Sliders
C Grate
D Removable and Reversible Grate

Specifications

C Grate - Top View




Side View




*Note: Tile-In grate accepts flooring material up to 1/2" tickness

A Channel - Top View



Side View



QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- 13 gauge 316 Stainless Steel Grate = 2.5 mm.
- 18 gauge 316 Stainless Steel Base = 1.2 mm.
- Works with 2” ABS, PVC or Cast Iron shower drain flange (not included).
- Hair Strainer Basket comes with every drain, fits inside the drain to collect hair and other debris, preventing clogged pipes. Optional.
- Supreme is intended for use with traditional waterproofing methods.

Supreme Complete Kit



Satin

SKU	Length
33.810.08 ST	8”



Satin Gold

SKU	Length
33.810.08 GD	8”



Polished

SKU	Length
33.810.08 PS	8”



Black

SKU	Length
33.810.08 ST	8”

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2” PVC	83.FLG.2.PVC
2” ABS	83.FLG.2.ABS
2” Cast Iron No hub	83.FLG.2.CI
2” Cast Iron FIP	83.FLG.2.CI.IP



Square Drain Flange	SKU
2” PVC	83.SQFLG.2.PVC
2” ABS	83.SQFLG.2.ABS
2” Cast Iron No hub	83.SQFLG.2.CI
2” Cast Iron FIP	83.SQFLG.2.CI.IP

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer.
Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or void data.


QM DRAIN

USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

DELMAR LINEAR DRAIN ADJUSTABLE 2” OUTLET


Kit Includes:
A Lifting Key
B Grate
C Hair/Debris Strainer
D Trims
E Base
F Joiners
G Leveling Legs
H 2” Outlet
I Threaded Nipple / Adapter
+ Stainless Steel Cutting Blade
+ Sealant




Specifications

B Grate - Top View

Wedgewire
36” / 48” / 60” / 72”



Mist (Tile-in)
36” / 48” / 60” / 72” / 96”




Perforated
36” / 48” / 60” / 72” / 96”




B Grate - Side View

Wedgewire - Perforated




Mist (Tile-in)




*Note: Tile-In grate accepts flooring material up to 1/2" tickness

D Trims - Side View




E Base - Side View




Top View


28” / 40” / 52” / 64” / 88”




F Joiner - Side & Top View



H 2” Outlet - Side & Top View



Corner - Side & Top View




QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- Stainless Steel 316 Gauges:
  Wedgewire grate: 8 gauges = 5mm for edge bars and 9 gauges= 4mm for inside bars.
  Perforated & Mist grate: 16 gauge = 1.5 mm.
- Base: 18 gauge = 1.2 mm.
- Works with 2" ABS, PVC or Cast Iron shower drain flange (not included).
- Grate can be removed completely for cleaning.
- Hair Strainer Basket comes with every drain, fits inside the drain to collect hair and other debris, preventing pipe clogs.
- Adjustable is intended for use with traditional waterproofing methods.

Adjustable Complete Kit

Wedgewire



Length	Satin SKU	Polished SKU	Black SKU
36"	33.610.36 ST	33.610.36 PS	33.610.36 BK
48"	33.610.48 ST	33.610.48 PS	33.610.48 BK
60"	33.610.60 ST	33.610.60 PS	33.610.60 BK
72"	33.610.72 ST	33.610.72 PS	33.610.72 BK
96"	33.610.96 ST	33.610.96 PS	33.610.96 BK

Perforated



36"	33.620.36 ST	33.620.36 PS	
48"	33.620.48 ST	33.620.48 PS	
60"	33.620.60 ST	33.620.60 PS	
72"	33.620.72 ST	33.620.72 PS	
96"	33.620.96 ST	33.620.96 PS	

Mist (Tile-in)



36"	33.630.36 ST	33.630.36 PS	
48"	33.630.48 ST	33.630.48 PS	
60"	33.630.60 ST	33.630.60 PS	
72"	33.630.72 ST	33.630.72 PS	
96"	33.630.96 ST	33.630.96 PS	

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2" PVC	83.FLG.2.PVC
2" ABS	83.FLG.2.ABS
2" Cast Iron No hub	83.FLG.2.CI
2" Cast Iron FIP	83.FLG.2.CI.IP



Square Drain Flange	SKU
2" PVC	83.SQFLG.2.PVC
2" ABS	83.SQFLG.2.ABS
2" Cast Iron No hub	83.SQFLG.2.CI
2" Cast Iron FIP	83.SQFLG.2.CI.IP


Note: 72" and *96" Kit includes two outlets, two hair strainers, two pair of joiners and two adapters. 72" Wedgewire Black Kit has two 36" . 96" Wedgewire Kit has two 48" grates. Choose the kit with equal or greater size than the length wanted; for longer lengths drain connect kits to build the desired length.
Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

C US
USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

DELMAR LINEAR DRAIN ADJUSTABLE 3" HIGH FLOW OUTLET

Kit Includes:
- **A** Lifting Key
- **B** Grate
- **C** Trims
- **D** Base
- **E** Joiners
- **F** Leveling Legs
- **G** 3" High Flow Outlet
- **H** Threaded Nipple
  + Stainless Steel Cutting Blade
  + Sealant




Specifications

B Grate - Top View


Wedgewire
36" / 48" / 60" / 72"




Mist (Tile-in)
36" / 48" / 60" / 72" / 96"



Perforated
36" / 48" / 60" / 72" / 96"




D Base - Side View




Top View

28" / 40" / 52" / 64" / 88"




B Grate - Side View

Wedgewire - Perforated




Mist (Tile-in)




*Note: Tile-In grate accepts flooring material up to 1/2" tickness


E Joiner - Side & Top View




G 3" Outlet - Side & Top View



C Trims - Side View



Corner - Side & Top View




QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- Stainless Steel 316 Gauges:
  Wedgewire grate: 8 gauges = 5mm for edge bars and 9 gauges= 4mm for inside bars.
  Perforated & Mist grate: 16 gauge = 1.5 mm.
- Base: 18 gauge = 1.2 mm.
- Grate can be removed completely for cleaning.
- Adjustable is intended for use with traditional waterproofing methods.


Adjustable Complete Kit

Wedgewire



Length	Satin SKU	Polished SKU	Black SKU
36”	33.610.36HF ST	33.610.36HF PS	33.610.36HF BK
48”	33.610.48HF ST	33.610.48HF PS	33.610.48HF BK
60”	33.610.60HF ST	33.610.60HF PS	33.610.60HF BK
72”	33.610.72HF ST	33.610.72HF PS	33.610.72HF BK
96”	33.610.96HF ST	33.610.96HF PS	33.610.96HF BK

Perforated



36”	33.620.36HF ST	33.620.36HF PS
48”	33.620.48HF ST	33.620.48HF PS
60”	33.620.60HF ST	33.620.60HF PS
72”	33.620.72HF ST	33.620.72HF PS
96”	33.620.96HF ST	33.620.96HF PS

Mist (Tile-in)



36”	33.630.36HF ST	33.630.36HF PS
48”	33.630.48HF ST	33.630.48HF PS
60”	33.630.60HF ST	33.630.60HF PS
72”	33.630.72HF ST	33.630.72HF PS
96”	33.630.96HF ST	33.630.96HF PS

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
3”x 4” PVC High Flow	83.FLG.3.PVC

Note: 72” and *96” Kit includes two outlets, two hair strainers, two pair of joiners and two adapters. 72” Wedgewire Black Kit has two 36” . 96" Wedgewire Kit has two 48" grates. Choose the kit with equal or greater size than the length wanted; for longer lengths drain connect kits to build the desired length.
Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.


QM DRAIN

C US
USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

DELMAR LINEAR DRAIN STANDARD LENGTH


Kit Includes:
A Lifting Key
B Grate
C Hair/Debris Strainer
D Base
E Leveling Legs
F Threaded nipple




Specifications

B Grate - Top View


Nami - Kai



Mist




Delta - Wedgewire - Lotus




Side View

Nami - Kai - Delta - Lotus - Wedgewire




Mist (Tile-in)




*Note: Tile-In grate accepts flooring material up to 1/2" tickness

D Base - Side View




Top View


Nami - Kai



Delta - Mist - Wedgewire - Lotus



Side View



QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- Stainless Steel 316 Gauges:
  Wedgewire grate: 8 gauges = 5mm for edge bars and 9 gauges= 4mm for inside bars.
  All other grates: 16 gauge = 1.5 mm.
- Base: 18 gauge = 1.2 mm
- Works with 2" ABS, PVC or Cast Iron shower drain flange (not included).
- Standard length plain edge is intended for use with traditional waterproofing methods.
- Grate can be removed completely for cleaning.
- Hair Strainer Basket comes with every drain, fits inside the drain to collect hair and other debris, preventing clogged pipes.


Complete Kit

Lotus




Length	Bronze SKU	Black SKU	Satin Gold SKU
24"	33.400.24 BZ	33.400.24 BK	33.400.24 GD
28"	33.400.28 BZ	33.400.28 Bk	33.400.28 GD
32"	33.400.32 BZ	33.400.32 BK	33.400.32 GD
36"	33.400.36 BZ	33.400.36 BK	33.400.36 GD
48"	33.400.48 BZ	33.400.48 BK	33.400.48 GD
58"	33.400.58 BZ	33.400.58 BK	33.400.58 GD

Wedgewire



Length	Satin SKU	Polished SKU	Black SKU
24"	33.700.24 ST	33.700.24 PS	33.400.24 BK
28"	33.700.28 ST	33.700.28 PS	33.400.28 BK
32"	33.700.32 ST	33.700.32 PS	33.400.32 BK
36"	33.700.36 ST	33.700.36 PS	33.400.36 BK
48"	33.700.48 ST	33.700.48 PS	33.400.48 BK
58"	33.700.58 ST	33.700.58 PS	33.400.58 BK

Delta



Length	Satin SKU	Polished SKU
24"	33.300.24 ST	33.300.24 PS
28"	33.300.28 ST	33.300.28 PS
32"	33.300.32 ST	33.300.32 PS
36"	33.300.36 ST	33.300.36 PS
48"	33.300.48 ST	33.300.48 PS
58"	33.300.58 ST	33.300.58 PS

Nami



Length	Satin SKU
24"	33.100.24 ST
28"	33.100.28 ST
32"	33.100.32 ST
36"	33.100.36 ST

Mist (Tile-in)



Length	Satin SKU	Black SKU
24"	33.500.24 ST	33.500.24 BK
28"	33.500.28 ST	33.500.28 BK
32"	33.500.32 ST	33.500.32 BK
36"	33.500.36 ST	33.500.36 BK
48"	33.500.48 ST	33.500.48 BK
58"	33.500.58 ST	33.500.58 BK

Kai



Length	Satin SKU
24"	33.200.24 ST
28"	33.200.28 ST
32"	33.200.32 ST
36"	33.200.36 ST

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2" PVC	83.FLG.2.PVC
2" ABS	83.FLG.2.ABS
2" Cast Iron No hub	83.FLG.2.CI
2" Cast Iron FIP	83.FLG.2.CI.IP




Square Drain Flange	SKU
2" PVC	83.SQFLG.2.PVC
2" ABS	83.SQFLG.2.ABS
2" Cast Iron No hub	83.SQFLG.2.CI
2" Cast Iron FIP	83.SQFLG.2.CI.IP

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

DELMAR LINEAR DRAIN STANDARD LENGTH WITH FLANGE EDGE


Kit Includes:
A Lifting Key
B Grate
C Flange Edge Base
D Leveling Legs




Specifications

B Grate - Top View


Nami - Kai




Mist



Delta - Wedgewire - Lotus




C Base - Side View




Top View

Nami - Kai




Side View


Nami - Kai - Delta - Lotus - Wedgewire



Mist (Tile-in)



Delta - Mist - Wedgewire - Lotus



*Note: Tile-In grate accepts flooring material up to 1" tickness

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- Stainless Steel 316 Gauges:
  Wedgewire grate: 8 gauges = 5mm for edge bars and 9 gauges= 4mm for inside bars.
  All other grates: 16 gauge = 1.5 mm.
  Base: 18 gauge = 1.2 mm
- Grate can be removed completely for cleaning.
- Flange Edge Base is intended for use with modern waterproofing method

Complete Kit

Wedgewire



Length	Satin SKU	Polished SKU	Black SKU
24”	33.700.24F ST	33.700.24F PS	33.700.24F BK
28”	33.700.28F ST	33.700.28F PS	33.700.28F BK
32”	33.700.32F ST	33.700.32F PS	33.700.32F BK
36”	33.700.36F ST	33.700.36F PS	33.700.36F BK
48”	33.700.48F ST	33.700.48F PS	33.700.48F BK
58”	33.700.58F ST	33.700.58F PS	33.700.58F BK

Kai




Length	Satin SKU
24”	33.200.02 F
28”	33.200.03 F
32”	33.200.04 F
36”	33.700.05 F

Mist (Tile-in)



Length	Satin SKU
24”	33.500.24F ST
28”	33.500.28F ST
32”	33.500.32F ST
36”	33.500.36F ST
48”	33.500.48F ST
58”	33.500.58F ST

Delta



Length	Satin SKU	Polished SKU
24”	33.300.24F ST	33.300.24F PS
28”	33.300.28F ST	33.300.28F PS
32”	33.300.32F ST	33.300.32F PS
36”	33.300.36F ST	33.300.36F PS
48”	33.300.48F ST	33.300.48F PS
58”	33.300.58F ST	33.300.58F PS

Nami



Length	Satin SKU
24”	33.100.24F ST
28”	33.100.28F ST
32”	33.100.32F ST
36”	33.100.36F ST

Lotus




Length	Bronze SKU	Black SKU	Gold SKU
24”	33.400.24F BZ	33.400.24F BK	33.700.24F GD
28”	33.400.28F BZ	33.400.28F BK	33.700.28F GD
32”	33.400.32F BZ	33.400.32F BK	33.700.32F GD
36”	33.400.36F BZ	33.400.36F BK	33.700.36F GD
48”	33.400.48F BZ	33.400.48F BK	33.700.48F GD
58”	33.400.58F BZ	33.400.58F BK	33.700.58F GD

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no tresponsibility for use of superseded or voided data.

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

DELMAR LINEAR DRAIN STANDARD LENGTH WITH SIDE OUTLET FLANGE EDGE


Kit Includes:
A Lifting Key
B Grate
C Flange Edge Base
D Leveling Legs




Specifications

B Grate - Top View


Nami - Kai



Mist




Delta - Wedgewire - Lotus




Side View

Nami - Kai - Delta - Lotus - Wedgewire




Mist (Tile-in)




*Note: Tile-In grate accepts flooring material up to 1" tickness

C Base - Side View




Top View

Nami - Kai



Delta - Mist - Wedgewire - Lotus



Side View



QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- Stainless Steel 316 Gauges:
  Wedgewire grate: 8 gauges = 5mm for edge bars and 9 gauges= 4mm for inside bars.
  All other grates: 16 gauge = 1.5 mm.
  Base: 18 gauge = 1.2 mm
- Grate can be removed completely for cleaning.
- Side Outlet Flange Edge Base is intended for use with modern waterproofing method

Complete Kit

Wedgewire



Length	Satin SKU	Polished SKU	Black SKU
24”	33.700.24FSO ST	33.700.24FSO PS	33.700.24F BK
28”	33.700.28FSO ST	33.700.28FSO PS	33.700.28F BK
32”	33.700.32FSO ST	33.700.32FSO PS	33.700.32F BK
36”	33.700.36FSO ST	33.700.36FSO PS	33.700.36F BK
48”	33.700.48FSO ST	33.700.48FSO PS	33.700.48F BK
58”	33.700.58FSO ST	33.700.58FSO PS	33.700.58F BK

Kai



Length	Satin SKU
24”	33.200.02FSO ST
28”	33.200.03FSO ST
32”	33.200.04FSO ST
36”	33.700.05FSO ST

Mist (Tile-in)



Length	Satin SKU
24”	33.500.24FSO ST
28”	33.500.28FSO ST
32”	33.500.32FSO ST
36”	33.500.36FSO ST
48”	33.500.48FSO ST
58”	33.500.58FSO ST

Delta



Length	Satin SKU	Polished SKU
24”	33.300.24FSO ST	33.300.24FSO PS
28”	33.300.28FSO ST	33.300.28FSO PS
32”	33.300.32FSO ST	33.300.32FSO PS
36”	33.300.36FSO ST	33.300.36FSO PS
48”	33.300.48FSO ST	33.300.48FSO PS
58”	33.300.58FSO ST	33.300.58FSO PS

Nami



Length	Satin SKU
24”	33.100.24FSO ST
28”	33.100.28FSO ST
32”	33.100.32FSO ST
36”	33.100.36FSO ST

Lotus




Length	Bronze SKU	Black SKU	Gold SKU
24”	33.400.28FSO BZ	33.400.24FSO BK	33.400.24F GD
28”	33.400.28FSO BZ	33.400.28FSO BK	33.400.28F GD
32”	33.400.32FSO BZ	33.400.32FSO BK	33.400.32F GD
36”	33.400.36FSO BZ	33.400.36FSO BK	33.400.36F GD
48”	33.400.48FSO BZ	33.400.48FSO BK	33.400.48F GD
58”	33.400.58FSO BZ	33.400.58FSO BK	33.400.58F GD

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no tresponsibility for use of superseded or voided data.

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

DELMAR SQUARE DRAIN

Kit Includes:
A Lifting Key
B Grate
C Hair/Debris Strainer
D Base
E Threaded Nipple




Specifications

B Grate - Top View 4” x 4”

Nami - Kai
Delta - Lotus




Mist (Tile-in) *




Top View 5 ¾” x 5 ¾”

Nami - Kai
Delta - Lotus




Mist (Tile-in)*




*Note: Tile-In grate accepts flooring material up to 1/2" tickness

Top View 8” x 8”


Kai



D Base - Top View




Top View



Side View 8” x 8”

Kai




B Grate - Side View

Nami - Kai - Delta - Lotus



Mist



QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- 16 gauge 316 Stainless Steel Grate = 1.5 mm.
- 18 gauge 316 Stainless Steel Base = 1.2 mm.
- Works with 2" ABS, PVC or Cast Iron shower drain flange (not included).
- Center Drains is intended for use with traditional waterproofing methods.
- Hair Strainer Basket comes with every drain, fits inside the drain to collect hair and other debris, preventing pipe clogs.
- Grate can be removed completely for cleaning.

Complete Kit

Nami



Length	Satin SKU
4" x 4"	33.100.04 ST
5 ¾" x 5 ¾"	33.100.06 ST

Kai



Length	Satin SKU
4" x 4"	33.200.04 ST
5 ¾" x 5 ¾"	33.200.06 ST
8" x 8" (3" OUTLET HIGH FLOW))	33.200.08 ST

Delta



Length	Satin SKU	Polished SKU
4" x 4"	33.300.04 ST	33.300.04 PS
5 ¾" x 5 ¾"	33.300.06 ST	33.300.06 PS

Mist



Length	Satin SKU
4" x 4"	33.500.04 ST
5 ¾" x 5 ¾"	33.500.06 ST

Lotus



Length	Bronze SKU	Black SKU	Satin Gold SKU
4" x 4"	33.400.04 BZ	33.400.04 BK	33.400.04 GD
5 ¾" x 5 ¾"	33.400.06 BZ	33.400.06 BK	33.400.06 GD

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2" PVC	83.FLG.2.PVC
2" ABS	83.FLG.2.ABS
2" Cast Iron No hub	83.FLG.2.CI
2" Cast Iron FIP	83.FLG.2.CI.IP
3" High Flow (only for Kai 8" HF)	83.FLG.3.PVC



Square Drain Flange	SKU
2" PVC	83.SQFLG.2.PVC
2" ABS	83.SQFLG.2.ABS
2" Cast Iron No hub	83.SQFLG.2.CI
2" Cast Iron FIP	83.SQFLG.2.CI.IP

Note: If modern waterproofing method is intended using a bonded flange, add a bonded flange adaptor. See page 132
Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice.
We can assume no responsibility for use of superseded or voided data.

QM DRAIN


C SA US
USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

LAGOS LINEAR DRAIN ADJUSTABLE 2" OUTLET

Kit Includes:


A Lifting Key
B Grate
C Hair/Debris Strainer
D Trims
E PVC Base
F Base End Cap
G Joiners
H Leveling Legs
I 2" Outlet
J Threaded Nipple
+ Stainless Steel Cutting Blade



Specifications

B Grate - Top View


Wedgewire
36" / 48" / 60" / 72"




Mist (Tile-in)
36" / 48" / 60" / 72" / 96"



Perforated
36" / 48" / 60" / 72" / 96"




E Base - Side View



Top View

36" / 48" / 60" / 72" / 96"




B Grate - Side View

Wedgewire - Perforated




Mist (Tile-in)




*Note: Tile-In grate accepts flooring material up to 1/2" tickness


G Joiner - Side & Top View




F Base End Cap - Side View




I 2" Outlet - Side & Top View



D Trims - Side View



Corner - Side & Top View



QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com


USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

Features

- Stainless Steel 316 Gauges:
  Wedgewire grate: 8 gauges = 5mm for edge bars and 9 gauges= 4mm for inside bars.
  Perforated & Mist grate: 16 gauge = 1.5 mm.
- PVC Base = 3 mm.
- Works with 2" ABS, PVC or Cast Iron shower drain flange (not included).
- Grate can be removed completely for cleaning.
- Hair Strainer Basket comes with every drain, fits inside the drain to collect hair and other debris, preventing pipe clogs.
- Adjustable is intended for use with traditional waterproofing methods.

Adjustable Complete Kit

Wedgewire




Length	Satin SKU	Polished SKU	Black SKU
36"	88.610.36 ST	88.610.36 PS	88.610.36 BK
48"	88.610.48 ST	88.610.48 PS	88.610.48 BK
60"	88.610.60 ST	88.610.60 PS	88.610.60 BK
72"	88.610.72 ST	88.610.72 PS	88.610.72 BK
96"	88.610.96 ST	88.610.96 PS	88.610.96 BK

Perforated



Length	Satin SKU	Polished SKU
36"	88.620.36 ST	88.620.36 PS
48"	88.620.48 ST	88.620.48 PS
60"	88.620.60 ST	88.620.60 PS
72"	88.620.72 ST	88.620.72 PS
96"	88.620.96 ST	88.620.96 PS

Mist (Tile-in)



Length	Satin SKU	Polished SKU
36"	88.630.36 ST	88.630.36 PS
48"	88.630.48 ST	88.630.48 PS
60"	88.630.60 ST	88.630.60 PS
72"	88.630.72 ST	88.630.72 PS
96"	88.630.96 ST	88.630.96 PS

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2" PVC	83.FLG.2.PVC
2" ABS	83.FLG.2.ABS
2" Cast Iron No hub	83.FLG.2.CI
2" Cast Iron FIP	83.FLG.2.CI.IP



Square Drain Flange	SKU
2" PVC	83.SQFLG.2.PVC
2" ABS	83.SQFLG.2.ABS
2" Cast Iron No hub	83.SQFLG.2.CI
2" Cast Iron FIP	83.SQFLG.2.CI.IP

Note: 72" and *96" Kit includes two outlets, two hair strainers, two pair of joiners and two adapters. 96" Wedgewire Kit has two 48" grates. Choose the kit with equal or greater size than the length wanted; for longer lengths drain connect kits to build the desire length. Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.


QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

C US
USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

LAGOS LINEAR DRAIN ADJUSTABLE 3” OUTLET (HIGH FLOW)

Kit Includes:

A Lifting Key
B Grate
C Trims
D PVC Base
E Base End Cap
F Joiners
G Leveling Legs
H 3” Outlet
I Threaded Nipple
+ Stainless Steel Cutting Blade




Specifications

B Grate - Top View

Wedgewire
36” / 48” / 60” / 72”




Mist (Tile-in)
36” / 48” / 60” / 72” / 96”



Perforated
36” / 48” / 60” / 72” / 96”




D Base - Side View



Top View

36” / 48” / 60” / 72” / 96”



B Grate - Side View

Wedgewire - Perforated




Mist




*Note: Tile-In grate accepts flooring material up to 1/2" tickness


F Joiner - Side & Top View




E Base End Cap - Side View




H 3” Outlet - Side & Top View



C Trims - Side View



Corner - Side & Top View





QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- Stainless Steel 316 Gauges: Wedgewire grate: 8 gauges = 5mm for edge bars and 9 gauges= 4mm for inside bars. Perforated & Mist grate: 16 gauge = 1.5 mm.PVC Base = 3 mm.
- Works with 3”/4” drain flange or general purpose drain (not included).
- Grate can be removed completely for cleaning.
- Adjustable is intended for use with traditional waterproofing methods.

Adjustable Complete Kit

	Length	Satin SKU	Polished SKU	Black SKU
Wedgewire 	36”	88.610.36HF ST	88.610.36HF PS	88.610.36HF BK
	48”	88.610.48HF ST	88.610.48HF PS	88.610.48HF BK
	60”	88.610.60HF ST	88.610.60HF PS	88.610.60HF BK
	72”	88.610.72HF ST	88.610.72HF PS	88.610.72HF BK
	96”	88.610.96HF ST	88.610.96HF PS	88.610.96HF BK
Perforated 	36”	88.620.36HF ST	88.620.36HF PS	
	48”	88.620.48HF ST	88.620.48HF PS	
	60”	88.620.60HF ST	88.620.60HF PS	
	72”	88.620.72HF ST	88.620.72HF PS	
	96”	88.620.96HF ST	88.620.96HF PS	
Mist (Tile-in) 	36”	88.630.36HF ST	88.630.36HF PS	
	48”	88.630.48HF ST	88.630.48HF PS	
	60”	88.630.60HF ST	88.630.60HF PS	
	72”	88.630.72HF ST	88.630.72HF PS	
	96”	88.630.96HF ST	88.630.96HF PS	

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
3” High Flow PVC	83.FLG.3.PVC


Note: 72” and *96” Kit includes two outlets, two hair strainers, two pair of joiners and two adapters. 72” Wedgewire Black Kit has two 36” . 96" Wedgewire Kit has two 48" grates. Choose the kit with equal or greater size than the length wanted; for longer lengths drain connect kits to build the desired length.
Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

LAGOS SQUARE DRAIN


Kit Includes:
A Lifting Key
B Grate
C Hair/Debris Strainer
D Base




Specifications

B Grate - Top View 4” x 4”

Mira




Veil




D Base - Top View

Mira




Veil




Top View 5 ¾” x 5 ¾”

Mira




Veil




Side View

Mira



Veil




B Grate - Side View

Mira



Veil




QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Features

- 15 gauge 316 Stainless Steel Grate = 1.8 mm
- Base made in ABS plastic.
- Works with 2” ABS, PVC or Cast Iron shower drain flange (not included).
- Center Drain is intended for use with traditional waterproofing methods.
- Hair Strainer Basket comes with every drain, fits inside the drain to collect hair and other debris, preventing pipe clogs.
- Grate can be removed completely for cleaning.

Complete Kit

Mira



Length	Satin SKU	Polished SKU	Black SKU	Satin Gold SKU	Bronze SKU
4” x 4”	88.100.04 ST	88.100.04 PS	88.100.04 BK	88.100.04 GD	88.100.04 BZ
5 ¾” x 5 ¾”	88.100.06 ST	88.100.06 PS	88.100.06 BK	88.100.06 GD	88.100.06 BZ

Veil



Length	Satin SKU	Polished SKU	Black SKU	Satin Gold SKU
4” x 4”	88.300.04 ST	88.300.04 PS	88.300.04 BK	88.300.04 GD
5 ¾” x 5 ¾”	88.300.06 ST	88.300.06 PS	88.300.06 BK	88.300.06 GD

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2” PVC	83.FLG.2.PVC
2” ABS	83.FLG.2.ABS
2” Cast Iron No hub	83.FLG.2.CI
2” Cast Iron FIP	83.FLG.2.CI.IP



Square Drain Flange	SKU
2” PVC	83.SQFLG.2.PVC
2” ABS	83.SQFLG.2.ABS
2” Cast Iron No hub	83.SQFLG.2.CI
2” Cast Iron FIP	83.SQFLG.2.CI.IP

Note: If modern waterproofing method is intended using a bonded flange, add a bonded flange adaptor. See page 132
Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice.
We can assume no responsibility for use of superseded or void data.


QM DRAIN

USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com


LAGOS VEIL LINEAR DRAIN

Kit Includes:
A Lifting Key
B Grate
C Hair/Debris Strainer
D Base
E Threaded Nipple




Specifications


B Grate - Top View




Side View



D Base - Side View



Top View



Features

- Base and Grate made in ABS plastic.
- Works with 2" ABS, PVC or Cast Iron shower drain flange (not included).
- Standard plain edge is intended for use with traditional waterproofing methods.
- Grate can be removed completely for cleaning.

Complete Kit



	Length	Satin SKU	Polished SKU	Satin Gold SKU	Black SKU	Bronze SKU
Veil Linear	12" x 3"	88.300.12 ST	88.300.12 PS	88.300.12 GD	88.300.12 BK	88.300.12 BZ

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2" PVC	83.FLG.2.PVC
2" ABS	83.FLG.2.ABS
2" Cast Iron No hub	83.FLG.2.CI
2" Cast Iron FIP	83.FLG.2.CI.IP



Square Drain Flange	SKU
2" PVC	83.SQFLG.2.PVC
2" ABS	83.SQFLG.2.ABS
2" Cast Iron No hub	83.SQFLG.2.CI
2" Cast Iron FIP	83.SQFLG.2.CI.IP


Note: If modern waterproofing method is intended using a bonded flange, add a bonded flange adaptor. See page XX
Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice.
We can assume no responsibility for use of superseded or voided data.

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051


BAY LINEAR DRAIN 2 IN 1

Kit Includes:
A Lifting Key
B Flat Stainless Steel or Tile-In Grate
C Plastic Legs
D Odor/Bugs Seal
E Base




Specifications

B Grate - Top View




Side View


Flat Stainless Steel




Tile-in Grate



E Base - Side View



Top View



Features

- Stainless Steel 304 Gauges:
  Grates: 16 gauge = 1.5 mm.
  Base: 18 gauge = 1.2 mm
- Works with 2" ABS, PVC or Cast Iron shower drain flange (not included).
- Standard plain edge is intended for use with traditional waterproofing methods.
- Grate can be removed completely for cleaning.

Complete Kit



Length	Satin SKU
24"	38.100.24 ST
36"	38.100.36 ST

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2" PVC	83.FLG.2.PVC
2" ABS	83.FLG.2.ABS
2" Cast Iron No hub	83.FLG.2.CI
2" Cast Iron FIP	83.FLG.2.CI.IP



Square Drain Flange	SKU
2" PVC	83.SQFLG.2.PVC
2" ABS	83.SQFLG.2.ABS
2" Cast Iron No hub	83.SQFLG.2.CI
2" Cast Iron FIP	83.SQFLG.2.CI.IP

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.


QM DRAIN

C SP® US
USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com


BAY RIA LINEAR DRAIN

Kit Includes:
A Lifting Key
B Grate
C Odor/Bugs Seal
D Base
E Threaded Nipple



Specifications


B Grate - Top View




Side View



D Base - Side View



Top View



Features:

- Stainless Steel 304 Gauges:
  Grates: 16 gauge = 1.5 mm.
  Base: 18 gauge = 1.2 mm
- Works with 2" ABS, PVC or Cast Iron shower drain flange (not included).
- Standard plain edge is intended for use with traditional waterproofing methods.
- Grate can be removed completely for cleaning.

Complete Kit

Ria Linear



Length	Satin SKU	Polished SKU	Satin Gold SKU	Black SKU
24"	38.200.24 ST	38.200.24 PS	38.200.24 GD	38.200.24 BK
36"	38.200.36 ST	38.200.36 PS	38.200.36 GD	38.200.36 BK

Add to Kit (Specification Pages: 131-132)



Drain Flange	SKU
2" PVC	83.FLG.2.PVC
2" ABS	83.FLG.2.ABS
2" Cast Iron No hub	83.FLG.2.CI
2" Cast Iron FIP	83.FLG.2.CI.IP



Square Drain Flange	SKU
2" PVC	83.SQFLG.2.PVC
2" ABS	83.SQFLG.2.ABS
2" Cast Iron No hub	83.SQFLG.2.CI
2" Cast Iron FIP	83.SQFLG.2.CI.IP

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.


QM DRAIN

USA - ASME A 112.18.2-2011/
CAN - CSA B 125.2-11.
Certificate #2689051

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

BAY SQUARE DRAIN

Kit Includes:
A Allen Key
B Bolts
C Grate
D Anti Odor Sealer
E Base




International Use Only


Specifications

C Grate - Top View

4" x 4"




5 ¾" x 5 ¾"




E Base - Top View

4" x 4"




5 ¾" x 5 ¾"




E Base - Side View

4" x 4"



5 ¾" x 5 ¾"



D Anti Odor Sealer - Perspective View



Complete Kit

		Satin SKU	Polished SKU
Ria Square	Length		
	4" x 4"	38.100.04 ST	38.100.04 PS
	5 ¾" x 5 ¾"	38.100.06 ST	38.100.06 PS




Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

BAY ROUND DRAIN


Kit Includes:
A Allen Key
B Bolts
C Grate
D Anti Odor Sealer
E Base




International Use Only

Specifications


C Grate - Top View
Ø 4”



E Base - Side View



E Base - Top View
Ø 4”



D Anti Odor Sealer - Perspective View




Complete Kit

		Length	Satin SKU
Ria Round		Ø4”	38.100.04R ST

Note: Installer must verify all rough-in dimensions prior to installation and consult local and national codes. Conformity and compliance to local and national codes are the responsibility of the installer. Dimensions are subject to Manufacturers tolerance and change without notice. We can assume no responsibility for use of superseded or voided data.

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com


INSTALLATION COMPONENTS



Cast Iron Drain Flange

No hub SKU: 83.FLG.2.CI | FIP SKU: 83.FLG.2.CI.IP


- Clamp down floor drain.
- 2” throat, 2” no hub outlet.
- 6 1/2” overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Hot mop, Rubber liner, Fiberglass.



PVC/ABS Drain Flange

PVC SKU: 83.FLG.2.PVC | ABS SKU: 83.FLG.2.ABS


- Clamp down floor drain.
- 2” throat, 2” outlet.
- 6 1/4” overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Rubber liner, Fiberglass.



3” High Flow PVC Drain Base with Clamping Ring

SKU: 83.FLG.3.PVC

- Clamp down floor drain.
- 3.5” throat, 4” outlet.
- 8.58” overall diameter.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Rubber liner, Fiberglass.




PVC/ABS Square Drain Flange

SKU 83.SQFLG.2.PVC | 83.SQFLG.2.ABS

- 4” x 3-1/2" x 2-3/4" Overall Dimensions
- Fits Shower Drains with 2 - 11 1/2 NPSM Thread
- Cast Iron Sub-Drain & Clamping Ring
- 2" No Hub Outlet Connection
- Has Weep Holes

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com


INSTALLATION COMPONENTS



Cast Iron Square Drain Flange

SKU 83.SQFLG.2.CI


- 4” x 3-1/2" x 2-3/4" Overall Dimensions
- Fits Shower Drains with 2 - 11 1/2 NPSM Thread
- Cast Iron Sub-Drain & Clamping Ring
- 2" No Hub Outlet Connection
- Has Weep Holes



QM Side Outlet Drain Flange with Integrated Threaded Adaptor

SKU: 83.FLG.SO.2


- 3.31” throat, 2” outlet.
- Waterproofing: PVC/Vinyl liner, Lead/copper pan, Rubber liner, Fiberglass.



Adaptor Bonded Flange

SKU: 83.ADAPT.2BF

- To be used with Schluter® integrated bounding flange.
- Follow Schluter®-Shower System Installation Instructions.
- Height adjustable.



Adaptor Reducer

SKU: 83.ADPT.2R

- Allows easy connection between a QM threaded drain outlet to the waste pipe.
- 3.15" x 2" Overall Dimensions
- No Hub Outlet Connection
- Made in ABS plastic





#QMDrain


Installation Instructions

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Delmar Series Linear Drain. Supreme

Before beginning installation make sure the distance
between the center of the shower and the outlet is within 8” of each other





Watch Installation Video



Step 1. Have your shower area ready, waterproofing installed and tested.



Step 2. Mark the center of your shower and screw threaded nipple into the drain flange, adjust to desired height.




Step 3. Insert the drain channel into the threaded nipple.



Step 4. Trowel mortar to required height.

Note: the longest side of the channel should always go towards the center of the shower.

Tip: measure the floor thickness and leave just the space for thin set and floor tile, taking into consideration the grate height. Your floor should end flush with the grate.




Step 5. Once mortar has cured, move the railing sliders into position, each at 4.5” from the center of the shower.




Step 6. Attach the grate to the channel. With the sliders positioned correctly, place the grate over the base and make sure the grate looks centered in the shower, adjust accordingly.

If grate needs to be cut to specific length, remove the grate end-caps, and cut using a Handheld Hacksaw with 32 TPI for cleanest cut. Only Satin finish drain includes a stainless steel blade in kit. Handheld Hacksaw is recommended for cutting all grates except the satin finish.









watch video

Tips:
- Use painter’s tape on grate surface to protect finish when cutting.
- Grate needs to be cut equally on each side.
- Draw a straight line where the cut will be made.
- Clamp grate to stable surface for cutting.
- Gently file edges.
- Do not bend or pull away cut sections, allow them to fall away.
- Re-connect end-caps.




6a. Once grate and slider position are verified, apply sealant around the top edge of the base and thin-set to the bottom of the grate, or remove the paper backing from the sealant tape.



6b. Install grate on top of the base and screw into the sliders using the enclosed screws.



Step 7. Verify that the grate is perfectly straight and level before installing the floor. Use enclosed wedges to raise any part of the grate if needed.



Step 8. Apply thin-set and install tile and grout.



Step 9. Remove the stainless steel protector and place the removable grate.



Note:


- Waterproof membrane should be installed and tested per manufacturer's instructions and local building and plumbing codes.
- QM® recommends this product to be installed by a licensed contractor.
- Failure to achieve adequate floor slope will result in standing water problems or slow water flow. Recommended slope for a shower floor is about 4 percent, or a 1/2 inch drop per every 12 inches from the shower walls to the drain.
- QM® Drain fits into the most common 2" ABS, PVC or cast iron shower drain flange.
- Lifting key assists with grate removal.
- Hair strainer basket fits inside the drain to collect hair and other debris preventing pipe clogs. Empty basket as needed to maintain optimal performance. The use of the basket is optional.




QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Delmar Series Linear Drain. Supreme Tile-in

Before beginning installation make sure the distance
between the center of the shower and the outlet is within 8” of each other






STEP 1. Have your shower area ready, waterproofing installed and tested.

STEP 2. Mark the center of your shower and screw threaded nipple into the drain flange, adjust to desired height.

STEP 3. Insert the drain channel into the threaded nipple.
NOTE: The longest side of the channel should always go towards the center of the shower.

STEP 4. Pour a mortar bed across shower area, pitch at a 1/4” per foot slope in direction towards the shower base. Pitch begins level to the edge of the stainless-steel channel.

STEP 5. Once mortar has cured, move the railing sliders into the position, each at 4.5” from the center of the shower.



STEP 6. Attach the grate to the channel. With the sliders positioned correctly, place the grate over the base and make sure the grate looks centered in the shower, adjust accordingly.
6a. Once grate and slider position are verified, apply sealant around the top edge of the base and thin-set to the bottom of the grate, or remove the paper backing from sealant tape.



6b. Install grate on top of the base and screw into the sliders using the enclosed screws.

STEP 7. Trowel mortar to required height. Apply thin-set and install tile and grout.
TIP: Measure the floor thickness and leave just the space for thin set and floor tile, taking into consideration the grate height. Your floor should end flush with the grate.

NOTE:

- Waterproof membrane should be installed and tested per manufacturer’s instructions and local building and plumbing codes.
- QM® recommends this product to be installed by a licensed contractor.
- Failure to achieve adequate floor slope will result in standing water problems or slow water flow. Recommended slope for a shower floor is about 4 percent, or a 1/2” inch drop per every 12 inches from the shower walls to the drain.
- Lifting key assists with grate removal.
- Hair Strainer basket fits inside the drain to collect hair and other debris preventing pipes clogs. Empty basket as needed to maintain optimal performance. The use of the basket is optional.



QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Delmar Series Linear Drain. Adjustable

Step 1. Determine where the drain will be positioned, frame out shower surround as required.


Step 2. Connect drain flange body to the drain pipe, leaving drain bolts in place. Cover the drain opening to prevent floor mortar blocking pipe work.

Step 3. Trowel mortar onto subfloor, pitch at a 1⁄4" per foot slope in direction towards the shower base.

Step 4. Install waterproof membrane, reinforce around outlet and cut carefully to expose heads of drain bolts and outlet. Install clamping ring.

Step 5. Test membrane for leaks.

Step 6. Screw threaded nipple into the drain flange, adjust to desired height.






Watch Installation Video

Step 7. Calculate finished drain length, allowing for wall & tile thickness and 8" for the outlet section.
For full drain length, cut the channel where the center of the outlet section will be placed.
For shorter length, remove equal amounts (half of total amount to be removed) from each cut of channel.
Example: if 4" needs to be removed, cut 2" from each side.

Tool: Use enclosed Stainless Steel cuting blade or a Handheld Hacksaw with 32 TPI for cleanest cut.




Tips:

a) Draw a straight line on the back of the channel where the cut will be made.
b) Clamp channel to stable, level surface for cutting.
c) Apply WD-40 lubricant for ease of sawing.
d) Cut drain channel at 450 angles. Use a 300 angle on corners.
e) Gently file edges with a carpenter file.
f) Do not bend or pull away pieces being cut from channel, allow cut pieces to fall away.

Step 8. Clean all parts. On a flat, stable surface, align the cut ends of the channel with the outlet section. To join the channel pieces to the outlet, attach joiner strips to the underside of the seams, using provided Sikaflex 1A construction sealant. Remove any Sikaflex spill over. Allow to dry minimum of 8 hours before handling.

Tips:
a) Use Denatured Alcohol to clean.



Step 9. Apply Sikaflex 1A sealant to trim pieces and fit them onto the longer outer edge of the channel. Remove any Sikaflex spill over. Allow to dry minimum of 8 hours before handling.

Tips: Cover the inside of the base with blue painter tape to avoid staining the base with sealant residual.




Step 10. Place the drain channel into the threaded nipple. Use the adjustable feet to keep the drain channel into the correct position and level.

Step 11. Trowel mortar to required height

Step 12. Once floor mortar has cured, apply thin set and install tile and grout

Step 13. Place the grate into the channel. Note: the grate might need to be cut to fit inside the channel easily. **For Mist** spread a layer of mortar into the grate, allowing for thinset and material to finish flush with metal frame.



Tool: Cut using a Handheld Hacksaw with 32 TPI for cleanest cut. Only Satin finish drain includes a stainless steel blade in kit. Handheld Hacksaw is recommended for cutting all grates except the satin finish.

Tips:
a) Draw a straight line where the cut will be made.
b) Clamp grate to stable, level surface for cutting.
c) Apply WD-40 lubricant for ease of sawing.
d) Cut drain channel at 450 angle.
e) Gently file edges with a carpenter file.
f) Do not bend or pull away cut sections, allow them to fall away.

Watch Cutting Video

Note:

- Hair Strainer basket fits inside the drain to collect hair and other debris preventing clogged pipes. Empty basket as needed to maintain optimal performance. The use of the basket is optional.
- Waterproof membrane shall be installed and tested per manufacturer's instructions and local building and plumbing codes.
- QM recommends this product to be installed by a licensed contractor.
- QMDrain fits into most common 2" ABS, PVC or Cast Iron shower drain flange.
- Lifting key assists with grate removal.
- Failure to achieve adequate floor slope will result in standing water problems or slow water flow.

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Linear Drain Standard Lenght. Standard Plain Edge Base. Standard Waterproofing

Step 1. Determine where the drain will be positioned, frame out shower surround as required.

Step 2. Connect drain flange body to the drai pipe, leaving drain bolts in place. Block drain opening with rag to prevent floor mortar blocking pipe work.

Step 3. Trowel mortar onto subfloor, pitch at a ¼" per foot slope in direction towards the shower base.

Step 4. Install waterproof membrane, reinforce around outlet and cut carefully to expose heads of drain bolts and outlet. Install clamping ring.

Step 5. Test membrane for leaks.


Step 6. Screw threaded nipple into the drain flange, adjust to desired height.

Step 7. Place the drain channel into the threaded nipple. Use the adjustable feet to keep the drain channel in the correct position and level

Step 8. Trowel mortar to required height.

Step 9. Once floor mortar has cured, apply thin set and install tile and grout.

Step 10. Install the grate into the shower linear base. **For Mist (Tile-in)** spread a layer of mortar into the grate, allowing for thinset and material to finish flush with metal frame.



Note:

- Waterproof membrane should be installed and tested per manufacturer's instructions and local building and plumbing codes.
- QM recommends this product to be installed by a licensed contractor.
- QM drain fits into most common 2" ABS, PVC or Cast Iron shower drain flange.
- Hair Stainer basket fits inside the drain to collect hair and other debris preventing pipe clogs. Empty basket as needed to maintain optimal performance. The use of the basket is optional.
- Lifting key assists with grate removal.
- Failure to achieve adequate floor slope will result in standing water problems or slow water flow.


For Bay 2-in-1 Reversible Grate drain comes preselected in the Smooth Satin Stainless Steel side, if the desire side to use is the Tile-In, please remove Plastic Legs from the grate using Key included in set, and place Plastic Legs back on the opposite side. Ensure Legs are fully snapped on grate.

Watch Installation Video


QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Delmar Series Linear Drain. Flange Edge and Side Outlet Flange Edge Standard Length

Flange Edge Standard Length



Side Outlet Standard Length



WATERPROOFING METHODS:

Modern Waterproofing methods: Liquid and Fabric Waterproofing.

ACCESS TO PLUMBING FROM BELOW:

If there is access to the plumbing from below, the waste line can be connected after installing the QM Drain; the drain can be installed in conjunction with the mortar bed.

STEP 1. Determine where the drain will be positioned, frame out shower surround as required.

STEP 2. Spread a preliminary mortar bed across the intended drain location. Set drain into mortar bed. Connect the outlet section to the existing waste pipe via 2" no hub coupling. Allow stainless steel channel to sit onto subfloor. Make sure the channel is completely level.

NO ACCESS TO PLUMBING FROM BELOW:

When there is limited or no access to the plumbing from below: Measure the distance from the top of the existing waste line to the top of the subfloor. Determine the distance from the bottom of the outlet section to the top of the existing waste pipe. Cut a 2" PVC or ABS pipe to a length 1/8" less than this dimension. Bond the 2" PVC/ABS pipe to a 2" Rubber Coupling using PVC/ABS primer and cement. Connect the other end of the 2" PVC/ABS pipe to the outlet section via a 2" no hub rubber coupling. Bond the free end of the 2" pipe and coupling assembly to the existing waste pipe using PVC/ABS primer and cement.

STEP 3. Pour a mortar bed across shower area, pitch at a 1/4" per foot slope in direction towards the shower base. Pitch begins level to the edge of the stainless-steel channel.


STEP 4. Install waterproofing when mortar is dry, liquid membrane or sheet membrane as per manufacturer's instructions. Paint or bond waterproofing directly to the base flange edge.

STEP 6. Once waterproofing is dry, apply thin-set and install tile and grout. Note: Tile can't cover the channel.

STEP 7. Install the grate into the shower linear base. Use adjustable level feet located inside the channel to raise or lower the grate to finish flush with the floor height.

For Mist (Tile-in) grate, spread a layer of thin-set mortar to the underside of the tile and set on the top of the grate. Remove any excess of material.

For a Double waterproofing installation: refer to Linear Drain Standard Installation step 1 to 7 and then continue at step 3.



NOTE:

- Waterproof membrane should be installed and tested per manufacturer's instructions and local building and plumbing codes.
- QM® recommends this product to be installed by a licensed contractor.
- Failure to achieve adequate floor slope will result in standing water problems or slow water flow. Recommended slope for a shower floor is about 4 percent, or a 1/2" inch drop per every 12 inches from the shower walls to the drain.
- Lifting key assists with grate removal.
- Hair Strainer basket fits inside the drain to collect hair and other debris preventing pipes clogs. Empty basket as needed to maintain optimal performance. The use of the basket is optional.

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Center Drain. Standard waterproofing

Step 1. Frame out shower surround as required.

Step 2. Connect drain flange body to the drain pipe, leaving drain bolts in place. Block drain opening with rag to prevent floor mortar blocking pipe work.

Step 3. Trowel mortar bed over subfloor, pitch at a 1/4" per foot slope in four directions towards the shower base.

Step 4. Install waterproof membrane, reinforce around outlet and cut carefully to expose heads of drain bolts and outlet. Install clamping ring.

Step 5. Test membrane for leaks.

Step 6. Screw the QM drain base into the drain flange, adjust height as needed. Proper height should be determined by flooring contractor.

Step 7. Trowel mortar to required height.

Step 8. Once floor mortar has cured, apply thin set and install tile and grout.

Step 9. Install the grate into QM drain base. **For Mist or Veil (Tile-in)** spread a layer of mortar into the grate, allowing for thinset and material to finish flush with metal frame.




Watch Installation Video

Note:

- Waterproof membrane should be installed and tested per manufacturer's instructions, local building and plumbing codes.
- QM recommends this product to be installed by a licensed contractor.
- QM drain fits into most common 2" ABS, PVC or Cast Iron shower drain flange.
- Hair stainer basket fits inside the drain to collect hair and other debris, preventing pipe clogs. Empty basket as needed to maintain optimal performance. The use of the basket is optional.
- Lifting key assists with grate removal.
- Failure to achieve adequate floor slope will result in standing water problems or slow water flow.

- Modern Waterproofing: If Bonded Flange is intended to use, please add Adaptor SKU: 83.ADAPT.2BF





QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Center Drain Installation for concrete slab

Step 1. Frame out shower surround as required.

Step 2. Connect drain outlet **A** to waste pipe **B** using our reducer adaptor. Reducer fits inside the pipe; bond using PVC/ABS cement/primer.

Step 3. Pour concrete slurry to the height of the channel bottom, pitch at a ¼" per foot slope in four directions towards the shower base.


Step 4. Install waterproofing membrane per manufacturer's instructions, fully covering concrete.

Step 5. Trowel mortar to required height.

Step 6. Once floor mortar has cured, apply thin-set and install tile and grout.


Step 7. Install the grate into the shower linear base. **For Mist or Veil (Tile-in)** spread a layer of mortar into the grate, allowing for thinset and material to finish flush with metal frame.

Note:
- QM recommends this product to be installed by a licensed contractor.
- Hair Stainer basket fits inside the drain to collect hair and other debris preventing pipe clogs. Empty basket as needed to maintain optimal performance. The use of the basket is optional.
- Lifting key assists with grate removal.
- Failure to achieve adequate floor slope will result in standing water problems or slow water flow.



QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Lagos Series Linear Drain. Adjustable



Step 1. Determine where the drain will be positioned, frame out shower surround as required.

Step 2. Connect drain flange body to the drain pipe, leaving drain bolts in place. Cover the drain opening to prevent floor mortar blocking pipe work.

Step 3. Trowel mortar onto subfloor, pitch at a 1⁄4" per foot slope in direction towards the shower base.

Step 4. Install waterproof membrane, reinforce around outlet and cut carefully to expose heads of drain bolts and outlet. Install clamping ring.

Step 5. Test membrane for leaks.


Step 6. Screw threaded nipple into the drain flange, adjust to desired height.


Step 7. Calculate finished drain length, allowing for wall & tile thickness and 8" for the outlet section **H**.
For full drain length, cut the base **E** where the center of the outlet section will be placed.
For shorter length, remove equal amounts (half of total amount to be removed) from each cut of base. (Example: if 4" needs to be removed, cut 2" from each side).

Tool: Use enclosed Stainless Steel cuting blade or a Handheld Hacksaw with 32 TPI for cleanest cut.

Tips:
a) Draw a straight line on the back of the base where the cut will be made.
b) Clamp base to stable, level surface for cutting.
c) Cut drain basel at 450 angles. Use a 300 angle on corners.
d) Gently file edges.
e) Do not bend or pull away pieces being cut from base, allow cut pieces to fall away.








Step 8. Clean all parts. On a flat, stable surface, align the cut ends of the base with the outlet section. To join the base pieces to the outlet, attach joiner strips to the underside of the seams, using clear PVC primer and PVC cement.

Step 9. Glue the channel end caps to the channel using clear PVC primer and PVC cement.



Step 10. Glue the trim pieces on each edge of the channel.

Tips: Cover the inside of the base with blue painter tape to avoid staining the base with sealant residual.



Step 11. Place the drain base into the threaded nipple. Use the adjustable feet to keep the drain channel into the correct position and level.

Tips: If it is necessary create a mortar bed under the length of the base to ensure support. Make sure base is straight and level before continuing with next step.

Step 12. Trowel mortar to required height.

Step 13. Once floor mortar has cured, apply thin set and install tile and grout.

Step 14. Place the grate into the base. Note: the grate might need to be cut to fit inside the base easily. **For Mist** spread a layer of mortar into the grate, allowing for thinset and material to finish flush with metal frame. **Tool:** Cut using a Handheld Hacksaw with 32 TPI for cleanest cut. Only Satin finish drain includes a stainless steel blade in kit. Handheld Hacksaw is recommended for cutting all grates except the satin finish.

Note:

- Hair Strainer basket fits inside the drain to collect hair and other debris preventing clogged pipes. Empty basket as needed to maintain optimal performance. The use of the basket is optional.
- Waterproof membrane shall be installed and tested per manufacturer's instructions and local building and plumbing codes.
- QM Drain recommends this product to be installed by a licensed contractor.
- QM Drain fits into most common 2" ABS, PVC or Cast Iron shower drain flange.
- Lifting key assists with grate removal.
- Failure to achieve adequate floor slope will result in standing water problems or slow water flow.

Watch Cutting Video

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Bay Series Ria Center Drain. Installation for concrete slab

Step 1. Frame out shower surround as required.

Step 2. Connect drain outlet **A** to waste pipe **B**.


Step 3. Pour concrete slurry to the height of the channel bottom **C**, pitch at a ¼" per foot slope in four directions towards the shower base.


Step 4. Trowel mortar to required height.

Step 5. Once floor mortar has cured, apply thin set and install tile and grout.

Step 6. Install the grate into the shower linear base.

Note:
• QM recommends this product to be installed by a licensed contractor.
• Lifting key assists with grate removal.
• Failure to achieve adequate floor slope will result in standing water problems or slow water flow.










#QMDrain

Components & Parts

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Standard Length Linear Drain Components

Series	Class	Type	Line	Finish	Image	SKU	Size	MSRP
Delmar Series	Linear Drain	Standard Length	Parts: Plain Edge Channel	Satin		33.24 ST	24"	$ 210
						33.28 ST	28"	$ 225
						33.32 ST	32"	$ 250
						33.36 ST	36"	$ 270
						33.48 ST	48"	$ 350
						33.58 ST	58"	$ 380
				Black		33.24 BK	24"	$ 265
						33.28 BK	28"	$ 280
						33.32 BK	32"	$ 310
						33.36 BK	36"	$ 330
						33.48 BK	48"	$ 385
						33.58 BK	58"	$ 440
				Bronze		33.24 BZ	24"	$ 265
						33.28 BZ	28"	$ 280
						33.32 BZ	32"	$ 305
						33.36 BZ	36"	$ 330
						33.48 BZ	48"	$ 385
						33.58 BZ	58"	$ 440
				Gold		33.24 GD	24"	$ 265
						33.28 GD	28"	$ 280
						33.32 GD	32"	$ 305
						33.36 GD	36"	$ 325
						33.48 GD	48"	$ 385
						33.58 GD	58"	$ 440
		Standard Length Flange Edge	Parts: Flange Edge Channel	Satin		33.24F ST	24"	$ 300
						33.28F ST	28"	$ 325
						33.32F ST	32"	$ 365
						33.36F ST	36"	$ 385
						33.48F ST	48"	$ 490
						33.58F ST	58"	$ 575
		Side Outlet Flange Edge	Parts: Flange Edge Side Outlet Channel	Satin		33.24FSO ST	24"	$ 350
						33.28FSO ST	28"	$ 380
						33.32FSO ST	32"	$ 415
						33.36FSO ST	36"	$ 450
						33.48FSO ST	48"	$ 550
						33.58FSO ST	58"	$ 650
		Standard Length	Parts: Nami Grate	Satin		33.G100.24 ST	24"	$ 145
						33.G100.28 ST	28"	$ 165
						33.G100.32 ST	32"	$ 175
						33.G100.36 ST	36"	$ 190
			Parts: Kai Grate	Satin		33.G200.24 ST	24"	$ 145
						33.G200.28 ST	28"	$ 160
						33.G200.32 ST	32"	$ 175
						33.G200.36 ST	36"	$ 190
			Parts: Delta Grate	Satin		33.G300.24 ST	24"	$ 145
						33.G300.28 ST	28"	$ 160
						33.G300.32 ST	32"	$ 175
						33.G300.36 ST	36"	$ 190
						33.G300.48 ST	48"	$ 235
						33.G300.58 ST	58"	$ 270
				Polished		33.G300.24 PS	24"	$ 160
						33.G300.28 PS	28"	$ 175
						33.G300.32 PS	32"	$ 195
						33.G300.36 PS	36"	$ 210
						33.G300.48 PS	48"	$ 260
						33.G300.58 PS	58"	$ 295




QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Standard Length Linear Drain Components

Series	Class	Type	Line	Finish	Image	SKU	Size	MSRP
Delmar Series	Linear Drain	Standard Length	Parts: Lotus Grate	Black		33.G400.24 BK	24"	$ 200
						33.G400.28 BK	28"	$ 235
						33.G400.32 BK	32"	$ 250
						33.G400.36 BK	36"	$ 275
						33.G400.48 BK	48"	$ 360
						33.G400.58 BZ	58"	$ 425
				Bronze		33.G400.24 BZ	24"	$ 200
						33.G400.28 BZ	28"	$ 235
						33.G400.32 BZ	32"	$ 250
						33.G400.36 BZ	36"	$ 275
						33.G400.48 BZ	48"	$ 360
						33.G400.58 BZ	58"	$ 425
				Gold		33.G400.24 GD	24"	$ 200
						33.G400.28 GD	28"	$ 235
						33.G400.32 GD	32"	$ 250
						33.G400.36 GD	36"	$ 275
						33.G400.48 GD	48"	$ 360
						33.G400.58 GD	58"	$ 425
			Parts: Mist (Tile-In) Grate	Satin		33.G500.24 ST	24"	$ 255
						33.G500.28 ST	28"	$ 270
						33.G500.32 ST	32"	$ 275
						33.G500.36 ST	36"	$ 295
						33.G500.48 ST	48"	$ 345
						33.G500.58 ST	58"	$ 445
				Black		33.G500.24 BK	24"	$ 300
						33.G500.28 BK	28"	$ 315
						33.G500.32 BK	32"	$ 320
						33.G500.36 BK	36"	$ 335
						33.G500.48 BK	48"	$ 410
						33.G500.58 BK	58"	$ 490
			Parts: Mist (Tile-In) Flange Edge Grate	Satin		33.G500.24F ST	24"	$ 140
						33.G500.28F ST	28"	$ 160
						33.G500.32F ST	32"	$ 180
						33.G500.36F ST	36"	$ 195
						33.G500.48F ST	48"	$ 255
						33.G500.58F ST	58"	$ 305
			Parts: Wedgewire Grate	Satin		33.G700.24 ST	24"	$ 440
						33.G700.28 ST	28"	$ 480
						33.G700.32 ST	32"	$ 525
						33.G700.36 ST	36"	$ 570
						33.G700.48 ST	48"	$ 700
						33.G700.58 ST	58"	$ 815
				Polished		33.G700.24 PS	24"	$ 525
						33.G700.28 PS	28"	$ 585
						33.G700.32 PS	32"	$ 655
						33.G700.36 PS	36"	$ 715
						33.G700.48 PS	48"	$ 960
						33.G700.58 PS	58"	$ 1,105
				Black		33.G700.24 BK	24"	$ 525
						33.G700.28 BK	28"	$ 585
						33.G700.32 BK	32"	$ 655
						33.G700.36 BK	36"	$ 715
						33.G700.48 BK	48"	$ 960
						33.G700.58 BK	58"	$ 1,105

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 3306
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Adjustable Linear Drain Components

Series	Class	Type	Line	Finish	Image	SKU	Size	MSRP
Linear Drain	Adjustable	Delmar Series	Base Kit (everyting except the grate)	Satin		33.B600.36 ST	36"	$ 315
						33.B600.48 ST	48"	$ 385
						33.B600.60 ST	60"	$ 460
						33.B600.72 ST	72"	$ 525
						33.B600.96 ST	96"	$ 670
				Polished		33.B600.36 PS	36"	$ 315
						33.B600.48 PS	48"	$ 385
						33.B600.60 PS	60"	$ 460
						33.B600.72 PS	72"	$ 525
						33.B600.96 PS	96"	$ 670
				Black		33.B600.36 BK	36"	$ 390
						33.B600.48 BK	48"	$ 470
						33.B600.60 BK	60"	$ 560
						33.B600.72 BK	72"	$ 675
						33.B600.96 BK	96"	$ 840
			Parts: Channel Only	Satin		33.600.28 ST	36"	$ 205
						33.600.40 ST	48"	$ 260
						33.600.52 ST	60"	$ 320
						33.600.64 ST	72"	$ 370
						33.600.88 ST	96"	$ 485
			Parts: Accessories Kit	Satin		33.601.2OUT		$ 65
						33.601.3HF		$ 130
						33.601.COR		$ 90
		Lagos Series	Parts: Channel Only			88.600.36	36"	$ 55
						88.600.48	48"	$ 75
						88.600.60	60"	$ 90
						88.600.72	72"	$ 110
						88.600.96	96"	$ 145
			Parts: Accessories Kit			88.601.2OUT		$ 50
						88.601.3HF		$ 70
						88.601.COR	12"	$ 40
		Delmar & Lagos Series	Parts: Trims (2)	Satin		33.601.36 ST	36"	$ 45
						33.601.48 ST	48"	$ 60
						33.601.60 ST	60"	$ 75
						33.601.72 ST	72"	$ 90
						33.601.96 ST	96"	$ 120
				Polished		33.601.36 PS	36"	$ 45
						33.601.48 PS	48"	$ 60
						33.601.60 PS	60"	$ 75
						33.601.72 PS	72"	$ 90
						33.601.96 PS	96"	$ 120
				Black		33.601.36 BK	36"	$ 120
						33.601.48 BK	48"	$ 145
						33.601.60 BK	60"	$ 175
						33.601.72 BK	2x36"	$ 240
						33.601.96 BK	2X48"	$ 290

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Adjustable Linear Drain Components

Series	Class	Type	Line	Finish	Image	SKU	Size	MSRP
Linear Drain	Adjustable	Delmar & Lagos Series	Parts: Wedgewire Grate	Satin		33.G610.36 ST	36"	$ 570
						33.G610.48 ST	48"	$ 700
						33.G610.60 ST	60"	$ 845
						33.G610.72 ST	72"	$ 975
						33.G610.96 ST	96"	$ 1,395
				Polished		33.G610.36 PS	36"	$ 715
						33.G610.48 PS	48"	$ 960
						33.G610.60 PS	60"	$ 1,135
						33.G610.72 PS	72"	$ 1,335
						33.G610.96 PS	96"	$ 1,920
				Black		33.G610.36 BK	36"	$ 715
						33.G610.48 BK	48"	$ 960
						33.G610.60 BK	60"	$ 1,135
						33.G610.72 BK	72"	$ 1,430
						33.G610.96 BK	96"	$ 1,920
			Parts: Perforated Grate	Satin		33.G620.36 ST	36"	$ 190
						33.G620.48 ST	48"	$ 250
						33.G620.60 ST	60"	$ 290
						33.G620.72 ST	72"	$ 345
						33.G620.96 ST	96"	$ 485
				Polished		33.G620.36 PS	36"	$ 200
						33.G620.48 PS	48"	$ 255
						33.G620.60 PS	60"	$ 305
						33.G620.72 PS	72"	$ 520
						33.G620.96 PS	96"	$ 560
			Parts: Mist (Tile-In) Grate	Satin		33.G630.36 ST	36"	$ 365
						33.G630.48 ST	48"	$ 480
						33.G630.60 ST	60"	$ 565
						33.G630.72 ST	72"	$ 840
						33.G630.96 ST	96"	$ 895

PARTS

Description	Image	SKU	MSRP
ABS Flange Drain 2" throat, 2" outlet No Hub		83.FLG.2.ABS	$ 30
PVC Flange Drain 2" throat, 2" outlet No Hub		83.FLG.2.PVC	$ 30
Cast Iron Flange Drain 2" throat, 2" No Hub outlet		83.FLG.2.CI	$ 85
Cast Iron Flange Drain 2" throat, 2" threaded outlet		83.FLG.2.CI.IP	$ 85
Square ABS Flange Drain 2" throat, 2" outlet No Hub		83.SQFLG.2.ABS	$ 65
Square PVC Flange Drain 2" throat, 2" outlet No Hub		83.SQFLG.2.PVC	$ 65
Square Cast Iron Flange Drain 2" throat, 2" No Hub outlet		83.SQFLG.2.CI	$ 85
PVC High Flow 3" x 4" Drain Base with Clamping Ring		83.FLG.3.PVC	$ 115
ABS Side Outlet drain flange 2" throat, 2" outlet No Hub		83.FLG.SO.2	$ 18
Adaptor/Threaded Nipple w/gasket for 2" Outlet		83.ADAPT.2OUT	$ 8
Adaptor/Threaded Nipple w/gasket for 3" High Flow Outlet		83.ADAPT.3OUT	$ 10
QM Drain Adaptor for 2" Bonded Drain Flange		83.ADAPT.2BF	$ 8
ABS Reducer Adaptor		83.ADAPT.2R	$ 4
Adaptor for Mex. CI Drain Body for Square Drains		83.ADAPT.MX.SQ	$ 4
Adaptor for Mex. CI Drain Body for Linear Drains		83.ADAPT.MX.LN	$ 4
Stainless Steel Hair/Debris Strainer for Linear and Square Drains		83.STR.L.SS	$ 8
PVC Hair/Debris Strainer for Linear Drains		83.STR.L.PVC	$ 6
Stainless Steel Hair/Debris Strainer for Square Drains with threaded outlet		83.STR.SQ.SS	$ 8
ABS Hair/Debris Strainer for Square Drains		83.STR.SQ.ABS	$ 6
Leveling Feet - Linear Drain		83.FEET	$ 6
Plastic Legs for BAY 2in 1 Reversible grate		83.REV.LEGS	$ 4
Flange Channels inside level legs		83.LVL.LEGS	$ 6
Stainless Steel Key		83.KEY	$ 6
Stainless Steel cutting blade for Grinder		83.BLADE	$ 12
Sikaflex Sealant		83.SEALANT	$ 20
Stainless Steel Delmar Adjustable Joiners		83.JOINER.SS	$ 20
PVC Lagos Adjustable Linear Drain Joiners		83.JOINER.PVC	$ 10
PVC Lagos Adjustable Linear Drain End Cap		83.END.PVC	$ 8
Anti-Odor Part for Lagos and Threaded outlet Delmar Square		83.OD.SQ	$ 8
Anti-Odor Part for Ria Square, Delmar Square and Linear Drains		83.OD.BAY.BK	$ 8
Anti-Odor Par for Ria Linear and other linear drains		83.OD.BAY.WT	$ 8

Price Index by Size

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Size

Universal "One Size fits all"

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
	Delmar Series	Supreme	Supreme Tile In +	Satin	33.810.08 ST	23	$ 550
	Delmar Series	Supreme	Supreme Tile In +	Polished	33.810.08 PS	23	$ 595
	Delmar Series	Supreme	Supreme Tile In +	Black	33.810.08 BK	23	$ 595
	Delmar Series	Supreme	Supreme Tile In +	Gold	33.810.08 GD	23	$ 595
12"							
12"	Lagos Series	Standard Length Plain	Veil	Satin	88.300.12 ST	81	$ 95
12"	Lagos Series	Standard Length Plain	Veil	Polished	88.300.12 PS	81	$ 95
12"	Lagos Series	Standard Length Plain	Veil	Gold	88.300.12 GD	81	$ 169
12"	Lagos Series	Standard Length Plain	Veil	Black	88.300.12 BK	81	$ 169
12"	Lagos Series	Standard Length Plain	Veil	Bronze	88.300.12 BZ	81	$ 169
24"							
24"	Bay Series	Standard Length Plain	2 in 1	Satin	38.100.24 ST	93	$ 195
24"	Bay Series	Standard Length Plain	Ria	Satin	38.200.24 ST	95	$ 195
24"	Bay Series	Standard Length Plain	Ria	Polished	38.200.24 PS	95	$ 205
24"	Bay Series	Standard Length Plain	Ria	Black	38.200.24 BK	95	$ 315
24"	Bay Series	Standard Length Plain	Ria	Gold	38.200.24 GD	95	$ 315
24"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.24 ST	42	$ 355
24"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.24 PS	42	$ 370
24"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.24F ST	42	$ 445
24"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.24F PS	42	$ 460
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.24FSO ST	42	$ 495
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.24FSO PS	42	$ 510
24"	Delmar Series	Standard Length Plain	Kai	Satin	33.200.24 ST	48	$ 355
24"	Delmar Series	Standard Length Flange Edge	Kai	Satin	33.200.24F ST	48	$ 445
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Kai	Satin	33.200.24FSO ST	48	$ 495
24"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.24 BK	54	$ 465
24"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.24 BZ	54	$ 465
24"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.24 GD	54	$ 465
24"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.24F BK	54	$ 500
24"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.24F BZ	54	$ 500
24"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.24F GD	54	$ 500
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.24FSO BK	54	$ 550
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.24FSO BZ	54	$ 550
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.24FSO GD	54	$ 550
24"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.24 ST	46	$ 465
24"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.24 BK	46	$ 565
24"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.24F ST	46	$ 440
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.24FSO ST	46	$ 490
24"	Delmar Series	Standard Length Plain	Nami	Satin	33.100.24 ST	52	$ 355
24"	Delmar Series	Standard Length Flange Edge	Nami	Satin	33.100.24F ST	52	$ 445
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Nami	Satin	33.100.24FSO ST	52	$ 495
24"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.24 ST	40	$ 650
24"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.24 PS	40	$ 735
24"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.24 BK	40	$ 790
24"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.24F ST	40	$ 740
24"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.24F PS	40	$ 825
24"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.24F BK	40	$ 825
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.24FSO ST	40	$ 790
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.24FSO PS	40	$ 875
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.24FSO BK	40	$ 875
28"							
28"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.28 ST	42	$ 390
28"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.28 PS	42	$ 400
28"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.28F ST	42	$ 490
28"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.28F PS	42	$ 500
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.28FSO ST	42	$ 545
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.28FSO PS	42	$ 555
28"	Delmar Series	Standard Length Plain	Kai	Satin	33.200.28 ST	48	$ 390
28"	Delmar Series	Standard Length Flange Edge	Kai	Satin	33.200.28F ST	48	$ 490
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Kai	Satin	33.200.28FSO ST	48	$ 545
28"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.28 BK	54	$ 515
28"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.28 BZ	54	$ 515
28"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.28 GD	54	$ 515
28"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.28F BK	54	$ 560
28"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.28F BZ	54	$ 560
28"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.28F GD	54	$ 560
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.28FSO BK	54	$ 615
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.28FSO BZ	54	$ 615
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.28FSO GD	54	$ 615
28"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.28 ST	46	$ 495
28"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.28 BK	46	$ 595
28"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.28F ST	46	$ 485
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.28FSO ST	46	$ 540
28"	Delmar Series	Standard Length Plain	Nami	Satin	33.100.28 ST	52	$ 390
28"	Delmar Series	Standard Length Flange Edge	Nami	Satin	33.100.28F ST	52	$ 490
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Nami	Satin	33.100.28FSO ST	52	$ 545
28"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.28 ST	40	$ 705
28"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.28 PS	40	$ 810
28"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.28 BK	40	$ 865
28"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.28F ST	40	$ 805
28"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.28F PS	40	$ 910

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Size

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
28"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.28F BK	40	$ 910
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.28FSO ST	40	$ 860
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.28FSO PS	40	$ 965
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.28FSO BK	40	$ 965
30"							
30"	Delmar Series	Supreme	Supreme	Polished	33.800.30 PS	21	$ 775
30"	Delmar Series	Supreme	Supreme	Satin	33.800.30 ST	21	$ 775
30"	Delmar Series	Supreme	Supreme	Black	33.800.30 BK	21	$ 840
30"	Delmar Series	Supreme	Supreme	Gold	33.800.30 GD	21	$ 840
32"							
32"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.32 ST	40	$ 425
32"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.32 PS	40	$ 445
32"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.32F ST	40	$ 540
32"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.32F PS	40	$ 560
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.32FSO ST	40	$ 590
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.32FSO PS	40	$ 610
32"	Delmar Series	Standard Length Plain	Kai	Satin	33.200.32 ST	48	$ 425
32"	Delmar Series	Standard Length Flange Edge	Kai	Satin	33.200.32F ST	48	$ 540
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Kai	Satin	33.200.32FSO ST	48	$ 590
32"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.32 BK	54	$ 560
32"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.32 BZ	54	$ 560
32"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.32 GD	54	$ 560
32"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.32F BK	54	$ 615
32"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.32F BZ	54	$ 615
32"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.32F GD	54	$ 615
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.32FSO BK	54	$ 665
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.32FSO BZ	54	$ 665
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.32FSO GD	54	$ 665
32"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.32 ST	46	$ 525
32"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.32 BK	46	$ 625
32"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.32F ST	46	$ 545
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.32FSO ST	46	$ 595
32"	Delmar Series	Standard Length Plain	Nami	Satin	33.100.32 ST	52	$ 425
32"	Delmar Series	Standard Length Flange Edge	Nami	Satin	33.100.32F ST	52	$ 540
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Nami	Satin	33.100.32FSO ST	52	$ 590
32"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.32 ST	40	$ 775
32"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.32 PS	40	$ 905
32"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.32 BK	40	$ 960
32"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.32F ST	40	$ 890
32"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.32F PS	40	$ 1,020
32"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.32F BK	40	$ 1,020
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.32FSO ST	40	$ 940
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.32FSO PS	40	$ 1,070
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.32FSO BK	40	$ 1,070
36"							
36"	Bay Series	Standard Length Plain	2 in 1	Satin	38.100.36 ST	93	$ 250
36"	Bay Series	Standard Length Plain	Ria	Satin	38.200.36 ST	95	$ 250
36"	Bay Series	Standard Length Plain	Ria	Polished	38.200.36 PS	95	$ 265
36"	Bay Series	Standard Length Plain	Ria	Black	38.200.36 BK	95	$ 395
36"	Bay Series	Standard Length Plain	Ria	Gold	38.200.36 GD	95	$ 395
36"	Delmar Series	Adjustable 2" Outlet	Base Kit (not grate included)	Satin	33.B600.36 ST	153-158	$ 315
36"	Delmar Series	Adjustable 2" Outlet	Base Kit (not grate included)	Polished	33.B600.36 PS	153-158	$ 315
36"	Delmar Series	Adjustable 2" Outlet	Base Kit (not grate included)	Black	33.B600.36 BK	153-158	$ 390
36"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (not grate included)	Satin	33.B600.36HF ST	153-158	$ 380
36"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (not grate included)	Polished	33.B600.36HF PS	153-158	$ 380
36"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (not grate included)	Black	33.B600.36HF BK	153-158	$ 455
36"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.36 ST	42	$ 460
36"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.36 PS	42	$ 480
36"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.36F ST	42	$ 575
36"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.36F PS	42	$ 595
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.36FSO ST	42	$ 640
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.36FSO PS	42	$ 660
36"	Delmar Series	Standard Length Plain	Kai	Satin	33.200.36 ST	48	$ 460
36"	Delmar Series	Standard Length Flange Edge	Kai	Satin	33.200.36F ST	48	$ 575
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Kai	Satin	33.200.36FSO ST	48	$ 640
36"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.36 BK	54	$ 605
36"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.36 BZ	54	$ 605
36"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.36 GD	54	$ 605
36"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.36F BK	54	$ 660
36"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.36F BZ	54	$ 660
36"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.36F GD	54	$ 660
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.36FSO BK	54	$ 725
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.36FSO BZ	54	$ 725
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.36FSO GD	54	$ 725
36"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.36 ST	46	$ 565
36"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.36 BK	46	$ 665
36"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.36F ST	46	$ 580
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.36FSO ST	46	$ 645
36"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.36 ST	35	$ 680
36"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.36 PS	35	$ 695
36"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.36HF ST	35	$ 745
36"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.36HF PS	35	$ 745
36"	Delmar Series	Standard Length Plain	Nami	Satin	33.100.36 ST	52	$ 460

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Size

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
36"	Delmar Series	Standard Length Flange Edge	Nami	Satin	33.100.36F ST	52	$ 575
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Nami	Satin	33.100.36FSO ST	52	$ 640
36"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.36 ST	33	$ 505
36"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.36 PS	33	$ 515
36"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.36HF ST	33	$ 570
36"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.36HF PS	33	$ 580
36"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.36 ST	40	$ 840
36"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.36 PS	40	$ 985
36"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.36 BK	40	$ 1,045
36"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.36F ST	40	$ 955
36"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.36F PS	40	$ 1,100
36"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.36F BK	40	$ 1,100
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.36FSO ST	40	$ 1,020
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.36FSO PS	40	$ 1,165
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.36FSO BK	40	$ 1,165
36"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.36 ST	31	$ 885
36"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.36 PS	31	$ 940
36"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.36 BK	31	$ 1,040
36"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.36HF ST	31	$ 950
36"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.36HF PS	31	$ 1,095
36"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.36HF BK	31	$ 1,105
36"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.36 ST	153-158	$ 165
36"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	88.B600.36 PS	153-158	$ 165
36"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.36 BK	153-158	$ 265
36"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.36HF ST	153-158	$ 230
36"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.36HF PS	153-158	$ 230
36"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.36HF BK	153-158	$ 330
36"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.36 ST	77	$ 515
36"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.36 PS	77	$ 515
36"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.36HF ST	77	$ 580
36"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.36HF PS	77	$ 580
36"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.36 ST	75	$ 340
36"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.36 PS	75	$ 350
36"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.36HF ST	75	$ 405
36"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.36HF PS	75	$ 415
36"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.36 ST	73	$ 720
36"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.36 PS	73	$ 865
36"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.36 BK	73	$ 875
36"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.36HF ST	73	$ 785
36"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.36HF PS	73	$ 930
36"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.36HF BK	73	$ 940
			40"				
40"	Delmar Series	Supreme	Supreme	Satin	33.800.40 ST	21	$ 875
40"	Delmar Series	Supreme	Supreme	Polished	33.800.40 PS	21	$ 875
40"	Delmar Series	Supreme	Supreme	Black	33.800.40 BK	21	$ 955
40"	Delmar Series	Supreme	Supreme	Gold	33.800.40 GD	21	$ 955
			48"				
48"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.48 ST	153-158	$ 385
48"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.48 PS	153-158	$ 385
48"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.48 BK	153-158	$ 470
48"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.48HF ST	153-158	$ 450
48"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.48HF PS	153-158	$ 450
48"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.48HF BK	153-158	$ 535
48"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.48 ST	42	$ 585
48"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.48 PS	42	$ 610
48"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.48F ST	42	$ 725
48"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.48F PS	42	$ 750
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.48FSO ST	42	$ 785
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.48FSO PS	42	$ 810
48"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.48 BK	54	$ 745
48"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.48 BZ	54	$ 745
48"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.48 GD	54	$ 745
48"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.48F BK	54	$ 850
48"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.48F BZ	54	$ 850
48"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.48F GD	54	$ 850
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.48FSO BK	54	$ 910
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.48FSO BZ	54	$ 910
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.48FSO GD	54	$ 910
48"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.48 ST	46	$ 695
48"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.48 BK	46	$ 795
48"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.48F ST	46	$ 745
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.48FSO ST	46	$ 805
48"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.48 ST	35	$ 865
48"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.48 PS	35	$ 880
48"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.48HF ST	35	$ 930
48"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.48HF PS	35	$ 930
48"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.48 ST	33	$ 635
48"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.48 PS	33	$ 640
48"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.48HF ST	33	$ 700
48"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.48HF PS	33	$ 705
48"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.48 ST	40	$ 1,050
48"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.48 PS	40	$ 1,310
48"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.48 BK	40	$ 1,345

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Size

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
48"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.48F ST	40	$ 1,190
48"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.48F PS	40	$ 1,450
48"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.48F BK	40	$ 1,450
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.48FSO ST	40	$ 1,250
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.48FSO PS	40	$ 1,510
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.48FSO BK	40	$ 1,510
48"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.48 ST	73	$ 1,085
48"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.48 PS	73	$ 1,345
48"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.48 BK	73	$ 1,265
48"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.48HF ST	73	$ 1,150
48"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.48HF PS	73	$ 1,410
48"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.48HF BK	73	$ 1,330
48"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.48 ST	153-158	$ 200
48"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	88.B600.48 PS	153-158	$ 200
48"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.48 BK	153-158	$ 315
48"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.48HF ST	153-158	$ 265
48"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.48HF PS	153-158	$ 265
48"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.48HF BK	153-158	$ 380
48"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.48 ST	77	$ 665
48"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.48 PS	77	$ 665
48"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.48HF ST	77	$ 730
48"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.48HF PS	77	$ 730
48"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.48 ST	75	$ 435
48"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.48 PS	75	$ 440
48"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.48HF ST	75	$ 500
48"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.48HF PS	75	$ 505
48"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.48 ST	73	$ 885
48"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.48 PS	73	$ 1,145
48"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.48 BK	73	$ 1,065
48"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.48HF ST	73	$ 950
48"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.48HF PS	73	$ 1,210
48"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.48HF BK	73	$ 1,130
			50"				
50"	Delmar Series	Supreme	Supreme	Satin	33.800.50 ST	21	$ 955
50"	Delmar Series	Supreme	Supreme	Polished	33.800.50 PS	21	$ 955
50"	Delmar Series	Supreme	Supreme	Black	33.800.50 BK	21	$ 1,045
50"	Delmar Series	Supreme	Supreme	Gold	33.800.50 GD	21	$ 1,045
			58"				
58"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.58 ST	42	$ 650
58"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.58 PS	42	$ 675
58"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.58F ST	42	$ 845
58"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.58F PS	42	$ 870
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.58FSO ST	42	$ 920
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.58FSO PS	42	$ 945
58"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.58 BK	54	$ 865
58"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.58 BZ	54	$ 865
58"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.58 GD	54	$ 865
58"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.58F BK	54	$ 1,000
58"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.58F BZ	54	$ 1,000
58"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.58F GD	54	$ 1,000
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.58FSO BK	54	$ 1,075
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.58FSO BZ	54	$ 1,075
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.58FSO GD	54	$ 1,075
58"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.58 ST	46	$ 825
58"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.58 BK	46	$ 930
58"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.58F ST	46	$ 880
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.58FSO ST	46	$ 955
58"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.58 ST	40	$ 1,195
58"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.58 PS	40	$ 1,485
58"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.58 BK	40	$ 1,545
58"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.58F ST	40	$ 1,390
58"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.58F PS	40	$ 1,680
58"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.58F BK	40	$ 1,680
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.58FSO ST	40	$ 1,465
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.58FSO PS	40	$ 1,755
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.58FSO BK	40	$ 1,755
			60"				
60"	Delmar Series	Supreme	Supreme	Satin	33.800.60 ST	21	$ 1,045
60"	Delmar Series	Supreme	Supreme	Polished	33.800.60 PS	21	$ 1,045
60"	Delmar Series	Supreme	Supreme	Black	33.800.60 BK	21	$ 1,145
60"	Delmar Series	Supreme	Supreme	Gold	33.800.60 GD	21	$ 1,145
60"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.60 ST	153-158	$ 460
60"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.60 PS	153-158	$ 460
60"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.60 BK	153-158	$ 560
60"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.60HF ST	153-158	$ 525
60"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.60HF PS	153-158	$ 525
60"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.60HF BK	153-158	$ 625
60"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.60 ST	35	$ 1,025
60"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.60 PS	35	$ 1,040
60"	Delmar Series	Adjustable 3" Outlet	Mist (Tile-In)	Satin	33.630.60HF ST	35	$ 1,090
60"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.60HF PS	35	$ 1,090
60"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.60 ST	33	$ 750
60"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.60 PS	33	$ 765

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 3306
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Size

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
60"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.60HF ST	33	$ 815
60"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.60HF PS	33	$ 830
60"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.60 ST	31	$ 1,305
60"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.60 PS	31	$ 1,595
60"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.60 BK	31	$ 1,520
60"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.60HF ST	31	$ 1,370
60"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.60HF PS	31	$ 1,660
60"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.60HF BK	31	$ 1,585
60"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.60 ST	153-158	$ 230
60"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	88.B600.60 PS	153-158	$ 230
60"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.60 BK	153-158	$ 395
60"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.60HF ST	153-158	$ 295
60"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.60HF PS	153-158	$ 295
60"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.60HF BK	153-158	$ 460
60"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.60 ST	77	$ 780
60"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.60 PS	77	$ 780
60"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.60HF ST	77	$ 845
60"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.60HF PS	77	$ 845
60"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.60 ST	75	$ 505
60"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.60 PS	75	$ 520
60"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.60HF ST	75	$ 570
60"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.60HF PS	75	$ 585
60"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.60 ST	73	$ 1,060
60"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.60 PS	73	$ 1,350
60"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.60 BK	73	$ 1,275
60"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.60HF ST	73	$ 1,125
60"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.60HF PS	73	$ 1,415
60"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.60HF BK	73	$ 1,340
			72"				
72"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.72 ST	153-158	$ 525
72"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.72 PS	153-158	$ 525
72"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.72 BK	153-158	$ 675
72"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.72HF ST	153-158	$ 590
72"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.72HF PS	153-158	$ 590
72"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.72HF BK	153-158	$ 740
72"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.72 ST	35	$ 1,495
72"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.72 PS	35	$ 1,460
72"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.72HF ST	35	$ 1,560
72"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.72HF PS	35	$ 1,560
72"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.72 ST	33	$ 1,000
72"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.72 PS	33	$ 1,175
72"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.72HF ST	33	$ 1,065
72"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.72HF PS	33	$ 1,240
72"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.72 ST	31	$ 1,565
72"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.72 PS	31	$ 1,925
72"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.72 BK	31	$ 2,040
72"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.72HF ST	31	$ 1,695
72"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.72HF PS	31	$ 2,055
72"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.72HF BK	31	$ 2,170
72"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.72 ST	153-158	$ 265
72"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	88.B600.72 PS	153-158	$ 265
72"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.72 BK	153-158	$ 465
72"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.72HF ST	153-158	$ 330
72"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.72HF PS	153-158	$ 330
72"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.72HF BK	153-158	$ 530
72"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.72 ST	77	$ 1,140
72"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.72 PS	77	$ 1,140
72"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.72HF ST	77	$ 1,205
72"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.72HF PS	77	$ 1,205
72"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.72 ST	75	$ 645
72"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.72 PS	75	$ 820
72"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.72HF ST	75	$ 710
72"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.72HF PS	75	$ 885
72"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.72 ST	73	$ 1,275
72"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.72 PS	73	$ 1,635
72"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.72 BK	73	$ 1,750
72"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.72HF ST	73	$ 1,340
72"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.72HF PS	73	$ 1,700
72"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.72HF BK	73	$ 1,815
			96"				
96"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.96 ST	153-158	$ 670
96"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.96 PS	153-158	$ 670
96"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.96 BK	153-158	$ 840
96"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.96HF ST	153-158	$ 735
96"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.96HF PS	153-158	$ 735
96"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.96HF BK	153-158	$ 905
96"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.96 ST	35	$ 1,695
96"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.96 PS	35	$ 1,660
96"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.96HF ST	35	$ 1,760
96"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.96HF PS	35	$ 1,760
96"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.96 ST	33	$ 1,285
96"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.96 PS	33	$ 1,360
96"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.96HF ST	33	$ 1,350

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 3306
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Size

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
96"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.96HF PS	33	$ 1,425
96"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.96 ST	31	$ 2,130
96"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.96 PS	31	$ 2,655
96"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.96 BK	31	$ 2,490
96"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.96HF ST	31	$ 2,260
96"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.96HF PS	31	$ 2,785
96"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.96HF BK	31	$ 2,620
96"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.96 ST	153-158	$ 330
96"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.96 PS	153-158	$ 330
96"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.96 BK	153-158	$ 500
96"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.96HF ST	153-158	$ 395
96"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.96HF PS	153-158	$ 395
96"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.96HF BK	153-158	$ 565
96"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.96 ST	77	$ 1,260
96"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.96 PS	77	$ 1,260
96"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.96HF ST	77	$ 1,325
96"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.96HF PS	77	$ 1,325
96"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.96 ST	75	$ 850
96"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.96 PS	75	$ 925
96"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.96HF ST	75	$ 915
96"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.96HF PS	75	$ 990
96"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.96 ST	73	$ 1,760
96"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.96 PS	73	$ 2,285
96"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.96 BK	73	$ 2,120
96"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.96HF ST	73	$ 1,825
96"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.96HF PS	73	$ 2,350
96"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.96HF BK	73	$ 2,185
Center Drains							
4" x 4"							
4" x 4"	Bay Series	Round	Ria	Satin	38.100.04R ST	97	$ 25
4" x 4"	Bay Series	Square	Ria	Satin	38.100.04 ST	97	$ 25
4" x 4"	Bay Series	Square	Ria	Polished	38.100.04 PS	97	$ 26
4" x 4"	Delmar Series	Square	Delta	Satin	33.300.04 ST	59	$ 125
4" x 4"	Delmar Series	Square	Delta	Polished	33.300.04 PS	59	$ 155
4" x 4"	Delmar Series	Square	Kai	Satin	33.200.04 ST	63	$ 125
4" x 4"	Delmar Series	Square	Lotus	Black	33.400.04 BK	67	$ 199
4" x 4"	Delmar Series	Square	Lotus	Bronze	33.400.04 BZ	67	$ 199
4" x 4"	Delmar Series	Square	Lotus	Gold	33.400.04 GD	67	$ 295
4" x 4"	Delmar Series	Square	Mist (Tile-In)	Satin	33.500.04 ST	51	$ 149
4" x 4"	Delmar Series	Square	Nami	Satin	33.100.04 ST	87	$ 125
4" x 4"	Lagos Series	Square	Mira	Satin	88.100.04 ST	87	$ 55
4" x 4"	Lagos Series	Square	Mira	Polished	88.100.04 PS	87	$ 55
4" x 4"	Lagos Series	Square	Mira	Bronze	88.100.04 BZ	87	$ 95
4" x 4"	Lagos Series	Square	Mira	Black	88.100.04 BK	87	$ 95
4" x 4"	Lagos Series	Square	Mira	Gold	88.100.04 GD	87	$ 95
4" x 4"	Lagos Series	Square	Veil	Polished	88.300.04 PS	89	$ 65
4" x 4"	Lagos Series	Square	Veil	Satin	88.300.04 ST	89	$ 65
4" x 4"	Lagos Series	Square	Veil	Black	88.300.04 BK	89	$ 105
4" x 4"	Lagos Series	Square	Veil	Gold	88.300.04 GD	89	$ 105
5 3/4" x 5 3/4"							
5 3/4" x 5 3/4"	Bay Series	Square	Ria	Satin	38.100.06 ST	97	$ 35
5 3/4" x 5 3/4"	Bay Series	Square	Ria	Polished	38.100.06 PS	97	$ 36
5 3/4" x 5 3/4"	Delmar Series	Square	Delta	Satin	33.300.06 ST	59	$ 165
5 3/4" x 5 3/4"	Delmar Series	Square	Delta	Polished	33.300.06 PS	59	$ 195
5 3/4" x 5 3/4"	Delmar Series	Square	Kai	Satin	33.200.06 ST	63	$ 165
5 3/4" x 5 3/4"	Delmar Series	Square	Lotus	Black	33.400.06 BK	67	$ 295
5 3/4" x 5 3/4"	Delmar Series	Square	Lotus	Bronze	33.400.06 BZ	67	$ 295
5 3/4" x 5 3/4"	Delmar Series	Square	Lotus	Gold	33.400.06 GD	67	$ 199
5 3/4" x 5 3/4"	Delmar Series	Square	Mist (Tile-In)	Satin	33.500.05 ST	51	$ 179
5 3/4" x 5 3/4"	Delmar Series	Square	Nami	Satin	33.100.06 ST	65	$ 165
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Satin	88.100.06 ST	87	$ 95
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Polished	88.100.06 PS	87	$ 95
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Bronze	88.100.06 BZ	87	$ 135
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Black	88.100.06 BK	87	$ 135
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Gold	88.100.06 GD	87	$ 135
5 3/4" x 5 3/4"	Lagos Series	Square	Veil	Polished	88.300.06 PS	89	$ 75
5 3/4" x 5 3/4"	Lagos Series	Square	Veil	Satin	88.300.06 ST	89	$ 75
5 3/4" x 5 3/4"	Lagos Series	Square	Veil	Black	88.300.06 BK	89	$ 130
5 3/4" x 5 3/4"	Lagos Series	Square	Veil	Gold	88.300.06 GD	89	$ 130
8" x 8"							
8" x 8"	Delmar Series	Square	Kai	Satin	33.200.08HF ST	63	$ 215
Parts, Trims and Accessories							
96"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.88 ST	153-158	$ 485
96"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.96 ST	153-158	$ 895
96"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.96 ST	153-158	$ 485
96"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.96 PS	153-158	$ 560
96"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.96 ST	153-158	$ 120
96"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.96 PS	153-158	$ 120
96"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.96 ST	153-158	$ 1,395
96"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.96 PS	153-158	$ 1,920
96"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.96 BK	153-158	$ 1,585

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Size

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
96"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.96	153-158	$ 145
72"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.64 ST	153-158	$ 370
72"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.72 ST	153-158	$ 840
72"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.72 ST	153-158	$ 345
72"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.72 PS	153-158	$ 520
72"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.72 ST	153-158	$ 90
72"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.72 PS	153-158	$ 90
72"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.72 ST	153-158	$ 975
72"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.72 PS	153-158	$ 1,335
72"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.72 BK	153-158	$ 1,300
72"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.72	153-158	$ 110
60"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.52 ST	153-158	$ 320
60"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.60 ST	153-158	$ 565
60"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.60 ST	153-158	$ 290
60"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.60 PS	153-158	$ 305
60"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.60 ST	153-158	$ 75
60"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.60 PS	153-158	$ 75
60"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.60 BK	153-158	$ 175
60"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.60 ST	153-158	$ 845
60"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.60 PS	153-158	$ 1,135
60"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.60 BK	153-158	$ 960
60"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.60	153-158	$ 90
58"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.58 ST	153-158	$ 270
58"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.58 PS	153-158	$ 295
58"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.58F ST	153-158	$ 575
58"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet Chann	Satin	33.58FSO ST	153-158	$ 650
58"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.58 BZ	153-158	$ 425
58"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.58 BZ	153-158	$ 425
58"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.58 GD	153-158	$ 425
58"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.58 ST	153-158	$ 445
58"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.58 BK	153-158	$ 490
58"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.58F ST	153-158	$ 305
58"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.58 ST	153-158	$ 380
58"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.58 BK	153-158	$ 440
58"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.58 BZ	153-158	$ 440
58"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.58 GD	153-158	$ 440
58"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.58 ST	153-158	$ 815
58"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.58 PS	153-158	$ 1,105
58"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.58 BK	153-158	$ 1,105
48"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.40 ST	153-158	$ 260
48"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.48 ST	153-158	$ 235
48"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.48 PS	153-158	$ 260
48"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.48F ST	153-158	$ 490
48"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet Chann	Satin	33.48FSO ST	153-158	$ 550
48"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.48 BK	153-158	$ 360
48"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.48 BZ	153-158	$ 360
48"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.48 GD	153-158	$ 360
48"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.48 ST	153-158	$ 345
48"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.48 BK	153-158	$ 410
48"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.48F ST	153-158	$ 255
48"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.48 ST	153-158	$ 480
48"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.48 ST	153-158	$ 250
48"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.48 PS	153-158	$ 255
48"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.48 ST	153-158	$ 350
48"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.48 BK	153-158	$ 385
48"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.48 BZ	153-158	$ 385
48"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.48 GD	153-158	$ 385
48"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.48 ST	153-158	$ 60
48"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.48 PS	153-158	$ 60
48"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.48 BK	153-158	$ 145
48"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.48 ST	153-158	$ 700
48"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.48 PS	153-158	$ 960
48"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.48 BK	153-158	$ 960
48"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.48 ST	153-158	$ 700
48"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.48 PS	153-158	$ 960
48"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.48 BK	153-158	$ 795
48"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.48	153-158	$ 75
36"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.28 ST	153-158	$ 205
36"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.36 ST	153-158	$ 190
36"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.36 PS	153-158	$ 210
36"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.36F ST	153-158	$ 385
36"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet Chann	Satin	33.36FSO ST	153-158	$ 450
36"	Delmar Series	Standard Length	Parts: Kai Grate	Satin	33.G200.36 ST	153-158	$ 190
36"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.36 BK	153-158	$ 275
36"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.36 BZ	153-158	$ 275
36"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.36 GD	153-158	$ 275
36"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.36 ST	153-158	$ 295
36"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.36 BK	153-158	$ 335
36"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.36F ST	153-158	$ 195
36"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.36 ST	153-158	$ 365
36"	Delmar Series	Standard Length	Parts: Nami Grate	Satin	33.G100.36 ST	153-158	$ 190
36"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.36 ST	153-158	$ 190
36"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.36 PS	153-158	$ 200
36"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.36 ST	153-158	$ 270
36"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.36 BK	153-158	$ 330

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Size

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
36"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.36 BZ	153-158	$ 330
36"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.36 GD	153-158	$ 325
36"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.36 ST	153-158	$ 45
36"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.36 PS	153-158	$ 45
36"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.36 BK	153-158	$ 120
36"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.36 ST	153-158	$ 570
36"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.36 PS	153-158	$ 715
36"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.36 BK	153-158	$ 715
36"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.36 ST	153-158	$ 570
36"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.36 PS	153-158	$ 715
36"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.36 BK	153-158	$ 650
36"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.36	153-158	$ 55
32"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.32 ST	153-158	$ 175
32"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.32 PS	153-158	$ 195
32"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.32F ST	153-158	$ 365
32"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet Chann	Satin	33.32FSO ST	153-158	$ 415
32"	Delmar Series	Standard Length	Parts: Kai Grate	Satin	33.G200.32 ST	153-158	$ 175
32"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.32 BK	153-158	$ 250
32"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.32 BZ	153-158	$ 250
32"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.32 GD	153-158	$ 250
32"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.32 ST	153-158	$ 275
32"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.32 BK	153-158	$ 320
32"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.32F ST	153-158	$ 180
32"	Delmar Series	Standard Length	Parts: Nami Grate	Satin	33.G100.32 ST	153-158	$ 175
32"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.32 ST	153-158	$ 250
32"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.32 BK	153-158	$ 310
32"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.32 BZ	153-158	$ 305
32"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.32 GD	153-158	$ 305
32"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.32 ST	153-158	$ 525
32"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.32 PS	153-158	$ 655
32"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.32 BK	153-158	$ 655
28"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.28 ST	153-158	$ 160
28"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.28 PS	153-158	$ 175
28"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.28F ST	153-158	$ 325
28"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet Chann	Satin	33.28FSO ST	153-158	$ 380
28"	Delmar Series	Standard Length	Parts: Kai Grate	Satin	33.G200.28 ST	153-158	$ 160
28"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.28 BK	153-158	$ 235
28"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.28 BZ	153-158	$ 235
28"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.28 GD	153-158	$ 235
28"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.28 ST	153-158	$ 270
28"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.28 BK	153-158	$ 315
28"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.28F ST	153-158	$ 160
28"	Delmar Series	Standard Length	Parts: Nami Grate	Satin	33.G100.28 ST	153-158	$ 165
28"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.28 BK	153-158	$ 280
28"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.28 BZ	153-158	$ 280
28"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.28 GD	153-158	$ 280
28"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.28 ST	153-158	$ 225
28"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.28 ST	153-158	$ 480
28"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.28 PS	153-158	$ 585
28"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.28 BK	153-158	$ 585
24"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.24 ST	153-158	$ 145
24"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.24 PS	153-158	$ 160
24"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.24F ST	153-158	$ 300
24"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet Chann	Satin	33.24FSO ST	153-158	$ 350
24"	Delmar Series	Standard Length	Parts: Kai Grate	Satin	33.G200.24 ST	153-158	$ 145
24"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.24 BK	153-158	$ 200
24"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.24 BZ	153-158	$ 200
24"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.24 GD	153-158	$ 200
24"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.24 ST	153-158	$ 255
24"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.24 BK	153-158	$ 300
24"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.24F ST	153-158	$ 140
24"	Delmar Series	Standard Length	Parts: Nami Grate	Satin	33.G100.24 ST	153-158	$ 145
24"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.24 ST	153-158	$ 210
24"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.24 BK	153-158	$ 265
24"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.24 BZ	153-158	$ 265
24"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.24 GD	153-158	$ 265
24"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.24 ST	153-158	$ 440
24"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.24 PS	153-158	$ 525
24"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.24 BK	153-158	$ 525
12"	Lagos Series	Adjustable	Parts: Accessories Kit	Satin	88.601.COR	153-158	$ 40
2X48"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.96 BK	153-158	$ 290
2x36"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.72 BK	153-158	$ 240
	Delmar Series	Adjustable	Parts: Accessories Kit	Satin	33.601.2OUT	153-158	$ 65
	Delmar Series	Adjustable	Parts: Accessories Kit	Satin	33.601.3HF	153-158	$ 130
	Delmar Series	Adjustable	Parts: Accessories Kit	Satin	33.601.COR	153-158	$ 90
	Lagos Series	Adjustable	Parts: Accessories Kit	Satin	88.601.2OUT	153-158	$ 50
	Lagos Series	Adjustable	Parts: Accessories Kit	Satin	88.601.3HF	153-158	$ 70

Price Index by Finish

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Finish

Satin SS

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
	Delmar Series	Supreme		Satin	33.810.08 ST	23	$ 550
12"	Lagos Series	Standard Length Plain	Veil	Satin	88.300.12 ST	81	$ 95
24"	Bay Series	Standard Length Plain	2 in 1	Satin	38.100.24 ST	93	$ 195
24"	Bay Series	Standard Length Plain	Ria	Satin	38.200.24 ST	95	$ 195
24"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.24 ST	42	$ 355
24"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.24F ST	42	$ 445
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.24FSO ST	42	$ 495
24"	Delmar Series	Standard Length Plain	Kai	Satin	33.200.24 ST	48	$ 355
24"	Delmar Series	Standard Length Flange Edge	Kai	Satin	33.200.24F ST	48	$ 445
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Kai	Satin	33.200.24FSO ST	48	$ 495
24"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.24 ST	46	$ 465
24"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.24F ST	46	$ 440
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.24FSO ST	46	$ 490
24"	Delmar Series	Standard Length Plain	Nami	Satin	33.100.24 ST	52	$ 355
24"	Delmar Series	Standard Length Flange Edge	Nami	Satin	33.100.24F ST	52	$ 445
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Nami	Satin	33.100.24FSO ST	52	$ 495
24"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.24 ST	40	$ 650
24"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.24F ST	40	$ 740
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.24FSO ST	40	$ 790
28"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.28 ST	42	$ 390
28"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.28F ST	42	$ 490
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.28FSO ST	42	$ 545
28"	Delmar Series	Standard Length Plain	Kai	Satin	33.200.28 ST	48	$ 390
28"	Delmar Series	Standard Length Flange Edge	Kai	Satin	33.200.28F ST	48	$ 490
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Kai	Satin	33.200.28FSO ST	48	$ 545
28"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.28 ST	46	$ 495
28"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.28F ST	46	$ 485
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.28FSO ST	46	$ 540
28"	Delmar Series	Standard Length Plain	Nami	Satin	33.100.28 ST	52	$ 390
28"	Delmar Series	Standard Length Flange Edge	Nami	Satin	33.100.28F ST	52	$ 490
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Nami	Satin	33.100.28FSO ST	52	$ 545
28"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.28 ST	40	$ 705
28"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.28F ST	40	$ 805
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.28FSO ST	40	$ 860
30"	Delmar Series	Supreme	Supreme	Satin	33.800.30 ST	21	$ 775
32"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.32 ST	42	$ 425
32"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.32F ST	42	$ 540
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.32FSO ST	42	$ 590
32"	Delmar Series	Standard Length Plain	Kai	Satin	33.200.32 ST	48	$ 425
32"	Delmar Series	Standard Length Flange Edge	Kai	Satin	33.200.32F ST	48	$ 540
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Kai	Satin	33.200.32FSO ST	48	$ 590
32"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.32 ST	46	$ 525
32"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.32F ST	46	$ 545
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.32FSO ST	46	$ 595
32"	Delmar Series	Standard Length Plain	Nami	Satin	33.100.32 ST	52	$ 425
32"	Delmar Series	Standard Length Flange Edge	Nami	Satin	33.100.32F ST	52	$ 540
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Nami	Satin	33.100.32FSO ST	52	$ 590
32"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.32 ST	40	$ 775
32"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.32F ST	40	$ 890
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.32FSO ST	40	$ 940
36"	Bay Series	Standard Length Plain	2 in 1	Satin	38.100.36 ST	93	$ 250
36"	Bay Series	Standard Length Plain	Ria	Satin	38.200.36 ST	95	$ 250
36"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.36 ST	153-158	$ 315
36"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.36HF ST	153-158	$ 380
36"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.36 ST	42	$ 460
36"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.36F ST	42	$ 575
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.36FSO ST	42	$ 640
36"	Delmar Series	Standard Length Plain	Kai	Satin	33.200.36 ST	48	$ 460
36"	Delmar Series	Standard Length Flange Edge	Kai	Satin	33.200.36F ST	48	$ 575
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Kai	Satin	33.200.36FSO ST	48	$ 640
36"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.36 ST	46	$ 565
36"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.36F ST	46	$ 580
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.36FSO ST	46	$ 645
36"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.36 ST	35	$ 680
36"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.36HF ST	35	$ 745
36"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.48HF ST	35	$ 930
36"	Delmar Series	Standard Length Plain	Nami	Satin	33.100.36 ST	52	$ 460
36"	Delmar Series	Standard Length Flange Edge	Nami	Satin	33.100.36F ST	52	$ 575
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Nami	Satin	33.100.36FSO ST	52	$ 640
36"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.36 ST	33	$ 505
36"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.36HF ST	33	$ 570
36"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.36 ST	40	$ 840
36"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.36F ST	40	$ 955
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.36FSO ST	40	$ 1,020
36"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.36 ST	31	$ 885
36"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.36HF ST	31	$ 950
36"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.36 ST	153-158	$ 165
36"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.36HF ST	153-158	$ 230
36"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.36 ST	77	$ 515
36"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.36HF ST	77	$ 580
36"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.36 ST	75	$ 340
36"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.36HF ST	75	$ 405

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 3306
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Finish

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
36"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.36 ST	73	$ 720
36"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.36HF ST	73	$ 785
4" x 4"	Bay Series	Round	Ria	Satin	38.100.04R ST	97	$ 25
4" x 4"	Bay Series	Square	Ria	Satin	38.100.04 ST	97	$ 25
4" x 4"	Delmar Series	Square	Delta	Satin	33.300.04 ST	59	$ 125
4" x 4"	Delmar Series	Square	Kai	Satin	33.200.04 ST	63	$ 125
4" x 4"	Delmar Series	Square	Mist (Tile-In)	Satin	33.500.04 ST	51	$ 149
4" x 4"	Delmar Series	Square	Nami	Satin	33.100.04 ST	65	$ 125
4" x 4"	Lagos Series	Square	Mira	Satin	88.100.04 ST	87	$ 55
4" x 4"	Lagos Series	Square	Veil	Satin	88.300.04 ST	89	$ 65
40"	Delmar Series	Supreme	Supreme	Satin	33.800.40 ST	21	$ 875
48"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.48 ST	153-158	$ 385
48"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.48HF ST	153-158	$ 450
48"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.48 ST	42	$ 585
48"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.48F ST	42	$ 725
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.48FSO ST	42	$ 785
48"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.48 ST	46	$ 695
48"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.48F ST	46	$ 745
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.48FSO ST	46	$ 805
48"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.48 ST	35	$ 865
48"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.60HF ST	35	$ 1,090
48"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.48 ST	33	$ 635
48"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.48HF ST	33	$ 700
48"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.48 ST	40	$ 1,050
48"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.48F ST	40	$ 1,190
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.48FSO ST	40	$ 1,250
48"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.48 ST	31	$ 1,085
48"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.48HF ST	31	$ 1,150
48"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.48 ST	153-158	$ 200
48"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.48HF ST	153-158	$ 265
48"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.48 ST	77	$ 665
48"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.48HF ST	77	$ 730
48"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.48 ST	75	$ 435
48"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.48HF ST	75	$ 500
48"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.48 ST	73	$ 885
48"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.48HF ST	73	$ 950
50"	Delmar Series	Supreme	Supreme	Satin	33.800.50 ST	21	$ 955
5 3/4" x 5 3/4"	Bay Series	Square	Ria	Satin	38.100.06 ST	97	$ 35
5 3/4" x 5 3/4"	Delmar Series	Square	Delta	Satin	33.300.06 ST	59	$ 165
5 3/4" x 5 3/4"	Delmar Series	Square	Kai	Satin	33.200.06 ST	63	$ 165
5 3/4" x 5 3/4"	Delmar Series	Square	Mist (Tile-In)	Satin	33.500.05 ST	51	$ 179
5 3/4" x 5 3/4"	Delmar Series	Square	Nami	Satin	33.100.06 ST	65	$ 165
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Satin	88.100.06 ST	87	$ 95
5 3/4" x 5 3/4"	Lagos Series	Square	Veil	Satin	88.300.06 ST	89	$ 75
58"	Delmar Series	Standard Length Plain	Delta	Satin	33.300.58 ST	42	$ 650
58"	Delmar Series	Standard Length Flange Edge	Delta	Satin	33.300.58F ST	42	$ 845
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Satin	33.300.58FSO ST	42	$ 920
58"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Satin	33.500.58 ST	46	$ 825
58"	Delmar Series	Standard Length Flange Edge	Mist (Tile-In)	Satin	33.500.58F ST	46	$ 880
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Mist (Tile-In)	Satin	33.500.58FSO ST	46	$ 955
58"	Delmar Series	Standard Length Plain	Wedgewire	Satin	33.700.58 ST	40	$ 1,195
58"	Delmar Series	Standard Length Flange Edge	Wedgewire	Satin	33.700.58F ST	40	$ 1,390
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Satin	33.700.58FSO ST	40	$ 1,465
60"	Delmar Series	Supreme	Supreme	Satin	33.800.60 ST	21	$ 1,045
60"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.60 ST	153-158	$ 460
60"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.60HF ST	153-158	$ 525
60"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.60 ST	35	$ 1,025
60"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-inl	Satin	33.630.60HF ST	35	$ 1,090
60"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.60 ST	33	$ 750
60"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.60HF ST	33	$ 815
60"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.60 ST	31	$ 1,305
60"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.60HF ST	31	$ 1,370
60"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.60 ST	153-158	$ 230
60"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.60HF ST	153-158	$ 295
60"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.60 ST	77	$ 780
60"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.60HF ST	77	$ 845
60"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.60 ST	75	$ 505
60"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.60HF ST	75	$ 570
60"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.60 ST	73	$ 1,060
60"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.60HF ST	73	$ 1,125
72"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.72 ST	153-158	$ 525
72"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.72HF ST	153-158	$ 590
72"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.72 ST	35	$ 1,495
72"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.72HF ST	35	$ 1,560
72"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.72 ST	33	$ 1,000
72"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.72HF ST	33	$ 1,065
72"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.72 ST	31	$ 1,565
72"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.72HF ST	31	$ 1,695
72"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.72 ST	153-158	$ 265
72"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.72HF ST	153-158	$ 330
72"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.72 ST	77	$ 1,140
72"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.72HF ST	77	$ 1,205
72"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.72 ST	75	$ 645

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Finish

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
72"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.72HF ST	75	$ 710
72"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.72 ST	73	$ 1,275
72"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.72HF ST	73	$ 1,340
8" x 8"	Delmar Series	Square	Kai	Satin	33.200.08HF ST	63	$ 215
96"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	33.B600.96 ST	153-158	$ 670
96"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	33.B600.96HF ST	153-158	$ 735
96"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	33.630.96 ST	35	$ 1,695
96"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	33.630.96HF ST	35	$ 1,760
96"	Delmar Series	Adjustable 2" Outlet	Perforated	Satin	33.620.96 ST	33	$ 1,285
96"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Satin	33.620.96HF ST	33	$ 1,350
96"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Satin	33.610.96 ST	31	$ 2,130
96"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Satin	33.610.96HF ST	31	$ 2,260
96"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.96 ST	153-158	$ 330
96"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Satin	88.B600.96 PS	153-158	$ 330
96"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Satin	88.B600.96HF ST	153-158	$ 395
96"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Satin	88.630.96 ST	77	$ 1,260
96"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Satin	88.630.96HF ST	77	$ 1,325
96"	Lagos Series	Adjustable 2" Outlet	Perforated	Satin	88.620.96 ST	75	$ 850
96"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Satin	88.620.96HF ST	75	$ 915
96"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Satin	88.610.96 ST	73	$ 1,760
96"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Satin	88.610.96HF ST	73	$ 1,825
Matte Black							
	Delmar Series	Supreme	Supreme Tile In +	Black	33.810.08 BK	23	$ 595
12"	Lagos Series	Standard Length Plain	Veil	Black	88.300.12 BK	81	$ 169
24"	Bay Series	Standard Length Plain	Ria	Black	38.200.24 BK	95	$ 315
24"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.24 BK	54	$ 465
24"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.24F BK	54	$ 500
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.24FSO BK	54	$ 550
24"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.24 BK	46	$ 565
24"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.24 BK	40	$ 790
24"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.24F BK	40	$ 825
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.24FSO BK	40	$ 875
28"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.28 BK	54	$ 515
28"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.28F BK	54	$ 560
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.28FSO BK	54	$ 615
28"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.28 BK	46	$ 595
28"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.28 BK	40	$ 865
28"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.28F BK	40	$ 910
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.28FSO BK	40	$ 965
30"	Delmar Series	Supreme	Supreme	Black	33.800.30 BK	21	$ 840
32"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.32 BK	54	$ 560
32"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.32F BK	54	$ 615
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.32FSO BK	54	$ 665
32"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.32 BK	46	$ 625
32"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.32 BK	40	$ 960
32"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.32F BK	40	$ 1,020
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.32FSO BK	40	$ 1,070
36"	Bay Series	Standard Length Plain	Ria	Black	38.200.36 BK	95	$ 395
36"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.36 BK	153-158	$ 390
36"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.36HF BK	153-158	$ 455
36"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.36 BK	54	$ 605
36"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.36F BK	54	$ 660
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.36FSO BK	54	$ 725
36"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.36 BK	46	$ 665
36"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.36 BK	31	$ 1,045
36"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.36F BK	31	$ 1,100
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.36FSO BK	31	$ 1,165
36"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.36 BK	73	$ 1,040
36"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.36HF BK	73	$ 1,105
36"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.36 BK	153-158	$ 265
36"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.36HF BK	153-158	$ 330
36"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.36 BK	73	$ 875
36"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.36HF BK	73	$ 940
4" x 4"	Delmar Series	Square	Lotus	Black	33.400.04 BK	67	$ 199
4" x 4"	Lagos Series	Square	Mira	Black	88.100.04 BK	87	$ 95
4" x 4"	Lagos Series	Square	Veil	Black	88.300.04 BK	89	$ 105
40"	Delmar Series	Supreme	Supreme	Black	33.800.40 BK	21	$ 955
48"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.48 BK	153-158	$ 470
48"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.48HF BK	153-158	$ 535
48"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.48 BK	54	$ 745
48"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.48F BK	54	$ 850
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.48FSO BK	54	$ 910
48"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.48 BK	46	$ 795
48"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.48 BK	40	$ 1,345
48"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.48F BK	40	$ 1,450
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.48FSO BK	40	$ 1,510
48"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.48 BK	73	$ 1,265
48"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.48HF BK	73	$ 1,330
48"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.48 BK	153-158	$ 315
48"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.48HF BK	153-158	$ 380
48"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.48 BK	73	$ 1,065
48"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.48HF BK	73	$ 1,130
50"	Delmar Series	Supreme	Supreme	Black	33.800.50 BK	21	$ 1,045

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Finish

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
5 3/4" x 5 3/4"	Delmar Series	Square	Lotus	Black	33.400.06 BK	67	$ 295
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Black	88.100.06 BK	87	$ 135
5 3/4" x 5 3/4"	Lagos Series	Square	Veil	Black	88.300.06 BK	89	$ 130
58"	Delmar Series	Standard Length Plain	Lotus	Black	33.400.58 BK	54	$ 865
58"	Delmar Series	Standard Length Flange Edge	Lotus	Black	33.400.58F BK	54	$ 1,000
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Black	33.400.58FSO BK	54	$ 1,075
58"	Delmar Series	Standard Length Plain	Mist (Tile-In)	Black	33.500.58 BK	46	$ 930
58"	Delmar Series	Standard Length Plain	Wedgewire	Black	33.700.58 BK	40	$ 1,545
58"	Delmar Series	Standard Length Flange Edge	Wedgewire	Black	33.700.58F BK	40	$ 1,680
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Black	33.700.58FSO BK	40	$ 1,755
60"	Delmar Series	Supreme	Supreme	Black	33.800.60 BK	21	$ 1,145
60"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.60 BK	153-158	$ 560
60"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.60HF BK	153-158	$ 625
60"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.60 BK	31	$ 1,520
60"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.60HF BK	31	$ 1,585
60"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.60 BK	153-158	$ 395
60"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.60HF BK	153-158	$ 460
60"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.60 BK	73	$ 1,275
60"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.60HF BK	73	$ 1,340
72"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.72 BK	153-158	$ 675
72"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.72HF BK	153-158	$ 740
72"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.72 BK	31	$ 2,040
72"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.72HF BK	31	$ 2,170
72"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.72 BK	153-158	$ 465
72"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.72HF BK	153-158	$ 530
72"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.72 BK	73	$ 1,750
72"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.72HF BK	73	$ 1,815
96"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	33.B600.96 BK	153-158	$ 840
96"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	33.B600.96HF BK	153-158	$ 905
96"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Black	33.610.96 BK	31	$ 2,490
96"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Black	33.610.96HF BK	31	$ 2,620
96"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Black	88.B600.96 BK	153-158	$ 500
96"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Black	88.B600.96HF BK	153-158	$ 565
96"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Black	88.610.96 BK	73	$ 2,120
96"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Black	88.610.96HF BK	73	$ 2,185
			Bronze				
12"	Lagos Series	Standard Length Plain	Veil	Bronze	88.300.12 BZ	81	$ 169
24"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.24 BZ	54	$ 465
24"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.24F BZ	54	$ 500
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.24FSO BZ	54	$ 550
28"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.28 BZ	54	$ 515
28"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.28F BZ	54	$ 560
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.28FSO BZ	54	$ 615
32"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.32 BZ	54	$ 560
32"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.32F BZ	54	$ 615
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.32FSO BZ	54	$ 665
36"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.36 BZ	54	$ 605
36"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.36F BZ	54	$ 660
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.36FSO BZ	54	$ 725
4" x 4"	Delmar Series	Square	Lotus	Bronze	33.400.04 BZ	67	$ 199
4" x 4"	Lagos Series	Square	Mira	Bronze	88.100.04 BZ	87	$ 95
48"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.48 BZ	54	$ 745
48"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.48F BZ	54	$ 850
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.48FSO BZ	54	$ 910
5 3/4" x 5 3/4"	Delmar Series	Square	Lotus	Bronze	33.400.06 BZ	67	$ 295
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Bronze	88.100.06 BZ	87	$ 135
58"	Delmar Series	Standard Length Plain	Lotus	Bronze	33.400.58 BZ	54	$ 865
58"	Delmar Series	Standard Length Flange Edge	Lotus	Bronze	33.400.58F BZ	54	$ 1,000
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Bronze	33.400.58FSO BZ	54	$ 1,075
			Satin Gold				
	Delmar Series	Supreme	Supreme Tile In +	Gold	33.810.08 GD	23	$ 595
12"	Lagos Series	Standard Length Plain	Veil	Gold	88.300.12 GD	81	$ 169
24"	Bay Series	Standard Length Plain	Ria	Gold	38.200.24 GD	95	$ 315
24"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.24 GD	54	$ 465
24"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.24F GD	54	$ 500
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.24FSO GD	54	$ 550
28"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.28 GD	54	$ 515
28"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.28F GD	54	$ 560
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.28FSO GD	54	$ 615
30"	Delmar Series	Supreme	Supreme	Gold	33.800.30 GD	21	$ 840
32"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.32 GD	54	$ 560
32"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.32F GD	54	$ 615
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.32FSO GD	54	$ 665
36"	Bay Series	Standard Length Plain	Ria	Gold	38.200.36 GD	95	$ 395
36"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.36 GD	54	$ 605
36"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.36F GD	54	$ 660
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.36FSO GD	54	$ 725
4" x 4"	Delmar Series	Square	Lotus	Gold	33.400.04 GD	67	$ 295
4" x 4"	Lagos Series	Square	Mira	Gold	88.100.04 GD	87	$ 95
4" x 4"	Lagos Series	Square	Veil	Gold	88.300.04 GD	89	$ 105
40"	Delmar Series	Supreme	Supreme	Gold	33.800.40 GD	21	$ 955
48"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.48 GD	54	$ 745

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Finish

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
48"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.48F GD	54	$ 850
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.48FSO GD	54	$ 910
50"	Delmar Series	Supreme	Supreme	Gold	33.800.50 GD	21	$ 1,045
5 3/4" x 5 3/4"	Delmar Series	Square	Lotus	Gold	33.400.06 GD	67	$ 199
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Gold	88.100.06 GD	87	$ 135
5 3/4" x 5 3/4"	Lagos Series	Square	Veil	Gold	88.300.06 GD	89	$ 130
58"	Delmar Series	Standard Length Plain	Lotus	Gold	33.400.58 GD	54	$ 865
58"	Delmar Series	Standard Length Flange Edge	Lotus	Gold	33.400.58F GD	54	$ 1,000
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Lotus	Gold	33.400.58FSO GD	54	$ 1,075
60"	Delmar Series	Supreme	Supreme	Gold	33.800.60 GD	21	$ 1,145
			Polished SS				
	Delmar Series	Supreme	Supreme Tile In +	Polished	33.810.08 PS	23	$ 595
12"	Lagos Series	Standard Length Plain	Veil	Polished	88.300.12 PS	81	$ 95
24"	Bay Series	Standard Length Plain	Ria	Polished	38.200.24 PS	95	$ 205
24"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.24 PS	42	$ 370
24"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.24F PS	42	$ 460
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.24FSO PS	42	$ 510
24"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.24 PS	40	$ 735
24"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.24F PS	40	$ 825
24"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.24FSO PS	40	$ 875
28"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.28 PS	42	$ 400
28"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.28F PS	42	$ 500
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.28FSO PS	42	$ 555
28"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.28 PS	40	$ 810
28"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.28F PS	40	$ 910
28"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.28FSO PS	40	$ 965
30"	Delmar Series	Supreme	Supreme	Polished	33.800.30 PS	21	$ 775
32"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.32 PS	42	$ 445
32"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.32F PS	42	$ 560
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.32FSO PS	42	$ 610
32"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.32 PS	40	$ 905
32"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.32F PS	40	$ 1,020
32"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.32FSO PS	40	$ 1,070
36"	Bay Series	Standard Length Plain	Ria	Polished	38.200.36 PS	95	$ 265
36"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.36 PS	153-158	$ 315
36"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.36HF PS	153-158	$ 380
36"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.36 PS	42	$ 480
36"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.36F PS	42	$ 595
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.36FSO PS	42	$ 660
36"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.36 PS	35	$ 695
36"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.36HF PS	35	$ 745
36"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.36 PS	33	$ 515
36"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.36HF PS	33	$ 580
36"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.36 PS	40	$ 985
36"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.36F PS	40	$ 1,100
36"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.36FSO PS	40	$ 1,165
36"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.36 PS	31	$ 940
36"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.36HF PS	31	$ 1,095
36"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	88.B600.36 PS	153-158	$ 165
36"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.36HF PS	153-158	$ 230
36"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.36 PS	77	$ 515
36"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.36HF PS	77	$ 580
36"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.36 PS	75	$ 350
36"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.36HF PS	75	$ 415
36"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.36 PS	73	$ 865
36"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.36HF PS	73	$ 930
4" x 4"	Bay Series	Square	Ria	Polished	38.100.04 PS	97	$ 26
4" x 4"	Delmar Series	Square	Delta	Polished	33.300.04 PS	59	$ 155
4" x 4"	Lagos Series	Square	Mira	Polished	88.100.04 PS	87	$ 55
4" x 4"	Lagos Series	Square	Veil	Polished	88.300.04 PS	89	$ 65
40"	Delmar Series	Supreme	Supreme	Polished	33.800.40 PS	21	$ 875
48"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.48 PS	153-158	$ 385
48"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.48HF PS	153-158	$ 450
48"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.48 PS	42	$ 610
48"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.48F PS	42	$ 750
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.48FSO PS	42	$ 810
48"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.48 PS	35	$ 880
48"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.48HF PS	35	$ 930
48"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.48 PS	33	$ 640
48"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.48HF PS	33	$ 705
48"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.48 PS	40	$ 1,310
48"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.48F PS	40	$ 1,450
48"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.48FSO PS	40	$ 1,510
48"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.48 PS	31	$ 1,345
48"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.48HF PS	31	$ 1,410
48"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	88.B600.48 PS	153-158	$ 200
48"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.48HF PS	153-158	$ 265
48"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.48 PS	77	$ 665
48"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.48HF PS	77	$ 730
48"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.48 PS	75	$ 440
48"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.48HF PS	75	$ 505
48"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.48 PS	73	$ 1,145
48"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.48HF PS	73	$ 1,210

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Finish

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
50"	Delmar Series	Supreme	Supreme	Polished	33.800.50 PS	21	$ 955
5 3/4" x 5 3/4"	Bay Series	Square	Ria	Polished	38.100.06 PS	97	$ 36
5 3/4" x 5 3/4"	Delmar Series	Square	Delta	Polished	33.300.06 PS	59	$ 195
5 3/4" x 5 3/4"	Lagos Series	Square	Mira	Polished	88.100.06 PS	87	$ 95
5 3/4" x 5 3/4"	Lagos Series	Square	Veil	Polished	88.300.06 PS	89	$ 75
58"	Delmar Series	Standard Length Plain	Delta	Polished	33.300.58 PS	42	$ 675
58"	Delmar Series	Standard Length Flange Edge	Delta	Polished	33.300.58F PS	42	$ 870
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Delta	Polished	33.300.58FSO PS	42	$ 945
58"	Delmar Series	Standard Length Plain	Wedgewire	Polished	33.700.58 PS	40	$ 1,485
58"	Delmar Series	Standard Length Flange Edge	Wedgewire	Polished	33.700.58F PS	40	$ 1,680
58"	Delmar Series	Standard Length Side Outlet Flange Edge	Wedgewire	Polished	33.700.58FSO PS	40	$ 1,755
60"	Delmar Series	Supreme	Supreme	Polished	33.800.60 PS	21	$ 1,045
60"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.60 PS	153-158	$ 460
60"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.60HF PS	153-158	$ 525
60"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.60 PS	35	$ 1,040
60"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.60HF PS	35	$ 1,090
60"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.60 PS	33	$ 765
60"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.60HF PS	33	$ 830
60"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.60 PS	31	$ 1,595
60"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.60HF PS	31	$ 1,660
60"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	88.B600.60 PS	153-158	$ 230
60"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.60HF PS	153-158	$ 295
60"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.60 PS	77	$ 780
60"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.60HF PS	77	$ 845
60"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.60 PS	75	$ 520
60"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.60HF PS	75	$ 585
60"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.60 PS	73	$ 1,350
60"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.60HF PS	73	$ 1,415
72"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.72 PS	153-158	$ 525
72"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.72HF PS	153-158	$ 590
72"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.72 PS	35	$ 1,460
72"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.72HF PS	35	$ 1,560
72"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.72 PS	33	$ 1,175
72"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.72HF PS	33	$ 1,240
72"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.72 PS	31	$ 1,925
72"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.72HF PS	31	$ 2,055
72"	Lagos Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	88.B600.72 PS	153-158	$ 265
72"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.72HF PS	153-158	$ 330
72"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.72 PS	77	$ 1,140
72"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.72HF PS	77	$ 1,205
72"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.72 PS	75	$ 820
72"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.72HF PS	75	$ 885
72"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.72 PS	73	$ 1,635
72"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.72HF PS	73	$ 1,700
96"	Delmar Series	Adjustable 2" Outlet	Base Kit (grate not included)	Polished	33.B600.96 PS	153-158	$ 670
96"	Delmar Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	33.B600.96HF PS	153-158	$ 735
96"	Delmar Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	33.630.96 PS	35	$ 1,660
96"	Delmar Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	33.630.96HF PS	35	$ 1,760
96"	Delmar Series	Adjustable 2" Outlet	Perforated	Polished	33.620.96 PS	33	$ 1,360
96"	Delmar Series	Adjustable 3" HF Outlet	Perforated	Polished	33.620.96HF PS	33	$ 1,425
96"	Delmar Series	Adjustable 2" Outlet	Wedgewire	Polished	33.610.96 PS	31	$ 2,655
96"	Delmar Series	Adjustable 3" HF Outlet	Wedgewire	Polished	33.610.96HF PS	31	$ 2,785
96"	Lagos Series	Adjustable 3" HF Outlet	Base Kit (grate not included)	Polished	88.B600.96HF PS	153-158	$ 395
96"	Lagos Series	Adjustable 2" Outlet	Mist (Tile-In)	Polished	88.630.96 PS	77	$ 1,260
96"	Lagos Series	Adjustable 3" HF Outlet	Mist (Tile-In)	Polished	88.630.96HF PS	77	$ 1,325
96"	Lagos Series	Adjustable 2" Outlet	Perforated	Polished	88.620.96 PS	75	$ 925
96"	Lagos Series	Adjustable 3" HF Outlet	Perforated	Polished	88.620.96HF PS	75	$ 990
96"	Lagos Series	Adjustable 2" Outlet	Wedgewire	Polished	88.610.96 PS	73	$ 2,285
96"	Lagos Series	Adjustable 3" HF Outlet	Wedgewire	Polished	88.610.96HF PS	73	$ 2,350
			Parts, Trims and Accessories				
			Satin SS				
	Delmar Series	Adjustable	Parts: Accessories Kit	Satin	33.601.2OUT	153-158	$ 65
	Delmar Series	Adjustable	Parts: Accessories Kit	Satin	33.601.3HF	153-158	$ 130
	Delmar Series	Adjustable	Parts: Accessories Kit	Satin	33.601.COR	153-158	$ 90
	Lagos Series	Adjustable	Parts: Accessories Kit	Satin	88.601.2OUT	153-158	$ 50
	Lagos Series	Adjustable	Parts: Accessories Kit	Satin	88.601.3HF	153-158	$ 70
12"	Lagos Series	Adjustable	Parts: Accessories Kit	Satin	88.601.COR	153-158	$ 40
24"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.24 ST	153-158	$ 145
24"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.24F ST	153-158	$ 300
24"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet (	Satin	33.24FSO ST	153-158	$ 350
24"	Delmar Series	Standard Length	Parts: Kai Grate	Satin	33.G200.24 ST	153-158	$ 145
24"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.24 ST	153-158	$ 255
24"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.24F ST	153-158	$ 140
24"	Delmar Series	Standard Length	Parts: Nami Grate	Satin	33.G100.24 ST	153-158	$ 145
24"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.24 ST	153-158	$ 210
24"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.24 ST	153-158	$ 440
28"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.28 ST	153-158	$ 160
28"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.28F ST	153-158	$ 325
28"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet (	Satin	33.28FSO ST	153-158	$ 380
28"	Delmar Series	Standard Length	Parts: Kai Grate	Satin	33.G200.28 ST	153-158	$ 160
28"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.28 ST	153-158	$ 270
28"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.28F ST	153-158	$ 160

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 3306
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Finish

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
28"	Delmar Series	Standard Length	Parts: Nami Grate	Satin	33.G100.28 ST	153-158	$ 165
28"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.28 ST	153-158	$ 225
28"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.28 ST	153-158	$ 480
32"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.32 ST	153-158	$ 175
32"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.32F ST	153-158	$ 365
32"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet C	Satin	33.32FSO ST	153-158	$ 415
32"	Delmar Series	Standard Length	Parts: Kai Grate	Satin	33.G200.32 ST	153-158	$ 175
32"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.32 ST	153-158	$ 275
32"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.32F ST	153-158	$ 180
32"	Delmar Series	Standard Length	Parts: Nami Grate	Satin	33.G100.32 ST	153-158	$ 175
32"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.32 ST	153-158	$ 250
32"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.32 ST	153-158	$ 525
36"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.28 ST	153-158	$ 205
36"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.36 ST	153-158	$ 190
36"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.36F ST	153-158	$ 385
36"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet C	Satin	33.36FSO ST	153-158	$ 450
36"	Delmar Series	Standard Length	Parts: Kai Grate	Satin	33.G200.36 ST	153-158	$ 190
36"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.36 ST	153-158	$ 295
36"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.36F ST	153-158	$ 195
36"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.36 ST	153-158	$ 365
36"	Delmar Series	Standard Length	Parts: Nami Grate	Satin	33.G100.36 ST	153-158	$ 190
36"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.36 ST	153-158	$ 190
36"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.36 ST	153-158	$ 270
36"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.36 ST	153-158	$ 45
36"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.36 ST	153-158	$ 570
36"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.36 ST	153-158	$ 570
36"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.36	153-158	$ 55
48"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.40 ST	153-158	$ 260
48"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.48 ST	153-158	$ 235
48"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.48F ST	153-158	$ 490
48"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet C	Satin	33.48FSO ST	153-158	$ 550
48"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.48 ST	153-158	$ 345
48"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.48F ST	153-158	$ 255
48"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.48 ST	153-158	$ 480
48"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.48 ST	153-158	$ 250
48"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.48 ST	153-158	$ 350
48"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.48 ST	153-158	$ 60
48"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.48 ST	153-158	$ 700
48"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.48 ST	153-158	$ 700
48"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.48	153-158	$ 75
58"	Delmar Series	Standard Length	Parts: Delta Grate	Satin	33.G300.58 ST	153-158	$ 270
58"	Delmar Series	Standard Length Flange Edge	Parts: Flange Edge Channel	Satin	33.58F ST	153-158	$ 575
58"	Delmar Series	Side Outlet Flange Edge	Parts: Flange Edge Side Outlet C	Satin	33.58FSO ST	153-158	$ 650
58"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.58 ST	153-158	$ 445
58"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Satin	33.G500.58F ST	153-158	$ 305
58"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Satin	33.58 ST	153-158	$ 380
58"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Satin	33.G700.58 ST	153-158	$ 815
60"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.52 ST	153-158	$ 320
60"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.60 ST	153-158	$ 565
60"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.60 ST	153-158	$ 290
60"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.60 ST	153-158	$ 75
60"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.60 ST	153-158	$ 845
60"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.60	153-158	$ 90
72"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.64 ST	153-158	$ 370
72"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.72 ST	153-158	$ 840
72"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.72 ST	153-158	$ 345
72"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.72 ST	153-158	$ 90
72"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.72 ST	153-158	$ 975
72"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.72	153-158	$ 110
96"	Delmar Series	Adjustable	Parts: Channel Only	Satin	33.600.88 ST	153-158	$ 485
96"	Delmar Series	Adjustable	Parts: Mist (Tile-In) Grate	Satin	33.G630.96 ST	153-158	$ 895
96"	Delmar Series	Adjustable	Parts: Perforated Grate	Satin	33.G620.96 ST	153-158	$ 485
96"	Delmar Series	Adjustable	Parts: Trims	Satin	33.601.96 ST	153-158	$ 120
96"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Satin	33.G610.96 ST	153-158	$ 1,395
96"	Lagos Series	Adjustable	Parts: Channel Only	Satin	88.600.96	153-158	$ 145
			Matte Black				
24"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.24 BK	153-158	$ 200
24"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.24 BK	153-158	$ 300
24"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.24 BK	153-158	$ 265
24"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.24 BK	153-158	$ 525
28"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.28 BK	153-158	$ 235
28"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.28 BK	153-158	$ 315
28"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.28 BK	153-158	$ 280
28"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.28 BK	153-158	$ 585
2x36"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.72 BK	153-158	$ 560
2x36"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.72 BK	153-158	$ 1,300
2X48"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.96 BK	153-158	$ 500
2X48"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.96 BK	153-158	$ 1,585
32"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.32 BK	153-158	$ 250
32"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.32 BK	153-158	$ 320
32"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.32 BK	153-158	$ 310
32"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.32 BK	153-158	$ 655
36"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.36 BK	153-158	$ 275

QM USA, Corp.
4100 N Powerline Road, Suite Z
Pompano Beach. FL, USA 33073
P: 954 773 9450 • info@qm-us.com
www.qmdrain.com

Price Index by Finish

Size	Series	Type	Line	Finish	SKU	Catalog page	MSRP
36"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.36 BK	153-158	$ 335
36"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.36 BK	153-158	$ 330
36"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.36 BK	153-158	$ 120
36"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.36 BK	153-158	$ 715
36"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.36 BK	153-158	$ 650
48"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.48 BK	153-158	$ 360
48"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.48 BK	153-158	$ 410
48"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.48 BK	153-158	$ 385
48"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.48 BK	153-158	$ 145
48"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.48 BK	153-158	$ 960
48"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.48 BK	153-158	$ 795
58"	Delmar Series	Standard Length	Parts: Lotus Grate	Black	33.G400.58 BZ	153-158	$ 425
58"	Delmar Series	Standard Length	Parts: Mist (Tile-In) Grate	Black	33.G500.58 BK	153-158	$ 490
58"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Black	33.58 BK	153-158	$ 440
58"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Black	33.G700.58 BK	153-158	$ 1,105
60"	Delmar Series	Adjustable	Parts: Trims	Black	33.601.60 BK	153-158	$ 175
60"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Black	33.G610.60 BK	153-158	$ 960
			Bronze				
24"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.24 BZ	153-158	$ 200
24"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.24 BZ	153-158	$ 265
28"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.28 BZ	153-158	$ 235
28"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.28 BZ	153-158	$ 280
32"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.32 BZ	153-158	$ 250
32"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.32 BZ	153-158	$ 305
36"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.36 BZ	153-158	$ 275
36"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.36 BZ	153-158	$ 330
48"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.48 BZ	153-158	$ 360
48"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.48 BZ	153-158	$ 385
58"	Delmar Series	Standard Length	Parts: Lotus Grate	Bronze	33.G400.58 BZ	153-158	$ 425
58"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Bronze	33.58 BZ	153-158	$ 440
			Satin Gold				
24"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.24 GD	153-158	$ 200
24"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.24 GD	153-158	$ 265
28"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.28 GD	153-158	$ 235
28"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.28 GD	153-158	$ 280
32"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.32 GD	153-158	$ 250
32"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.32 GD	153-158	$ 305
36"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.36 GD	153-158	$ 275
36"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.36 GD	153-158	$ 325
48"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.48 GD	153-158	$ 360
48"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.48 GD	153-158	$ 385
58"	Delmar Series	Standard Length	Parts: Lotus Grate	Gold	33.G400.58 GD	153-158	$ 425
58"	Delmar Series	Standard Length	Parts: Plain Edge Channel	Gold	33.58 GD	153-158	$ 440
			Polished				
24"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.24 PS	153-158	$ 160
24"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.24 PS	153-158	$ 525
28"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.28 PS	153-158	$ 175
28"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.28 PS	153-158	$ 585
32"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.32 PS	153-158	$ 195
32"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.32 PS	153-158	$ 655
36"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.36 PS	153-158	$ 210
36"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.36 PS	153-158	$ 200
36"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.36 PS	153-158	$ 45
36"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.36 PS	153-158	$ 715
36"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.36 PS	153-158	$ 715
48"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.48 PS	153-158	$ 260
48"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.48 PS	153-158	$ 255
48"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.48 PS	153-158	$ 60
48"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.48 PS	153-158	$ 960
48"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.48 PS	153-158	$ 960
58"	Delmar Series	Standard Length	Parts: Delta Grate	Polished	33.G300.58 PS	153-158	$ 295
58"	Delmar Series	Standard Length	Parts: Wedgewire Grate	Polished	33.G700.58 PS	153-158	$ 1,105
60"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.60 PS	153-158	$ 305
60"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.60 PS	153-158	$ 75
60"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.60 PS	153-158	$ 1,135
72"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.72 PS	153-158	$ 520
72"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.72 PS	153-158	$ 90
72"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.72 PS	153-158	$ 1,335
96"	Delmar Series	Adjustable	Parts: Perforated Grate	Polished	33.G620.96 PS	153-158	$ 560
96"	Delmar Series	Adjustable	Parts: Trims	Polished	33.601.96 PS	153-158	$ 120
96"	Delmar Series	Adjustable	Parts: Wedgewire Grate	Polished	33.G610.96 PS	153-158	$ 1,920



www.qmdrain.com

Contact us:
- Purchase Orders, Existing Order Inquiries: orders@qm-us.com
- Projects and Custom Fabrication Quote: orders@qm-us.com
- General Inquiries, Literature Requests: info@qm-us.com
- Returned Good Authorizations: orders@qm-us.com
- Terms and Conditions posted on QM's website: http://qmdrain.com



www.**qmdrain**.com

QM USA, Corp.
4100 N Powerline Road, Suite Z3
Pompano Beach, FL 33073, USA.
info@qm-us.com • Phone: (954) 773 9450
QM Drain qmdrain