# STEAM SOLUTIONS FOR HEALTHY LIVING

1

2021 PRICE BOOK FOR RESIDENTIAL AND COMMERCIAL STEAM BATHS **NEW FOR 2021** 

amerec

120F

l Q

**K2 CONTROL** 

amerec 61\*

() ()

**K3 CONTROL** 

amerec

6





# **AX STEAM GENERATORS**

#### **Performance Features of Amerec AX Generators**

- Sequential Temperature Control delivers a more consistent flow of Soft Steam and a more stable, comfortable steam bath experience.
- AX generators can be connected together to heat steam baths larger than 550 cubic feet.
- Intelligent start pre-heats baths to be ready when needed.
- 240 and 208 volt models can be wired in the field for 1 or 3 phase power.
- Stainless steel tank and water level probes provide years of trouble-free operation.
- Removable heating elements provide easy and economical service.



### How to select the proper AX generator kW size:

- Step 1Calculate the cubic footage of the steam room by<br/>multiplying Length x Width x Height = cubic feet.<br/>(Maximum recommended ceiling height is 8')
- **Step 2** If wall and ceiling surface material is natural stone (marble, granite, slate, travertine, etc.) multiply cubic footage in Step 1 by 1.75 = cubic feet.
- **Step 3** Select the appropriate kW size generator based on cubic footage range below.

| Model   | kW         | Cubic<br>Footage<br>Min - Max | 240 Volt<br>1 or 3 Phase Item<br>No. | 208 Volt<br>1 or 3 Phase Item<br>No. | Lis  | t Price |
|---|------------|-------------------------------|--------------------------------------|--------------------------------------|------|---------|
| AX4.5   | 4.5        | 60-90                         | 9016-120                             | 9016-150                             | \$   | 2,395   |
| AX6   | 6          | 80 - 150                      | 9016-300                             | 9016-350                             | \$   | 2,670   |
| AX7.5   | 7.5        | 100 - 200                     | 9016-400                             | 9016-500                             | \$   | 2,950   |
| AX9   | 9          | 150 - 300                     | 9016-540                             | 9016-550                             | \$   | 3,180   |
| AX11  | 11.2       | 200 - 400                     | 9016-600                             | 9016-700                             | \$   | 3,425   |
| AX14*   | 14.1       | 350 - 550                     | 9016-800                             | 9016-900                             | \$   | 3,675   |
| GAN   | GED UNITS: | 18, 22, 28 ARE 2              | STEAMERS; 30,                        | 36 ARE 3 STEAM                       | IERS |         |
| AX18 (9+9)  | 18         | 500-700                       | 9016-918                             | 9016-919                             | \$   | 6,050   |
| AX22 (11+11)  | 22         | 700-900                       | 9016-920                             | 9016-921                             | \$   | 6,510   |
| AX28 (14+14)  | 28         | 900-1100                      | 9016-924                             | 9016-925                             | \$   | 6,980   |
| AX30 (11+11+9)  | 30         | 1000-1300                     | 9016-926                             | 9016-927                             | \$   | 8,530   |
| AX36 (14+11+11)   | 36         | 1200-1500                     | 9016-928                             | 9016-929                             | \$   | 8,946   |
| *MUST ORDER (1) ADDITIONAL STEAM HEAD FOR UNITS OVER 11 KW. |            |                               |                                      |                                      |      |         |

# AX CONTROL PACKAGES ALL NEW ELITE CLOUD TOUCH SCREEN CONTROL & ACCESSORY PACKAGES FOR QUICK & EASY ORDERING

### **Elite Cloud Control Features**

- 4.3" capacitive touchscreen.
- Low profile surface mount.
- Intelligent Start pre-heats bath to be ready when needed.
- Temperature control and time duration adjustments.
- Controls colored lights and fragrance injector options.
- Monthly calendar programming.
- Weekday programming.
- Stores favorite bath settings.
- "amerecConnect" mobile app controls bath operation.
- Multiple languages.
- Energy saving function Standby mode.
- Dimensions 3.5"W x 5.0"H x 0.53"D

### **Olympic Package**



### Includes: 1

- 1 Elite Cloud Control
  - 1 ComfortFlo Steam Head
  - 1 ADX Auto Drain
  - 1 ADP Drip Pan

| Olympic Package-CP  | Polished Chrome   | 9036-221 | \$1,750 |
|---------------------|-------------------|----------|---------|
| Olympic Package-WH  | White             | 9036-224 | \$1,750 |
| Olympic Package-PN  | Polished Nickel   | 9036-225 | \$1,750 |
| Olympic Package-BN  | Brushed Nickel    | 9036-226 | \$1,750 |
| Olympic Package-ORB | Oil Rubbed Bronze | 9036-227 | \$1,750 |
| Olympic Package-BB  | Brushed Bronze    | 9036-228 | \$1,950 |
| Olympic Package-MB  | Matte Black       | 9036-229 | \$1,950 |

Ganged systems: 18, 22, 28, 30 required 1 Olympic Package plus additional auto drain, drip pan and steam heads. See pg. 4 for pricing.



#### **Cascade Package**

- Includes: 1 Elite Cloud Control
  - 1 ComfortFlo Steam Head
  - 1 ADX Auto Drain
  - 1 ADP Drip Pan
  - 2 Chromatherapy Lights
  - 1 Fragrance Injector Pump

Cascade Package-CP **Polished Chrome** 9036-231 \$3,475 Cascade Package-WH White 9036-234 \$3,475 Cascade Package-PN Polished Nickel 9036-235 \$3,475 Cascade Package-BN Brushed Nickel 9036-236 \$3,475 Cascade Package-ORB Oil Rubbed Bronze 9036-237 \$3,475 Cascade Package-BB Brushed Bronze 9036-238 \$3,675 Cascade Package-MB Matte Black 9036-239 \$3,675

Ganged systems: 18, 22, 28, 30 required 1 Cascade Package plus additional auto drain, drip pan and steam heads. See pg. 4 for pricing.




**Elite Cloud** 

**Elite Cloud Touch Screen Control Panel Kit, Dimensions 3.5"W x 5.09"H x 0.53"D** Includes Elite Cloud control, steam head, and sensor.

| Elite Control Kit-CP  | Polished Chrome   | 9106-131 | \$1,200 |              |
|-----------------------|-------------------|----------|---------|--------------|
| Elite Control Kit-WH  | White             | 9106-134 | \$1,200 | •            |
| Elite Control Kit-PN  | Polished Nickel   | 9106-135 | \$1,200 |              |
| Elite Control Kit-BN  | Brushed Nickel    | 9106-136 | \$1,200 |              |
| Elite Control Kit-ORB | Oil Rubbed Bronze | 9106-137 | \$1,200 |              |
| Elite Control Kit-BB  | Brushed Bronze    | 9106-138 | \$1,400 | ame<br>a 8 o |
| Elite Control Kit-MB  | Matte Black       | 9106-139 | \$1,400 |              |

Elite control and trim packages: call for pricing and item numbers.



#### **ComfortFlo™ Steam Head w/ Insulator**

| CFSH-CP  | Polished Chrome   | 8812-31 | \$<br>180 |
|----------|-------------------|---------|-----------|
| CFSH-WH  | White             | 8812-34 | \$<br>180 |
| CFSH-PN  | Polished Nickel   | 8812-35 | \$<br>180 |
| CFSH-BN  | Brushed Nickel    | 8812-36 | \$<br>180 |
| CFSH-ORB | Oil Rubbed Bronze | 8812-37 | \$<br>180 |
| CFSH-BB  | Brushed Bronze    | 8812-38 | \$<br>300 |
| CFSH-MB  | Matte Black       | 8812-39 | \$<br>300 |



### BlueCube Steam Shower Sound System

The BlueCube Steam Shower Sound System offers superior sound quality for your personal steam shower. The BlueCube hideaway stereo is designed to be out-of-sight and plays music wirelessly via a Bluetooth enabled device or Smartphone. Includes an RF 2-way remote control and a pair of waterproof flush-mount 2-way speakers.

| BLUECUBE | Sound System, Speakers      | 9252-058 | \$1,300 |
|----------|-----------------------------|----------|---------|
| SPEAKERS | Waterproof Speakers, 1 pair | 9252-030 | \$ 500  |

### LED Light Kit - For use with Elite Cloud and K2 Controls Only

Chromatherapy/ White light kit includes two (2) LED's, housing and transformer. Maximum of seven (7) LED's per transformer. Amerec Elite Cloud will control LED light systems.

| LED Kit      | Chromatherapy/White LED Kit       | 9223-216 | \$<br>850 |
|--------------|-----------------------------------|----------|-----------|
| Additional L | ight Fixture to add to LED System | 9223-112 | \$<br>200 |

# Fragrance Injector Pump Kit - Elite Control Must be Used

Delivers essential oils directly into the copper steam line. Pump kit includes pump, one (1) 16 oz. bottle of Eucalyptus oil and wall mounted caddy.

| A220FP-2 F            | ragrance Injector Kit      | 9223-224  | \$ 82 | 25 |
|-----------------------|----------------------------|-----------|-------|----|
| Fragrance, Eucalyptus | , Supreme Grade, 100% Pure |           |       |    |
| Eucalyptus-2          | 2 oz. bottle               | 9253-171  | \$ 2  | 25 |
| Eucalyptus-8          | 8 oz. bottle               | 9253-172  | \$ 3  | 35 |
| Eucalyptus-16         | 16 oz. bottle              | 9253-1731 | \$ 6  | 50 |
| Eucalyptus-64         | 1 gallon jug               | 9253-175  | \$ 33 | 30 |

Scale-X Water Treatment System 9209-012

| Wall Mount, | Fold | Down | <b>Teak Shower</b> | Seat |
|-------------|------|------|--------------------|------|
|             |      |      |                    |      |

Wall Mount, Fold Down White Relax Shower Seat

ASX120 Dual Cartridge Scale-X Water Treatment System

ASX120-RFK Cartridge Replacement Kit

| TEAK SEAT | 20" x 13" Teak Sea | it |
|-----------|--------------------|----|
| ILAN JLAI | ZU A IJ TEAK JEA   | ιL |

RELAX 13 ½" x 9 ¼" White Seat

ASX120

\$ 320 9270-029

\$ 130

\$ 650

\$ 300

9270-02

9209-042











# **AK STEAM GENERATORS**

#### **Performance Features of Amerec AK Generators**

- Sequential Temperature Control delivers a more consistent flow of Soft Steam and a more stable, comfortable steam bath experience.
- AK generators can be connected together to heat steam baths larger than 550 cubic feet.
- 240 and 208 volt models can be wired in the field for 1 or 3 phase power.
- Stainless steel tank and water level probes provide years of trouble-free operation.
- Removable heating elements provide easy and economical service.



#### How to select the proper AK generator kW size:

- Step 1Calculate the cubic footage of the steam room by<br/>multiplying Length x Width x Height = cubic feet.<br/>(Maximum recommended ceiling height is 8')Step 2If wall and ceiling surface material is natural stone
  - (marble, granite, slate, travertine, etc.) multiply cubic footage in Step 1 by 1.75 = cubic feet.
- Step 3Select the appropriate kW size generator based on cubic<br/>footage range below.

| Model           | kW  | Cubic<br>Footage<br>Min – Max | 240 Volt<br>1 or 3 Phase<br>Item No. | 208 Volt<br>1 or 3 Phase<br>Item No. | Lis | st Price |
|-----------------|---|-------------------------------|--------------------------------------|--------------------------------------|-----|----------|
| AK4.5           | 4.5   | 60 – 90                       | 9014-100                             | 9014-120                             | \$  | 1,995    |
| AK6             | 6   | 80 – 150                      | 9014-103                             | 9014-123                             | \$  | 2,130    |
| AK7.5           | 7.5   | 100 – 200                     | 9014-105                             | 9014-125                             | \$  | 2,270    |
| AK9             | 9   | 150 – 300                     | 9014-108                             | 9014-127                             | \$  | 2,450    |
| AK11            | 11  | 200 - 400                     | 9014-110                             | 9014-128                             | \$  | 2,635    |
| AK14            | 14.1  | 350 - 550                     | 9014-115                             | 9014-129                             | \$  | 2,850    |
| GANG            | ED UNITS: 1   | 8,22,28 ARE 2 9               | STEAMERS; 30,                        | 36 ARE 3 STEAI                       | MER | S        |
| AK18 (9+9)      | 18  | 500 - 700                     | 9014-218                             | 9014-219                             | \$  | 4,660    |
| AK22 (11+11)    | 22  | 700 - 900                     | 9014-220                             | 9014-221                             | \$  | 5,000    |
| AK28 (14+14)    | 28  | 900 - 1100                    | 9014-224                             | 9014-225                             | \$  | 5,410    |
| AK30 (11+11+9)  | 30  | 1000 - 1300                   | 9014-226                             | 9014-227                             | \$  | 6,562    |
| AK36 (14+11+11) | 36  | 1200 - 1500                   | 9014-228                             | 9014-229                             | \$  | 6,900    |
| *MUST ORDER     | *MUST ORDER (1) ADDITIONAL STEAM HEAD FOR UNITS OVER 11 KW. |                               |                                      |                                      |     |          |

# **AK CONTROL PACKAGES**

K2 - WIFI control with free app, adjustable time, temperature and 24-hour delay. K3, KT3 simple 3-button control with on/off, temperature and time setting.



#### K2 Control with Worldwide Mobile App

- Surface mount control with trim ring 3 1/2" x 5 1/2", 1/2" profile
- WIFI, mobile app
- Siri, Google Home, Alexa ready
- Adjustable time, temp and 24-hour delay
- Room light control
- Smart home ready

#### Glacier Package for AK: only with K3 Control



| Includes: | 1 - K2 Control            |
|-----------|---------------------------|
|           | 1 - ComfortFlo Steam Head |
|           | 1 - ADK Auto Drain        |
|           |                           |

1 - ADP Drip Pan

| Glacier Package-CP  | Polished Chrome   | 9036-151 | \$1,350 |
|---------------------|-------------------|----------|---------|
| Glacier Package-PN  | Polished Nickel   | 9036-155 | \$1,350 |
| Glacier Package-BN  | Brushed Nickel    | 9036-156 | \$1,350 |
| Glacier Package-ORB | Oil Rubbed Bronze | 9036-157 | \$1,350 |
| Glacier Package-BB  | Brushed Bronze    | 9036-158 | \$1,600 |
| Glacier Package-MB  | Matte Black       | 9036-159 | \$1,600 |

Ganged systems: 18, 22, 28, 30 required 1 Glacier Package plus additional auto drain, drip pan and steam heads. See pages 4 and 8 for pricing.



#### K3 Digital Control with Remote-Mounted Temperature Sensor

K3 3-button digital control with on/off, temperature and time duration setting. Display alternates between ambient room temperature and time remaining. Features remote sensor and can be mounted inside or outside steam room. Control kit includes K3 control, sensor, cables and ComfortFlo steam head.

#### Columbia Package for AK: only with K2 Control



| ncludes: | 1 - K3 Control |
|----------|----------------|
|          | 1 - ComfortFlo |

1 - ComfortFlo Steam Head

- 1 ADK Auto Drain
- 1 ADP Drip Pan

| Columbia Package-CP Polished Chrome    | 9036-111 | \$1,300 |
|--|----------|---------|
| Columbia Package-PN Polished Nickel    | 9036-115 | \$1,300 |
| Columbia Package-BN Brushed Nickel     | 9036-116 | \$1,300 |
| Columbia Package-ORB Oil Rubbed Bronze | 9036-117 | \$1,300 |
| Columbia Package-BB Brushed Bronze     | 9036-118 | \$1,500 |
| Columbia Package-MB Matte Black        | 9036-119 | \$1,500 |

Ganged systems: 18, 22, 28, 30 required 1 Glacier Package plus additional auto drain, drip pan and steam heads. See pages 4 and 8 for pricing.

#### **ADK Automatic Drain Valve for AK Series Generators**

ADK Automatic Drain Valve Kit for AK Series generators. Automatically drains and flushes tank after each steam bath. Order one (1) ADK drain for each generator when ordering ganged systems.

| Model                         | ltem No. | List Price |
|-------------------------------|----------|------------|
| ADK Automatic Drain Valve Kit | 9210-200 | \$ 400     |

#### **Stainless Steel Generator Drip Pan**

Order one (1) per generator

| Model                                  | ltem No. | List Price |
|--|----------|------------|
| ADP Stainless Steel Generator Drip Pan |          |            |
| with Threaded Drain Fitting            | 9210-110 | \$ 150     |



120F

ch

#### K2 Touch Screen Control with Separate/Wall-Mounted Sensor

- Mobile App or Siri, Google Home, Alexa.
- Mounts inside or outside of room.
- 3 1/2" x 5 1/2" low profile, 1/2" Trim Ring available.
- Adjustable time and temp and 24-hour delay.
- Room light control and second option button.
- Smart home ready.

| Model  | Finish: Trim Ring/Steam Head | ltem No. | Li | <u>st Price</u> |
|--------|------------------------------|----------|----|-----------------|
| K2-CP  | Polished Chrome              | 9114-101 | \$ | 800             |
| K2-PN  | Polished Nickel              | 9114-105 | \$ | 800             |
| K2-BN  | Brushed Nickel               | 9114-106 | \$ | 800             |
| K2-ORB | Oil Rubbed Bronze            | 9114-107 | \$ | 800             |
| K2-BB  | Brushed Bronze               | 9114-108 | \$ | 935             |
| K2-MB  | Matte Black                  | 9114-109 | \$ | 935             |



K3 3-button digital control with on/off, temperature and time duration setting.

- Display alternates between ambient room temperature and time remaining.
- Features remote sensor and can be mounted inside or outside steam room.
- Control kit includes K3 control, sensor, cables and ComfortFlo steam head.

| Model  | Finish: Steam Head | ltem No. | List Price |
|--------|--------------------|----------|------------|
| K3-CP  | Polished Chrome    | 9114-121 | \$ 750     |
| K3-PN  | Polished Nickel    | 9114-125 | \$ 750     |
| K3-BN  | Brushed Nickel     | 9114-126 | \$ 750     |
| K3-ORB | Oil Rubbed Bronze  | 9114-127 | \$ 750     |
| K3-BB  | Brushed Bronze     | 9114-128 | \$ 885     |
| K3-MB  | Matte Black        | 9114-129 | \$ 885     |





# **K4 On/Off Non-Thermostatic Control**

- Green indicator light illuminates during generator operation.
- Control can be mounted inside or outside steam room.
- Control kit includes K4 control, cable and ComfortFlo steam head.

| Model  | Finish: Steam Head | Item No. | <u>List Price</u> |
|--------|--------------------|----------|-------------------|
| K4-CP  | Polished Chrome    | 9114-141 | \$ 265            |
| K4-ORB | Oil Rubbed Bronze  | 9114-147 | \$ 265            |
| K4-BB  | Brushed Bronze     | 9114-148 | \$ 400            |
| K4-MB  | Matte Black        | 9114-149 | \$ 400            |
|        |                    |          |                   |

9

# **AK STEAM BATH ACCESSORIES**

### BlueCube Steam Shower Sound System

The BlueCube Steam Shower Sound System offers superior sound quality for your personal steam shower. The BlueCube hideaway stereo is designed to be out-of-site and plays music wirelessly via Bluetooth enabled device or smartphone. Includes an RF 2-way remote control and a pair of waterproof flush-mount 2-way speakers.

| BLUECUBE | Sound System, Speakers      | 9252-058 | \$ 1,300 |
|----------|-----------------------------|----------|----------|
| SPEAKERS | Waterproof Speakers, 1 Pair | 9252-030 | \$ 500   |

### LED Light Kit - For use with Elite Cloud and K2 Controls Only

Chromatherapy/ White light kit includes two (2) LED's, housing and transformer. Maximum of seven (7) LED's per transformer. Amerec Elite Cloud will control LED light systems.

| LED Kit Chromatherapy/White LED Kit           | 9223-216 | \$<br>850 |
|---|----------|-----------|
| Additional Light Fixture to add to LED System | 9223-112 | \$<br>200 |

### Fragrance Injector Pump Kit - For AK Models

Delivers essence oils directly into the copper steam line. Pump kit includes on/off control, one (1) 16 oz bottle of Eucalyptus oil and wall mounted caddy.

| A220FP   |   | 9223-227                                     | \$                   | 850                   |
|--|---|--|----------------------|-----------------------|
| Fragrance, Eucalyp   | tus, Supreme Gra  | ade, 100% Pure                               |                      |                       |
| Eucalyptus-2<br>Eucalyptus-8<br>Eucalyptus-16<br>Eucalyptus-64 | 2 oz. bottle<br>8 oz. bottle<br>16 oz. bottle<br>1-gallon jug | 9253-171<br>9253-172<br>9253-173<br>9253-175 | \$<br>\$<br>\$<br>\$ | 25<br>35<br>60<br>330 |

### Wall Mount, Fold Down Teak Shower Seat

 Teak Seat
 20" x 13" Teak Seat
 9270-029

### Wall Mount, Fold Down White Shower Seat

 Relax
 13 1/2" x 9 1/4" White Seat
 9270-02
 \$ 130

### ASX120 Dual Cartridge Scale-X Water Treatment System

| ASX120     | Scale Water Treatment System | 9209-012 | \$<br>650 |
|------------|------------------------------|----------|-----------|
| ASX120-RFK | Cartridge Replacement Kit    | 9209-042 | \$<br>300 |















\$ 320


## AI SERIES COMMERCIAL STEAM BOILERS ALL MODELS NOW INCLUDE LOW WATER CUT-OFF

Ideal for large steam rooms, the Amerec AI Series is designed for user enjoyment, ease of operation and long life. The AI boilers are engineered for easy on-site maintenance and hands-off, automated operation. Amerec engineering and technology incorporates several unique features, making the AI Series the ideal choice for large commercial steam rooms.

### **AI Series Boiler Features**

- UL Listed, cUL Listed, tested to UL834
- ASME H-Stamped Low-Pressure Vessel, National Board registered.
- Multiple safety features, including:
  - Sight Glass
  - · Three-level water sensing system with low water cutoff
  - Control system per CSD-1
- Low Water Cut-Off (LWCO) with manual reset prevents heating should the water level drop below safe levels.
- Room "over-temperature shut down" turns boiler elements off and blinks indicators to show alarm.
- All steel construction with powder coat finish and stainless steel feet to prevent corrosion.
- Designed for easy serviceability: Indicator lights with integral diagnostics, Simple service access and control
- One steam valve for single room operation.
- Two-room operation with each room controlled individually. Requires 2-room thermostatic control kit.
- CoolFlush™ Auto Drain option performs recommended daily draining and flushing to reduce sludge and scale build up:
   Anti-vacuum drain system reduces gurgling noises and slow draining.
  - Cools water in tank to 140°F or less to prevent damage to plumbing drain system.
  - Drain clock allows system to start at desired time of day, whether the generator is on or off.
- Optional 24-hour and 24-hour / 7-day integral run and drain clocks.
- Optional "Refresh" control provides short bursts of steam on demand with a simple push button inside the steam room. Provides a 15 to 20 second burst of steam even if the room is at set temperature and not calling for steam.

### Al Series Commercial Steam Boiler Dimensions



# AI SERIES COMMERCIAL STEAM BOILERS ALL MODELS NOW INCLUDE LOW WATER CUT-OFF





Note: It is recommended that one steam head be installed for every 12 kW.

Thermostat kits required for each boiler include two (2) steam heads.

Please order additional steam heads as required for 30 kW and larger Al boilers.

|       |    | Max Cubic | Steam Lbs. | Elect | rical Spe | cification | IS       |            |
|-------|----|-----------|------------|-------|-----------|------------|----------|------------|
| Model | kW | Footage   | Per Hour   | Volts | Phase     | Amps       | ltem No. | List Price |
| AI-12 | 12 | 550       | 36         | 208   | 1         | 59         | 9006-120 | \$ 6,990   |
| AI-12 | 12 | 550       | 36         | 240   | 1         | 51         | 9006-121 | \$ 6,990   |
| AI-12 | 12 | 550       | 36         | 208   | 3         | 34         | 9006-123 | \$ 6,990   |
| AI-12 | 12 | 550       | 36         | 240   | 3         | 30         | 9006-124 | \$ 6,990   |
| AI-12 | 12 | 550       | 36         | 415   | 3         | 18         | 9006-125 | \$ 6,990   |
| AI-12 | 12 | 550       | 36         | 480   | 3         | 15         | 9006-126 | \$ 6,990   |
| AI-18 | 18 | 900       | 54         | 208   | 1         | 88         | 9006-180 | \$ 7,50    |
| AI-18 | 18 | 900       | 54         | 240   | 1         | 76         | 9006-181 | \$ 7,50    |
| AI-18 | 18 | 900       | 54         | 208   | 3         | 51         | 9006-183 | \$ 7,50    |
| AI-18 | 18 | 900       | 54         | 240   | 3         | 44         | 9006-184 | \$ 7,50    |
| AI-18 | 18 | 900       | 54         | 415   | 3         | 27         | 9006-185 | \$ 7,50    |
| AI-18 | 18 | 900       | 54         | 480   | 3         | 22         | 9006-186 | \$ 7,50    |
| AI-24 | 24 | 1200      | 73         | 208   | 1         | 116        | 9006-240 | \$ 8,35    |
| AI-24 | 24 | 1200      | 73         | 240   | 1         | 101        | 9006-241 | \$ 8,35    |
| AI-24 | 24 | 1200      | 73         | 208   | 3         | 68         | 9006-243 | \$ 8,35    |
| AI-24 | 24 | 1200      | 73         | 240   | 3         | 59         | 9006-244 | \$ 8,35    |
| AI-24 | 24 | 1200      | 73         | 415   | 3         | 36         | 9006-245 | \$ 8,35    |
| AI-24 | 24 | 1200      | 73         | 480   | 3         | 29         | 9006-246 | \$ 8,35    |
| AI-30 | 30 | 1500      | 91         | 208   | 3         | 85         | 9006-303 | \$ 9,40    |
| AI-30 | 30 | 1500      | 91         | 240   | 3         | 73         | 9006-304 | \$ 9,40    |
| AI-30 | 30 | 1500      | 91         | 415   | 3         | 44         | 9006-305 | \$ 9,40    |
| AI-30 | 30 | 1500      | 91         | 480   | 3         | 36         | 9006-306 | \$ 9,40    |
| AI-36 | 36 | 1800      | 109        | 208   | 3         | 101        | 9006-363 | \$ 9,90    |
| AI-36 | 36 | 1800      | 109        | 240   | 3         | 88         | 9006-364 | \$ 9,90    |
| AI-36 | 36 | 1800      | 109        | 415   | 3         | 53         | 9006-365 | \$ 9,90    |
| AI-36 | 36 | 1800      | 109        | 480   | 3         | 43         | 9006-366 | \$ 9,90    |
| AI-42 | 42 | 2100      | 127        | 208   | 3         | 118        | 9006-423 | \$ 10,40   |
| AI-42 | 42 | 2100      | 127        | 240   | 3         | 102        | 9006-424 | \$ 10,40   |
| AI-42 | 42 | 2100      | 127        | 415   | 3         | 62         | 9006-425 | \$ 10,40   |
| AI-42 | 42 | 2100      | 127        | 480   | 3         | 51         | 9006-426 | \$ 10,40   |
| AI-48 | 48 | 2400      | 145        | 240   | 3         | 117        | 9006-484 | \$ 10,90   |
| AI-48 | 48 | 2400      | 145        | 415   | 3         | 70         | 9006-485 | \$ 10,90   |
| AI-48 | 48 | 2400      | 145        | 480   | 3         | 58         | 9006-486 | \$ 10,90   |

Please select required and optional controls for AI Series Boilers on next page.

### One of the following thermostatic control kits is required for all AI Series boilers.

| Model   | Description  | Item Number      | List Price |                     |
|---------|--|------------------|------------|---------------------|
| T100B-1 | T100 Touch control kit for 1 room installation.<br>For use with all models.<br>Includes Touch screen control, sensor, cables and 2 e   | 9150-103         | \$ 1,475   | amerec              |
|         | 3/4" Chrome steam heads.   | -a.              |            | $\frac{114}{10:00}$ |
| T100B-2 | T100 Touch control kit for 2 room installation.<br>12-24kW models.   | 9150-104         | \$ 2,950   | © ∧ ∻<br>∵ ∨ 0×     |
|         | T100 Touch control kit for 2 room installation.<br>30-48kW models<br>Includes 2 Touch controls, 2 sensors, cables,<br>1 steam solenoid valve assembly and 4 ea.<br>3/4" Chrome steam heads.                            | 9150-106         | \$ 2,950   |                     |
| IT1     | Thermostat for 1 room installation.<br>For use with all models.  | 9226-30          | \$ 475     |                     |
|         | Includes thermostat control, sensor, cables and 2 ea. 3/4" Chrome steam heads.   |                  |            |                     |
| IT2     | Thermostat for 2 room installation.<br>12-24kW 208V, 240V & 480V models.   | 9226-20          | \$ 1,375   |                     |
| IT2     | Thermostat for 2 room installation.<br>12-24kW 415V Export models.   | 9226-21          | \$ 1,375   |                     |
| IT2     | Thermostat for 2 room installation.<br>30-48kW 208V, 240V & 480V models.   | 9226-22          | \$ 1,375   |                     |
| IT2     | Thermostat for 2 room installation.<br>30-48kW 415V Export models.   | 9226-23          | \$ 1,375   |                     |
|         | Includes 2 IT1 thermostat controls, 2 sensors, cables,<br>1 steam solenoid valve assembly and 4 ea. 3/4" Chro  |                  | S.         |                     |
| IT1-M   | Boiler mounted thermostat for 1 room installation.<br>For all models. Includes thermostat control, sensor,<br>cables and 2 ea. 3/4" Chrome steam heads.  | 9226-301         | \$ 525     |                     |
| IT2-M   | Boiler mounted thermostat for 2 room installation.<br>12-24kW, 208V, 240V & 480V.  | 9226-201         | \$ 1,500   |                     |
| IT2-M   | Boiler mounted thermostat for 2 room installation.<br>12-24kW, 415V Export.  | 9226-211         | \$ 1,500   |                     |
| IT2-M   | Boiler mounted thermostat for 2 room installation.<br>30-48kW, 208V, 240V & 480V.  | 9226-221         | \$ 1,500   |                     |
| IT2-M   | Boiler mounted thermostat for 2 room installation.<br>30-48kW 415V Export. All IT2-M units include 2 IT1<br>thermostat controls, 2 sensors, cables, 1 steam solen<br>valve assembly and 4 ea. 3/4" Chrome steam heads. | 9226-231<br>noid | \$ 1,500   |                     |

### AI SERIES COMMERCIAL BOILER CONTROLS AND OPTIONS

#### Optional controls and accessories for AI Series boilers.

|                   | Model    | Description  | ltem No.  | List Price |
|-------------------|----------|--|-----------|------------|
|                   | ADI      | CoolFlush™ auto drain and flush system.  | 9210-118  | \$ 920     |
|                   | ADI      | CoolFlush™ auto drain and flush system. 230V for Export.   | 9210-119  | \$ 920     |
|                   | ADI-D    | CoolFlush™ auto drain and flush system with Digital Run Clock.   | 9210-116  | \$ 950     |
|                   | ADI-D    | CoolFlush™ auto drain and flush system with Digital Run Clock.   | 9210-117  | \$ 950     |
|                   |          | 230V / for Export  |           |            |
| AMEREC<br>UN OUTF | IDS      | In room "Refresh" control for a quick burst of steam on demand.  | 9226-05   | \$ 270     |
|                   | 160      | 15/30/60 minute automatic bath timer to control steam flow in  | 9226-10   | \$ 200     |
| 200<br>100        |          | steam rooms with intermittent use. Bath run time is switch select  | able.     |            |
| STEAMBATH         | 124/7    | 7 Day Time Clock with 2 hour on/off segments. 120V.  | 9226-15   | \$ 140     |
| ONOFF             | 124/1    | 24 Hour Time Clock with 30 minute on/off segments. 120V.   | 9226-16   | \$ 140     |
| •                 | 124/7    | 7 Day Time Clock with 2 hour on/off segments.  | 9226-17   | \$ 140     |
|                   |          | 230V / 50Hz available. Call for information.   |           |            |
| R. S.             | 124/1    | 24 Hour Time Clock with 30 minute on/off segments.   | 9226-18   | \$ 140     |
|                   |          | 230V / 50Hz available. Call for information.   |           |            |
| Oranger Orane     | D24/7    | 24 Hour 7 Day Digital Time Clock with Battery Back Up. 120V  | 9226-19   | \$ 250     |
| 1:58              | D24/7    | 24 Hour 7 Day Digital Time Clock with Battery Back Up.   | 9226-191  | \$ 250     |
|                   |          | 230V / for Export  |           |            |
|                   | CFSH-34  | ComfortFlo™ 3/4" Steam Head w/ insulator.  | 8816-31   | \$ 180     |
|                   |          | Other finishes available.  |           |            |
|                   | AROMA    | Commercial grade aroma therapy pump with mounting bracket.<br>Single room system. Includes control - IDS Refresh | 9223-229  | \$ 1,500   |
|                   |          | Commercial grade aroma therapy pump with mounting bracket.<br>Two room system. Includes control - IDS Refresh    | 9223-2291 | \$ 3,000   |
|                   |          | ,  |           |            |
|                   | ASX200   | Dual Cartridge Scale-X Filter System   | 9209-020  | \$ 1,290   |
|                   |          | ASX200 Filter Replacement Kit  | 9209-051  | \$ 380     |
|                   | <b>F</b> |  |           |            |

Emergency Stop Switch Call for information and pricing.

High Temperature Alarm Call for information and pricing.

# AMEREC COMMERCIAL STEAM DOORS AMEREC SPA ACCESSORIES



#### Club 190 Steam Door handicap accessible, ADA compliant.

A heavy glass door with sturdy aluminum frame, Excellent for high use commercial applications.

- Door opening is 36" x 84"; frame size is 39-1/2" x 85-3/4"
- Custom sizes available. Please call for quote.
- Vinyl sweep.
- Hydraulic closer included. Closer to be mounted on exterior side of door.
- Push Pull handles included.
- 31-3/8" x 70-1/8" clear 1/4" tempered glass.
- Optional 1" insulated glass provides increased thermal efficiency.


| Standard 40" x 86" door with Aluminum frame | \$3,        | ,500 |
|---|-------------|------|
| Add for Bronze frame                        | \$          | 300  |
| Add for 1" insulated glass                  | \$          | 750  |
| Custom Size Doors                           | Call for Qu | Jote |

**Spa Accessories** 

PINO TEXTILES: Soft, light cotton, feels cool, absorbs moisture and dries quickly.

#### Linen Terry Wash Mitten & Back Washer

|   | 9239-041<br>9239-051 |               |   | 0.00<br>0.00 |
|---|----------------------|---------------|---|--------------|
| <b>Sauna Pillow</b><br>Available in Arctic Pine and Blueberry | 9239-024<br>9239-025 | Gray<br>Black | • | 0.00         |
| Sauna Seat Cover<br>Cotton, 20" x 24"<br>Cotton, 20" x 24"    | 9239-020<br>9239-021 | Gray<br>Black |   | 0.00<br>0.00 |
| <b>Sauna Towel</b><br>30.75" x 59"<br>30.75" x 59"            | 9239-022<br>9239-023 | Gray<br>Black |   | 5.00<br>5.00 |



| <b>Seat Cover</b><br>20" x 24" | 9239-021 | \$ 30.00 |
|--------------------------------|----------|----------|
| Sauna Pillow<br>20" x 9"       | 9237-025 | \$ 40.00 |
| <b>Bath Towel</b><br>35" x 71" | 9239-013 | \$ 50.00 |











# AMEREC SPA ACCESSORIES

|   |          |          | $\mathcal{A}$      |
|---|----------|----------|--------------------|
| <b>Sauna Soap</b><br>Available in Birch, Arctic Pine and Wood Tar | 9261-316 | \$ 14.00 |                    |
| Pumice Foot Scrub   | 9237-060 | \$ 10.00 |                    |
| Bamboo Bath Brush   | 9261-30  | \$ 35.00 |                    |
| Brush Foot Scrub  | 9261-31  | \$ 15.00 |                    |
| Bamboo Body Brush   | 9261-32  | \$ 15.00 | AND MALE AND AND A |

SPA ACCESSORIES AVAILABLE IN MULTIPLE SIZES AND FRAGRANCES. VISIT AMEREC.COM FOR MORE DETAILS.

| <b>Body Wash</b><br>Available in Birch, Arctic Pine and Wood Tar                   | 9237-021<br>9237-022             | 400 ml<br>50 ml            | \$<br>\$       | 20.00<br>10.00          |
|--|----------------------------------|----------------------------|----------------|-------------------------|
| <b>Body Balm</b><br>Available in Arctic Pine and Blueberry                         | 9237-032<br>9237-031             | 400 ml<br>50 ml            | \$<br>\$       | 25.00<br>10.00          |
| <b>Body Scrub</b><br>Available in Arctic Pine and Blueberry                        | 9237-050                         | 150 ml                     | \$             | 20.00                   |
| Hand Wash<br>Available Birch<br>Available in Blueberry<br>Available in Arctic Pine | 9261-322<br>9261-321<br>9261-320 | 400 ml<br>400 ml<br>400 ml | \$<br>\$<br>\$ | 20.00<br>20.00<br>20.00 |
| <b>Sauna Honey</b><br>Available in Arctic Pine, Blueberry and Birch                | 9237-035                         | 150 ml                     | \$             | 10.00                   |
| <b>Shampoo &amp; Conditioner</b><br>Available in Arctic Pine and Blueberry         | 9237-013<br>9237-016             | 400 ml<br>400 ml           | \$<br>\$       | 30.00<br>30.00          |
| <b>Massage Oil</b><br>Fragrance Free Massage Oil from Therapeutic<br>Natural Oils  | 9237-030                         | 200 ml                     | \$             | 20.00                   |





AMEREC 575 East Cokato St. | Cokato, MN 55321 Toll-Free 1-800-331-0349 amerec@amerec.com | www.amerec.com

Amerec reserves the right to change specifications and design without notice.  $$\odot$$  2021 Amerec Steam

4213-17 05/21