

AXENT STUDIO

2021/2022 Product Price List

Table of Contents

MACON PG1

ALTON PG2

PHOENIX PG3

PENINSULA PG4


TERMS & CONDITIONS PG5

WARRANTY PG6

MACON

ONE-PIECE SKIRTED TOILET W378-2020

LIST PRICE: US\$ 799.00



*Note: If basboards are used measure minimum 12" [305] from basboard.
*Mounting Flange Brackets Included



FEATURES

Dimensions	L-29 1/2" x W 17"x H 27 3/4"
Weight	103 lbs (46 kg)
Material Finish	Vitreous China
Color	White
Water Consumption	Single Flush 1.28 GPF (4.8 L)
Configuration	12" Rough In Floor mounted/ Siphonic Elongated Bowl Shape ADA Height Toilet Bowl One Piece Skirted Rimless flush design

CODES/STANDARDS

ASME A112.19.2-2013/CSA B45.1-13, ASSE 1002
PREMIUM High-Efficiency toilet (HET) at 1.28 GPF (4.8 LPF)
MAP RATING HIGHLY RECOMMENDED FLUSH PERFORMANCE
EPA WaterSense®

DETAILS

Rich with soft angles and full curves, the Macon Toilet epitomizes a balanced union between modern and classic design. The Macon One-Piece Skirted Toilet includes a rimless flush design, a bottom inlet with a vertical outlet, a 1.28 GPF (4.8L) flush, 12" rough-in and is protected with an Easy Clean glaze for easy lifetime maintenance.

AXENT


support@axentproducts.com
www.axentbath.us
1.800.769.4857

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.

ALTON

ONE-PIECE TOILET W375-2020

LIST PRICE: US\$ 599.00



FEATURES

Dimensions	L 27 11/16" x W 14 7/16" x H 28 3/8"
Weight	90.4 lbs (41 kg)
Material Finish	Vitreous China
Color	White
Water Consumption	Single Flush 1.28 GPF (4.8 L)
Configuration	12" Rough In Floor mounted/ Siphonic Elongated Bowl Shape ADA Height Toilet Bowl One Piece Toilet

CODES/STANDARDS

ASME A112.19.2-2013/CSA B45.1-13, ASSE 1002
PREMIUM High-Efficiency toilet (HET) at 1.28 GPF (4.8 LPF)
MAP RATING HIGHLY RECOMMENDED FLUSH PERFORMANCE
EPA WaterSense®

DETAILS

Rich with soft angles and full curves, the Alton Toilet epitomizes a balanced union between modern and classic design. The Alton One-Piece Toilet includes 3" flapper with increased head pressure, a bottom inlet with a vertical outlet, a 1.28 GPF (4.8 L) flush, a 12" rough-in and is protected with an Easy Clean glaze for easy lifetime maintenance.

AXENT


support@axentproducts.com
www.axentbath.us
1.800.769.4857

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.

PHOENIX

ONE-PIECE TOILET W530-2020

LIST PRICE: US\$ 625.00



FEATURES

Dimensions	L 28 1/8" x W 18 1/8" x H 28 5/32"
Weight	82.9 lbs (32.6 kg)
Material Finish	Vitreous China, Polypropylene and Easy Clean Antibacterial Glaze
Color	White
Water Consumption	Single Flush 1.28 GPF (4.8 L)
Configuration	12" Rough In Floor mounted/ Siphonic Elongated Bowl Shape ADA Height Toilet Bowl One Piece Toilet

CODES/STANDARDS

ASME A112.19.2-2013/CSA B45.1-13, ASSE 1002
PREMIUM High-Efficiency toilet (HET) at 1.28 GPF (4.8 LPF)
MAP RATING HIGHLY RECOMMENDED FLUSH PERFORMANCE
EPA WaterSense®

DETAILS

The Phoenix Toilet features elegant curves while conveying a charming traditional frankness. Our Phoenix One-Piece Toilet is equipped with a bottom inlet, vertical outlet, 1.28 GPF (4.8 L) flush, Easy Clean antibacterial glaze, a silent seat and 12" rough-in dimension.

AXENT


support@axentproducts.com
www.axentbath.us
1.800.769.4857

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.

PENINSULA

Two-Piece Toilet W532-2020

LIST PRICE: US\$ 525.00



*Note: If a baseboard is used measure minimum 12" [305] from baseboard.



FEATURES

Dimensions / Weight	L 28 3/16" x W 17 3/4 x H 31 1/4	
Weight	82.9 lbs	
Material Finish	Vitreous China, Polypropylene and Easy Clean Antibacterial Glaze	
Color	White	
Water Consumption	Single Flush 1.28 GPF (4.8 L)	
Configuration	Rough-In 12" Floor Mounted/ Siphonic Elongated Bowl Shape ADA Height Toilet Bowl Two Piece Toilet	Tank Lever: B5081.PC (Included, Left-sided Handle Lever/ Polished Chrome Brass) Seat: Polypropylene, G102-0211-U1 Bowl: W532-T081-U1

CODES/STANDARDS

ASME A112.19.2-2013/CSA B45.1-13, ASSE 1002
PREMIUM High-Efficiency Toilet (UHET at 1.28 GPF (4.8 LPF)
MAP Listed-Highly Recommended Flush Performance
EPA WaterSense®

DETAILS

The Peninsula Toilet features elegant curves while conveying a charming traditional frankness. Our Peninsula Close Coupled Toilet is equipped with a bottom inlet, vertical outlet, 1.28 GPF (4.8 L) flush, Easy Clean antibacterial glaze, a silent seat and a 12" rough-in dimension.

TERMS & CONDITIONS

This order form is not an offer to sell to any person who possesses, nor to anyone else, the products listed herein at the prices shown. All prices are in U.S. dollars. These prices do not include freight, shipping and or handling.

TERMS AND CONDITIONS OF SALE

Buyer's acceptance of all or partial goods ordered from seller shall constitute buyer's acceptance of AXENT Corporation's terms and conditions of sale set forth on order confirmation or invoice unless buyer objects in writing prior to acceptance of said goods.

CREDIT APPROVAL

Acceptance of orders, shipments, deliveries and performance of work shall at all times be subject to approval of the Seller's Credit Department, AXENT Corporation, Irvine, California. Seller may at any time decline an order or decline to make any shipment or delivery or perform any work except upon receipt of payment, or security, or upon terms and conditions satisfactory to such department. Seller reserves the right to ship C.O.D. or C.I.A.

TERMS OF PAYMENT

Cash payment terms are Net 30 Days. A delinquency charge, 1.5% per month or 18% per year, computed on the unpaid balance shall be due as liquidated damages on all accounts not paid in full when due. Interest shall be paid with Buyer's next remittance. In addition to late payment charges, Buyer agrees to pay any and all collection costs, including reasonable attorney fees incurred by Seller in collecting balances not paid within terms.

FREIGHT

All orders are FOB California Warehouse. Seller reserves the right to ship merchandise by the method of seller's choosing.

SHIPPING WEIGHTS

Shipping weights are approximate and are not guaranteed, but are shown for customer convenience.

RETURNED MERCHANDISE

Merchandise which has been shipped according to Buyer's specifications cannot be returned for credit without prior written approval from the seller, fully establishing the basis for the credit. Credit will be issued only for items which are found by seller to be of standard manufacture and in saleable condition. Return shipment is at buyer's expense and risk. Buyer must prepay freight and will incur up to a 45% restocking charge when no manufacturing defects or errors are involved. Discontinued merchandise will not be accepted under this return goods program. No merchandise will be accepted for return under this policy after 30 days.

DAMAGE IN TRANSIT/SHORTAGE

Every reasonable precaution is taken against breakage or damage in transit. Seller's risk of loss ceases at the time the goods are placed at the Buyer's disposal. Claims against carriers are to be filed by the Buyer within 7 days. It is the buyer's responsibility to inspect products upon delivery for transit and/or shortage. If damage or shortage is detected, it should be duly noted on the bill of lading before signing for merchandise. An inspection report should be requested by the buyer of the carrier, followed by a settlement claim to the carrier.

WARRANTY

See AXENT product warranty for details. If you do not have a copy of the product warranty, please request in writing to:
AXENT Corporation 3 Musick
Irvine, CA 92618

DESIGN CHANGES

Seller reserves the right to make revisions without notice in the design of its products and packaging.

DELAY

If any shipping dates have been specified, they are approximate and seller shall not be bound thereby, but every effort will be made to ship in accordance with them. All shipments are subject to contingencies of manufacturer and other causes beyond seller's control such as fires, strikes, delays in transportation, or government regulations.

VITREOUS CHINA & FINE FIRE CLAY WARRANTY

AXENT Limited Warranty

Limited Warranty applies to all AXENT products.

AXENT warrants its products to be free of manufacturing defects in material and workmanship for a period of 5 years on Vitreous China and 3 year on tank trim / seats and from the date of purchase. Please visit <http://eepurl.com/gdt5fX> to register within 30days after purchase. The limited warranty is to the original purchaser only. The limited warranty is not transferable to any third party. The limited warranty applies to all products sold in the United States and Canada. AXENT is not responsible for any installation costs.

AXENT will at its election replace or make appropriate adjustments where AXENT inspection discloses any such defects occurring in normal residential usage within one year after purchase.

This warranty does not apply to the following items

- Damage or loss sustained in a fire, earthquake, storm or any natural disaster etc....
- Damage or loss resulting from any unreasonable use, misuse, abuse, negligence or improper care, improper cleaning or maintaining of the product.
- Damage or loss resulting from any sediments or foreign matter contained in the water system
- Damage or loss from improper installation, harsh environment, improper removal and water pressure in excess of 80PSI.
- Damage or loss resulting from electrical surges, lightning strikes or other acts which are not considered normal or the fault of AXENT.
- Damage or loss resulting from normal wear and tear, such as gloss reduction or dulling, scratching or fading over time due to normal use, cleaning practices, water or atmospheric conditions including but not limited to: bleach, alkali, acid cleaners, dry powdered cleaners or any other abrasive cleaning agents or abrasive cleaning tools or aids.
- The use of any product in a manner outside of the product instructions / owner's manuals
- AXENT shall not be liable for any failure caused by Chloramines in the public treated waters or cleaners containing chlorine (calcium hypochlorite). Please Note that use of high concentrate chlorine or chlorine related products can damage fittings. This damage can cause leakage resulting in property damage.

This limited warranty gives you specific legal rights. You may have other rights which may vary from state to state, province to province or country to country

To obtain warranty service you may contact AXENT through your dealer, plumbing contractor or by writing AXENT, Attn. customer service department, 3 Musick, Irvine, California 92618 or by calling 1-800-769-4857.

IMPLIED WARRANTIES, INCLUDING THAT OF MERCHANTABILITY, ARE EXPRESSLY LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. AXENT DISCLAIMS ANY RESPONSIBILITY FOR CONSEQUENTIAL DAMAGES.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of special, incidental or consequential damages, so this limitation and exclusion may not apply to you. This warranty gives you specific legal rights. You may also have other rights which vary from state to state.

Vitreous China and Fine Fire Clay – Care

Clean the outside surface of your toilet or lavatory with mild soap and warm water. Wipe the entire surface completely dry with a clean soft cloth. You may use soft abrasive cleaners when necessary to clean your vitreous china and fine fire clay product. Do not use strong abrasive cleaners, as they will scratch and dull the surface. Wipe any splashes of cleaning solutions from plastic or plated surfaces immediately. Use toilet bowl cleaners on the inside of the toilet bowl only.

If the surface becomes excessively dirty, use a general purpose cleaner such as Fantastick®, All Purpose Lysol®, Basin Tub and Tile Cleaner®, Soft Scrub® Multi Surface, Scrub Free® Disinfectant Bathroom Cleaner, Clorox Clean-Up®, Spic and Span Liquid, Comet® Liquid Bathroom Cleaner, Scrubbing Bubbles® Bathroom Cleaner, BarKeeper's Friend®, or Bon Ami.

Over time, hard water deposits may clog the toilet rim washing holes and trap ways. To clean, use a commercial cleaner that is recommended for removing hard water deposits. Be sure to follow the cleaner's manufacturer's instructions.

WARNING Risk of property or product damage. Do not use in-tank cleaners in your toilet. Products containing chlorine (calcium hypochlorite) can seriously damage tank fittings. The damage can cause leakage and severe property damage.

Notes

AXENT Switzerland
USA Office
3 Musick, Irvine, CA 92618
1-800-769-4857
support@AXENTproducts.com
www.AXENTbath.us

