

STUDIOLUX



2022 SLi Collection

**REVISION# 1- Price Increase Effective
January 1, 2022**

Table of Contents

SLi4000	PG1-2
SLi3000	PG3-4
SLi2000	PG5-6
SLi1000	PG7-8
Product Features Cross References	PG9-10
Terms & Conditions	PG11
Warranty	PG12






STUDIOLUX

SLi 4000

ONE PIECE INTELLIGENT TOILET

LIST PRICE \$4,995 USD



FEATURES

Dimensions	L 27 9/16" x W 16 3/4" x H 18 7/8"	
Weight	110 lbs (50 kg)	
Material Finish	Vitreous China, ABS Scratch Resistant Lid and Micro Shield™ Antibacterial Glaze	
Color	White	
Water Consumption	Siphon Jet Rimless Dual Flush 1.28/1.0 GPF (4.8/3.8 LPF)	
Configuration	12" Rough In	Adjustable Water Temperature (5 Levels)
	Floor mounted/ Siphonic	Instantly Warm Water Temperature
	Elongated Bowl Shape	Adjustable Shower and Massaging
	ADA Height Toilet Bowl	Adjustable Self-Warming Seat (5 Levels)
	Pump Operated	Programmable User Profiles
	Auto Flush Feature	Automated Hands-Free Seat and Lid
	Rear/Lady Wash	Micro Shield™ Antibacterial Glaze
	Warm Air Dryer	ABS Scratch Resistant Seat Lid
	Deodorizer	Removable SS Wand for Cleaning

CODES/STANDARDS

ASME A112.19.2-2013/CSA B45.1-13, ASSE 1002
 PREMIUM High-Efficiency toilet (HET)
 MAP RATING HIGHLY RECOMMENDED FLUSH PERFORMANCE
 EPA WaterSense®

DETAILS

The SLi 4000 Toilet features sharp geometric curves while conveying a modern style. Our SLi 4000 Intelligent Toilet is equipped with a bottom inlet, vertical outlet, dual flush, Micro Shield™ Antibacterial glaze, a silent seat and 12" rough-in dimension.

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.






STUDIOLUX

SLi 3000

ONE PIECE INTELLIGENT TOILET

LIST PRICE \$3,795 USD



FEATURES

Dimensions	L 27 9/16" x W 16 3/4" x H 18 7/8"
Weight	110 lbs (50 kg)
Material Finish	Vitreous China, ABS Scratch Resistant Lid and Micro Shield™ Antibacterial Glaze
Color	White
Water Consumption	Siphon Jet Rimless Dual Flush 1.28/1.0 GPF (4.8/3.8 LPF)
Configuration	12" Rough In Floor mounted/ Siphonic Elongated Bowl Shape ADA Height Toilet Bowl Pump Operated Auto Flush Feature Rear/Lady Wash Warm Air Dryer Deodorizer
	Adjustable Water Temperature (3 Levels) Instantly Warm Water temperature Adjustable Shower and Massaging Adjustable Self-Warming Seat (3 Levels) Removeable SS Wand for Cleaning Micro Shield™ Antibacterial Glaze ABS Scratch Resistant Seat Lid

CODES/STANDARDS

ASME A112.19.2-2013/CSA B45.1-13, ASSE 1002
PREMIUM High-Efficiency toilet (HET)
MAP RATING HIGHLY RECOMMENDED FLUSH PERFORMANCE
EPA WaterSense®

DETAILS

The SLi 3000 Toilet features sharp geometric curves while conveying a modern style. Our SLi 3000 Intelligent Toilet is equipped with a bottom inlet, vertical outlet, dual flush, Micro Shield™ Antibacterial glaze, a silent seat and 12" rough-in dimension.

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.






STUDIOLUX


SLi 2000

ONE PIECE INTELLIGENT TOILET

LIST PRICE \$2,995 USD



*Note: If baseboards are used measure minimum 12" [305] from baseboard.



FEATURES

Dimensions	L 27 9/16" x W 16 3/4"x H 18 7/8"	
Weight	110 lbs (50 kg)	
Material Finish	Vitreous China, ABS Scratch Resistant Lid and Micro Shield™ Antibacterial Glaze	
Color	White	
Water Consumption	Siphon Jet Rimless Dual Flush 1.28/1.0 GPF (4.8/3.8 LPF)	
Configuration	12" Rough In	Adjustable Water Temperature (3 Levels)
	Floor mounted/ Siphonic	Instantly Warm Water Temperature
	Elongated Bowl Shape	Adjustable Shower and Massaging
	ADA Height Toilet Bowl	Adjustable Self-Warming Seat (3 Levels)
	Pump Operated	Removable SS Wand for Cleaning
	Auto Flush Feature	Micro Shield™ Antibacterial Coating
	Rear/Lady Wash	ABS Scratch Resistant Seat Lid
	Warm Air Dryer	
	Deodorizer	

CODES/STANDARDS

ASME A112.19.2-2013/CSA B45.1-13, ASSE 1002
 PREMIUM High-Efficiency Intelligent Toilet (HET)
 MAP RATING HIGHLY RECOMMENDED FLUSH PERFORMANCE
 EPA WaterSense®

DETAILS

The SLi 2000 Toilet features sharp geometric curves while conveying a modern style. Our SLi 2000 Intelligent Toilet is equipped with a bottom inlet, vertical outlet, dual flush, Micro Shield™ Antibacterial glaze, a silent seat and 12" rough-in dimension.

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.






STUDIOLUX

SLi 1000

ONE PIECE TANKLESS TOILET

LIST PRICE \$1,395 USD



FEATURES

Dimensions	L 27 9/16" x W 16 3/4" x H 18 7/8"
Weight	110 lbs (50 kg)
Material Finish	Vitreous China, ABS Scratch Resistant Lid and Micro Shield™ Antibacterial Glaze
Color	White
Water Consumption	Siphon Jet Rimless Dual Flush 1.28/1.0 GPF (4.8/3.8 LPF)
Configuration	12" Rough In Floor mounted/ Siphonic Elongated Bowl Shape ADA Height Toilet Bowl Battery Operated Pump Auto Flush Feature Micro Shield™ Antibacterial Glaze ABS Scratch Resistant Seat Lid

CODES/STANDARDS

ASME A112.19.2-2013/CSA B45.1-13, ASSE 1002
PREMIUM High-Efficiency Tankless Toilet (HET)
MAP RATING HIGHLY RECOMMENDED FLUSH PERFORMANCE
EPA WaterSense®

DETAILS

The SLi1000 Toilet features sharp geometric curves while conveying a modern style. Our SLi1000 Intelligent Toilet is equipped with a bottom inlet, vertical outlet, dual flush, Micro Shield™ Antibacterial glaze, a silent seat and 12" rough-in dimension.

All drawings contain the necessary measurements which are subject to standard tolerances. They are stated in inches and are non-binding. Exact measurements, in particular for customized installation scenarios, can only be taken from the finished ceramic piece.

PRODUCT FEATURES



SLi 1000



SLi 2000

FEATURES

Rear/Lady Wash	No	Yes
Dual Flush	Yes	Yes
Adjustable Water Temperature	No	Yes (3 Levels)
Warm Water	No	Yes
Adjustable Flow Rate	No	Yes
Ajustable Spray Arm Position	No	Yes
Oscillating Spray	No	Yes
Pulsating Spray	No	Yes
Air Dryer	No	Yes
Pre-Wet (Bowl Surface Pre-Wash)	Yes	Yes
Heated Seat	No	Yes
Temperature Control Heated Seat	No	Yes (3 Levels)
Deodorizer	No	Yes
Night Light	No	Yes
Programmable User Profiles	No	No
Removable Wand for Cleaning	No	Yes
Auto Lid/Seat Open and Close	No	No (Remote Only)
Remote Control	No	Yes
Auto Flush	Yes	Yes
ABS Scratch Resistant Lid	Yes	Yes
Antibacterial Cearmic Surface	Yes	Yes



SLi 3000

Yes

Yes

Yes (3 Levels)

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes (3 Levels)

Yes

Yes

No

Yes

No (Remote Only)

Yes

Yes

Yes

Yes



SLi 4000

Yes

Yes

Yes (5 Levels)

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes (5 Levels)

Yes

Yes

Yes

Yes

Yes

Yes

Yes

Yes

TERMS & CONDITIONS

This order form is not an offer to sell to any person who possesses, nor to anyone else, the products listed here at the prices shown. All prices are in U.S. dollars. These prices do not include freight, shipping and or handling.

TERMS AND CONDITIONS OF SALE

Buyer's acceptance of all or partial goods ordered from seller shall constitute buyer's acceptance of STUDIOLUX's terms and conditions of sale set forth on order confirmation or invoice unless buyer objects in writing prior to acceptance of said goods.

CREDIT APPROVAL

Acceptance of orders, shipments, deliveries and performance of work shall at all times be subject to approval of the Seller's Credit Department, STUDIOLUX, Irvine, California. Seller may at any time decline an order or decline to make any shipment or delivery or perform any work except upon receipt of payment, or security, or upon terms and conditions satisfactory to such department. Seller reserves the right to ship C.O.D. or C.I.A.

TERMS OF PAYMENT

Cash payment terms are Net 30 Days. A delinquency charge, 1.5% per month or 18% per year, computed on the unpaid balance shall be due as liquidated damages on all accounts not paid in full when due. Interest shall be paid with Buyer's next remittance. In addition to late payment charges, Buyer agrees to pay any and all collection costs, including reasonable attorney fees incurred by Seller in collecting balances not paid within terms.

FREIGHT

All orders are FOB California Warehouse. Seller reserves the right to ship merchandise by the method of seller's choosing.

SHIPPING WEIGHTS

Shipping weights are approximate and are not guaranteed, but are shown for customer convenience.

RETURNED MERCHANDISE

Merchandise which has been shipped according to Buyer's specifications cannot be returned for credit without prior written approval from the seller, fully establishing the basis for the credit. Credit will be issued only for items which are found by seller to be of standard manufacture and in saleable condition. Return shipment is at buyer's expense and risk. Buyer must prepay freight and will incur up to a 45% restocking charge when no manufacturing defects or errors are involved. Discontinued merchandise will not be accepted under this return goods program. No merchandise will be accepted for return under this policy after 30 days.

DAMAGE IN TRANSIT/SHORTAGE

Every reasonable precaution is taken against breakage or damage in transit. Seller's risk of loss ceases at the time the goods are placed at the Buyer's disposal. Claims against carriers are to be filed by the Buyer within 7 days. It is the buyer's responsibility to inspect products upon delivery for transit and/or shortage. If damage or shortage is detected, it should be duly noted on the bill of lading before signing for merchandise. An inspection report should be requested by the buyer of the carrier, followed by a settlement claim to the carrier.

WARRANTY

See STUDIOLUX's product warranty for details. If you do not have a copy of the product warranty, please request in writing to: STUDIOLUX
3 Musick
Irvine, CA 92618

DESIGN CHANGES

Seller reserves the right to make revisions without notice in the design of its products and packaging.

DELAY

If any shipping dates have been specified, they are approximate and seller shall not be bound thereby, but every effort will be made to ship in accordance with them. All shipments are subject to contingencies of manufacturer and other causes beyond seller's control such as fires, strikes, delays in transportation, or government regulations.

VITREOUS CHINA & FINE FIRE CLAY WARRANTY

STUDIOLUX Limited Warranty

Limited Warranty applies to all STUDIOLUX products.

STUDIOLUX warrants its products to be free of manufacturing defects in material and workmanship for a period of 5 years on Vitreous China and 3 year on tank trim / seats and from the date of purchase. Please visit <http://eepurl.com/gdt5fX> to register within 30 days after purchase. The limited warranty is to the original purchaser only. The limited warranty is not transferable to any third party. The limited warranty applies to all products sold in the United States and Canada. STUDIOLUX is not responsible for any installation costs.

STUDIOLUX will at its election replace or make appropriate adjustments where STUDIOLUX inspection discloses any such defects occurring in normal residential usage within one year after purchase.

This warranty does not apply to the following items

- Damage or loss sustained in a fire, earthquake, storm or any natural disaster etc....
- Damage or loss resulting from any unreasonable use, misuse, abuse, negligence or improper care, improper cleaning or maintaining of the product.
- Damage or loss resulting from any sediments or foreign matter contained in the water system
- Damage or loss from improper installation, harsh environment, improper removal and water pressure in excess of 80 PSI.
- Damage or loss resulting from electrical surges, lightning strikes or other acts which are not considered normal or the fault of STUDIOLUX.
- Damage or loss resulting from normal wear and tear, such as gloss reduction or dulling, scratching or fading over time due to normal use, cleaning practices, water or atmospheric conditions including but not limited to: bleach, alkali, acid cleaners, dry powdered cleaners or any other abrasive cleaning agents or abrasive cleaning tools or aids.
- The use of any product in a manner outside of the product instructions / owner's manuals
- STUDIOLUX shall not be liable for any failure caused by Chloramines in the public treated waters or cleaners containing chlorine (calcium hypochlorite). Please Note that use of high concentrate chlorine or chlorine related products can damage fittings. This damage can cause leakage resulting in property damage.

This limited warranty gives you specific legal rights. You may have other rights which may vary from state to state, province to province or country to country

To obtain warranty service you may contact STUDIOLUX through your dealer, plumbing contractor or by writing STUDIOLUX, Attn. customer service department, 3 Musick, Irvine, California 92618 or by calling 1-800-769-4857.

IMPLIED WARRANTIES, INCLUDING THAT OF MERCHANTABILITY, ARE EXPRESSLY LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. STUDIOLUX DISCLAIMS ANY RESPONSIBILITY FOR CONSEQUENTIAL DAMAGES.

Some states do not allow limitations on how long an implied warranty lasts or the exclusion or limitation of special, incidental or consequential damages, so this limitation and exclusion may not apply to you. This warranty gives you specific legal rights. You may also have other rights which vary from state to state.

Vitreous China and Fine Fire Clay – Care

Clean the outside surface of your toilet or lavatory with mild soap and warm water. Wipe the entire surface completely dry with a clean soft cloth. You may use soft abrasive cleaners when necessary to clean your vitreous china and fine fire clay product. Do not use strong abrasive cleaners, as they will scratch and dull the surface. Wipe any splashes of cleaning solutions from plastic or plated surfaces immediately. Use toilet bowl cleaners on the inside of the toilet bowl only.

If the surface becomes excessively dirty, use a general purpose cleaner such as Fantastick®, All Purpose Lysol®, Basin Tub and Tile Cleaner®, Soft Scrub® Multi Surface, Scrub Free® Disinfectant Bathroom Cleaner, Clorox Clean-Up®, Spic and Span Liquid, Comet® Liquid Bathroom Cleaner, Scrubbing Bubbles® Bathroom Cleaner, BarKeeper's Friend®, or Bon Ami.

Over time, hard water deposits may clog the toilet rim washing holes and trap ways. To clean, use a commercial cleaner that is recommended for removing hard water deposits. Be sure to follow the cleaner's manufacturer's instructions.

WARNING Risk of property or product damage. Do not use in-tank cleaners in your toilet. Products containing chlorine (calcium hypochlorite) can seriously damage tank fittings. The damage can cause leakage and severe property damage.

STUDIOLUX™
US Office
30131 Town Center Dr.
Suite 298
Laguna Niguel, CA 92677
(949) 900-4353
support@studioluxcorp.com
www.studioluxcorp.com

